



LICENSED

PERIOD 2014-2016 LIC. NO.

8485.30



LICENSED

PERIOD 2011-2013 LIC. NO.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. In New York State, this product may NOT be applied to any grass or turf area (lawns) within 100 feet of a water body (lake, pond, river, stream, wetland, drainage ditch). In New York State, do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

PRODUCT FACTS

WHERE TO APPLY: Lawns, Around Home Foundations (Perimeter Treatment), Ornamental and Flower Gardens, and Vegetable Gardens. **WHEN TO APPLY:** Apply early/proactively (in the spring/summer/fall) to prevent infestation. Otherwise, apply at the first sign of insect activity or damage.

Use this product for the control of:

| | | | |
|---|--------------------|---------------|--|
| Ants (including Carpenter, Red Harvester, Pavement, Odorous, Pyramid, Argentine, Pharaoh, Fire Ants and Foraging Fire Ants) | Centipedes | Fleas | Sod Webworms (Lawn Moth) |
| Armyworms | Chinch Bugs | Grasshoppers | Spiders |
| Billbugs | Crickets | Leafhoppers | Ticks (including ticks that transmit Lyme Disease) |
| | Cutworms | Mealybugs | Weevils (including Hyperodes) |
| | Earwigs | Millipedes | |
| | European Crane Fly | Mole Crickets | |

HOW TO USE

Insects (listed above): Uniformly apply 1/2 to 1 pound over a 500 sq. ft. area of lawn using a spreader designed for the application of granular materials. Best results are obtained if the treated area is thoroughly watered immediately after application.

For Centipedes, Millipedes, Pavement Ants: Uniformly apply 1 pound over a 250 sq. ft. area of lawn. Best results are obtained if the treated area is thoroughly watered immediately after application.

For Mole Crickets: Uniformly apply 1/2 to 1 pound over a 250 sq. ft. area of lawn. For best results, treat in late spring and water thoroughly immediately after application.

For Fire Ant Mounds: Uniformly apply 1 tablespoon or 3 teaspoons** of granules to the surface of each mound. For best results: 1) Apply in cool weather, 65 to 80° F, in early morning or late evening hours. 2) Avoid disturbing ants. 3) Treat new mounds as they appear. 4) Thoroughly water the treated area after application.

HOW TO APPLY: See the specific pests for a recommended level. Irrigating or watering by 0.1 to 0.5 inches immediately after application improves the effectiveness of this product.

On Lawns: Using a spreader designed for application of granular materials, uniformly apply 1/2 to 1 pound over 500 sq. ft. For mole cricket control, apply 1/2 to 1 pound over 250 sq. ft. area. For 3 month/season-long control, apply 1 pound of product for every 250 sq. ft. One pound will treat up to 1000 sq. ft. area of lawn.

On Ornamentals & Flowers: Apply 0.5 to 1 lb. evenly over each 500 sq. ft. area. Repeat if there are signs of renewed insect activity. Product can be applied just before planting or after plants emerge.

Vegetable Gardens: A single application may be applied just prior to planting or after plants emerge and worked into the top 4 to 6 inches of soil. Use 1.0 lb of product for a 500 sq. ft. area.

Home Foundation/Barrier Treatment: Evenly apply a 2-foot wide band next to the house/home foundation. Use 0.5 to 1.0 lb for each 500 sq. ft. (2 ft. x 250 ft.).

This product can be applied to the vegetables listed below:

| CROP | DAYS TO WAIT TO HARVEST |
|--|-------------------------|
| Tomatoes, sweet corn | 1 |
| Green peas, sugar snap peas, snowpeas, green beans (wax beans, snap beans), dry beans (black-eyed peas, cow pea), cucumber, gourds, muskmelon, pumpkin, squash, and watermelon | 3 |
| Artichoke | 5 |
| Broccoli, Chinese broccoli, cabbage, cauliflower, kohlrabi, Chinese mustard, eggplant, head lettuce, peppers (bell and non-bell) | 7 |

**Food utensils such as tablespoons/teaspoons must not be used for food purposes after use in measuring pesticides.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. For rigid containers after partial use, replace lids and close tightly. For bags after partial use, reseal opened bag by folding top down and securing.

PESTICIDE CONTAINER DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

FIRST AID: IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.

NOTE TO PHYSICIAN: This product is a pyrethroid. If large amounts have been ingested, milk, cream or other digestible fats and oils may increase absorption and so should be avoided.

ENVIRONMENTAL HAZARDS: This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

EPA Reg. No.: 228-496-75111
EPA Est. No.: 44616-MO-1 (A)
EPA Est. No.: 58996-MO-1 (B)
() code is last letter of canister code.

Distributed by
Maid Brands, Inc.
6008 B North Lindbergh Blvd.
Hazelwood, MO 63042 ©2009



HEAVY WEIGHT®



MULTI-INSECT & FIRE ANT KILLER GRANULES

KILLS AND PROTECTS FOR UP TO 3 MONTHS

- Kills Fire Ants Fast
- Fast Acting against insects, spiders and ticks
- Kills insects above and below the lawn surface
- Multi-Purpose Insect Killer
- Kills pests on contact
- Use on residential lawns, home perimeters, ornamental and flower gardens, and vegetable gardens

ACTIVE INGREDIENT:
Bifenthrin 0.115%
OTHER INGREDIENTS 99.885%
TOTAL 100.000%
Cis Isomers 97% minimum, trans Isomers 3% maximum.

KEEP OUT OF REACH OF CHILDREN
CAUTION: See Back Panel for additional Precautionary Statements

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300
For Medical Emergencies Only, Call (877) 325-1840

Net Wt. 1 lb (16 oz/453g)

13.5"

18"

3"

18"

HEAVY WEIGHT® Multi Insect & Fire Ant Killer Granules

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

FIRST AID
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first rinse and continue rinsing eye. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER
 Also contact 1-877-325-1640 for emergency medical treatment information.

NOTE TO PHYSICIAN
 This product is a pyrethroid. If large amounts have been ingested, milk, cream or other digestible fats and oils may increase absorption and so should be avoided.

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not contaminate water, food or feed by storage or disposal. Do not apply to any grass or turf area (lawns) within 100 feet of a water body (lake, pond, river, stream, wetland, drainage ditch), or to any area where surface water or groundwater is likely to become contaminated. Do not apply to any area where surface water or groundwater is likely to become contaminated. Do not apply to any area where surface water or groundwater is likely to become contaminated.

INSECTS CONTROLLED

Use this product to kill and control:

| | | |
|--|------------------|---|
| Ants (including Carpenter, Red Harvest, Pavement, and Fire Ants) | Grasshoppers | Shield Grasshopper |
| Beetles (including Bark, Carpet, and Flea Beetles) | Ground Squirrels | Webworms (including Sod Webworm, Webworm) |
| Blattellids (including Brown Banded, German, and Smoky Brown) | House Flies | Whiteflies |
| Chiggers | Leafhoppers | Winter Moths |
| Crickets | Lucerne Moth | |
| Cucumbers (including Bitter Melon, and Wax Melon) | Meat Beetles | |
| Earwigs | Millipedes | |
| Fire Ants | Onion Thrips | |
| Flies (including House, and Stable) | Scorpionflies | |
| Grasshoppers | Springtails | |
| Ground Squirrels | | |
| House Flies | | |
| Leafhoppers | | |
| Lucerne Moth | | |
| Meat Beetles | | |
| Millipedes | | |
| Onion Thrips | | |
| Scorpionflies | | |
| Shield Grasshopper | | |
| Webworms (including Sod Webworm, Webworm) | | |
| Whiteflies | | |
| Winter Moths | | |

WHERE TO APPLY: Lawns, Around Home Foundations Perimeter Treatment, Ornamental and Flower Gardens, and Vegetable Gardens.

WHEN TO APPLY: Apply early/moisture (in the spring/summer/fall) to prevent infestation. Otherwise, apply at the first sign of insect activity or damage.

HOW TO APPLY: Apply this product directly to lawns, gardens, or landscaped areas. Water treated area as directed on this label. Do not water to the point of run-off. See specific pest directions below for amount of product to use.

- On Lawns**
- Using a spreader designed for application of granular materials, uniformly apply 1 to 2 lbs over 1,000 sq. ft.
 - For fire ant control, apply 2 to 4 lbs over 1,000 sq. ft. area.
 - For 3 month/season-long control, apply 4 lbs of product for every 1,000 sq. ft.*
 - A 10 pound bag will treat up to 10,000 sq. ft. area of lawn.
- On Ornamentals & Flowers**
- Apply 0.5 to 1 lb. evenly over each 500 sq. ft. area. Repeat if there are signs of renewed insect activity.
 - Pre-saturate soil before planting or after plants emerge.

SPREADER TIPS

| SPREADER | SPREADER SETTINGS | DIRECTIONS |
|--|-------------------|--|
| Scotts Drop Spreader | 5% 7 9 | Move lawn first if grass is tall enough to touch the bottom of the hopper. Turn on the spreader and walk slowly to ensure uniform coverage. Shut off spreader when you have reached the leader strips or stopgates. Start application automatically. Start and stop when you do. |
| Scotts EasyGreen® Rotary Spreader | 24 25 27 | For complete coverage make each pass about 30 inches apart. For partial coverage, make each pass about 60 inches apart. Spread evenly. Shut off spreader when you have reached the leader strips or stopgates. Start application automatically. Start and stop when you do. |
| Scotts SpeedyGreen® or EagleGuard® Rotary Spreader | 3 4% 6% | For complete coverage make each pass about 30 inches apart. For partial coverage, make each pass about 60 inches apart. Spread evenly. Shut off spreader when you have reached the leader strips or stopgates. Start application automatically. Start and stop when you do. |

STORAGE AND DISPOSAL
 Do not contaminate water, food or feed by storage or disposal. PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original containers only in a cool, dry place and avoid excess heat. Carefully open containers after partial use. Replace lids and close tightly. For bags after partial use, reseal opened bag by folding top down and securing.

CONTAINER DISPOSAL: If empty, nonmetallic container. Do not reuse this container. Place in trash or other recycling if available. If partly filled, if product cannot be used as directed, do not reuse. If product is to be reused, place unused product down any indoor (including toilet) or outdoor (including sewer) drain.



ENVIRONMENTAL HAZARDS
 This pesticide is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or runoff into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treated area. Thoroughly wash hands after use. Do not eat, drink, or use tobacco products on the treated area of the lawn or garden will help to prevent runoff to water bodies or drainage systems.

MAINTENANCE INFORMATION
 This product can be applied to the vegetables listed below:

| CROP | DAYS TO WAIT TO HARVEST |
|--|-------------------------|
| Tomatoes, sweet corn | 1 |
| Green peas, sugar snap peas, snow peas, green beans (wax beans, snap beans), dry beans (black-eyed peas, cow peas), squash, and watermelon | 3 |
| Artichoke | 5 |
| Broccoli, Chinese broccoli, cabbage, cauliflower, kohlrabi, Chinese mustard, eggplant, head lettuce, peppers (bell and non-bell) | 7 |

HEAVY WEIGHT® MULTI-INSECT GRANULES & FIRE ANT KILLER

NET WT. 10 LBS (4.5 kg)

KEEP OUT OF REACH OF CHILDREN
CAUTION:

- Use on residential lawns, home perennials, ornamentals and flower gardens, and vegetable gardens
- Kills lawn-damaging insects that cause your lawn to thin and turn brown
- Controls chinch bugs, sod webworms (lawn moth), fleas, ticks (including ticks that may transmit Lyme Disease), and other lawn pests listed on the back
- Not harmful to lawn grasses
- Kills Fire Ants Fast

KILLS AND PROTECTS FOR UP TO 3 MONTHS

MULTI-INSECT & FIRE ANT KILLER GRANULES



HEAVY WEIGHT®

\$10

.375" seal area-- one col ink ok -- no copy

.375" seal area-- one col ink ok -- no copy

Mitre seal area --ink ok -- no copy

2.5" x 0.25" seal area - no ink



BACK PANEL
 UPC should be 100% minimum and oriented in direction as shown on die line
 UPC should not be in any seal areas including mitre seal area around gusset

BOTTOM GUSSET

FACE PANEL

| | |
|----------------------------------|------------------------|
| | Date: Sept 21/09 |
| PEEL PLASTIC PRODUCTS | |
| Cust: | Andersons |
| Design: | 10lb - Maid Brands |
| Size: | 13.5 x 18 + 3 bg pouch |
| Eyeline/Eyemark - as per dieline | |
| Process - 300 DPI - @ final size | |

Peel Plastics Products Ltd has done everything possible to ensure the accuracy of this dieline. It is your responsibility to check and confirm all dimensions and measurements before starting your project.

.125"eyeline
 .125" from edge of print