

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Avoid contact with skin and eyes. Avoid inhalation of spray mist. Avoid contamination of feed and foodstuffs.

When using this product as a space spray in food processing plants, foods must be removed or covered during treatment. Apply only when the facility is not in operation. At home and in food processing establishments, cover or remove food prior to treatment. Cover food contact surfaces, benches, utensils, equipment, etc. during treatment or thoroughly clean prior to use with an effective cleaning compound followed by a potable water rinse.

In hospitals or other medical facilities, remove patients prior to treatment. Ventilate treated area for two hours prior to returning patients.

Do not remain in treated areas and ventilate the area after treatment is completed.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS: Extremely flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or around electrical equipment due to the possibility of shock hazard.

Environmental Hazards: This product is toxic to fish, birds, and other wildlife. Keep out of lakes, ponds, or streams. Do not contaminate water when disposing of equipment washwater. Apply this product only as specified on this label.

First Aid

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice.

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call the National Pesticide Information Center at 1-800-858-7378.

Note To Physician: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

NOTICE

It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of DURVET, Inc., the manufacturer or seller. To the extent consistent with applicable law, DURVET, Inc., the manufacturer or seller shall not be liable for consequential, special or indirect damages resulting from the use or handling of this product. Except as warranted by this label, DURVET, Inc., the manufacturer or seller makes no warranties, guarantees, or representations of any kind, either express or implied, or by usage of trade, statutory or otherwise with regard to the product sold or use of the product, including, but not limited to, merchantability, fitness for a particular purpose or use, or eligibility of the product for any particular trade usage. To the extent consistent with applicable law, Buyer's or user's exclusive remedy, and DURVET, Inc., the manufacturer's or seller's total liability shall be limited to damages not exceeding the cost of the product.

EPA Reg. No. 47000-73-12281

EPA Est. No. 47000-IA-01


07/07

MFG. FOR:
DURVET, INC.
Blue Springs, Missouri 64014
www.durvet.com



durvet

DAIRY BOMB-55



FOR USE in Beef Cattle Operations, Dairy Farms (including Milk House, Milk Parlor, Loafing Sheds, and Holding Lot), Hog Operations, Barns, Stables, Farms, Animal Quarters, Milkrooms, and Poultry Houses



**PRESSURIZED
With Dual Activators-
Kills and Repels**

For use on Cattle, Horses, Swine, and in Homes, Restaurants, Food Handling Plants, Dairies, Milk Houses, Cattle, Horse, Poultry, and Swine Quarters.

ACTIVE INGREDIENTS:

- Pyrethrins 0.5%
- *Piperonyl Butoxide, Technical 1.0%
- N-Octyl Bicycloheptene Dicarboximide 1.0%
- **OTHER INGREDIENTS 97.5%
- TOTAL 100.0%
- *Equivalent to 0.8% (Butylcarbyl) (6-Propylpiperonyl) ether and 0.2% of Related Compounds
- **Contains Petroleum Distillates

**KEEP OUT OF REACH OF CHILDREN
CAUTION
Contents Under Pressure
See Side Panels for Additional Precautions**

NET WEIGHT: 25 Oz. (709g)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place away from children, preferably a secure storage area.

CONTAINER DISPOSAL: Do not puncture or incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

DIRECTIONS FOR USE

If is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Remove protective cap. Aim spray opening away from person. Push button to spray.

DAIRY FARM USE: Milking parlor and milk room. Close all windows and doors. Spray at the rate of 1 to 2 seconds per 1000 cubic feet. If rooms cannot be closed, double the dosage. Stand in middle of room. Direct spray in all directions. Keep room closed for 15 minutes after treatment. Do not remain in treated area. Ventilate the area after treatment is completed. Cover milking utensils and milk to prevent contamination from spray and dead or falling insects.

DAIRY ANIMAL USE: From approximately 2 foot distance thoroughly spray entire animal as it is being released to pasture. Do not spray directly toward animal's eyes. Spot treat withers, shoulders and back where saliva accumulates from head tossing.

STANCHION BARN USE: Walk behind animals and direct spray over backs allowing 1 second per animal. For most effective results, apply each morning.

POULTRY OPERATIONS: In poultry houses, close all windows and doors. Spray at the rate of 1 to 2 seconds per 1000 cubic feet. Keep area closed for 15 minutes following application. Treat daily or as necessary.

HOG OPERATIONS: In hog houses, close all windows and doors. Apply at the rate of 1 to 2 seconds per 1000 cubic feet. Keep area closed for 15 minutes following application. For animal application direct spray over backs of hogs. Repeat application daily or as necessary.

HORSE BARN AND STABLES: In horse and pony barns, close all windows and doors. Spray at the rate of 1 to 2 seconds per 1000 cubic feet. Keep area closed for 15 minutes following application. Lightly mist over backs of horses and ponies from a distance of at least 2 feet. Do not spray directly toward horses face or eyes. Repeat application daily or as necessary.

BEEF CATTLE OPERATIONS: In barns, close all windows and doors. Apply at the rate of 1 to 2 seconds per 1000 cubic feet. Keep area closed for 15 minutes following application. For animal use, thoroughly spray entire animal as it is being released to pasture. Do not spray directly towards animal's face or eyes. Repeat application daily or as necessary.

FOOD PROCESSING AREA USE: For flies, mosquitoes, small flying moths (millers), and gnats: Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated areas. Keep the room closed for at least 15 minutes. Thoroughly ventilate the room when treatment is completed. **Roaches, Waterbugs, Sowbugs, Spider and Centipedes:** Spray thoroughly into the following hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary. **Ants:** Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

HOME USE: For flies, mosquitoes, small flying moths (millers), and gnats: Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated areas. Keep the room closed for at least 15 minutes. Thoroughly ventilate the room when treatment is completed. **Roaches, Waterbugs, Sowbugs, Spider and Centipedes:** Spray thoroughly into the following hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary. **Ants:** Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.



STATE OF HAWAII
Department of Agriculture
APPROVED
LICENSE NO. 8486.19

Disc.