

Contains NYLAR<sup>®</sup> IGR Insect Growth Regulator

# No·Bite™

## HOUSE FOGGER

effective long-term control

### kills adult & preadult fleas

including flea eggs for 7 months

#### ACTIVE INGREDIENTS

|   |         |
|---|---------|
| 2-[1-(Methyl-2-(4-phenoxyphenoxy) ethoxy) pyridine] | 0.10%   |
| Pyrethrins  | 0.05%   |
| N-Octyl bicycloheptene dicarboximide*               | 0.38%   |
| Permethrin**  | 0.40%   |
| OTHER INGREDIENTS                                   | 99.07%  |
| TOTAL   | 100.00% |

\* MGK<sup>®</sup> 264, Insecticide Synergist \*\* Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans

EVERCIDE<sup>™</sup>, NYLAR<sup>®</sup>, and MGK<sup>®</sup> are registered trademarks of McLaughlin Gormley King Company



KEEP OUT OF REACH OF CHILDREN

### CAUTION

See side panel for additional Precautionary Statements and First Aid

INSTRUCCIONES EN ESPAÑOL DENTRO DE LA CAJA

SEE OUTER BOX FOR COMPLETE DIRECTIONS FOR USE

NET CONTENTS 6 OZ (170g)

Nylar<sup>®</sup> keeps working in areas exposed to the sun!

Each can treats a room up to 27 ft. x 27 ft. with an 8 ft. ceiling or 6,000 cubic feet of unobstructed space.

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**SEE OUTER BOX FOR COMPLETE DIRECTIONS FOR USE**

READ ALL DIRECTIONS AND PRECAUTIONS COMPLETELY BEFORE USE

INSTRUCCIONES EN ESPAÑOL DENTRO DE LA CAJA

DOES NOT CONTROL BED BUGS

#### General Precautions & Restrictions:

Do not apply this product in a manner that will contact adults, children or pets either directly or through drift.

For use only when building has been vacated by human beings and pets. Remove pets and birds, and cover fish aquariums before spraying. Do not use in greenhouses where plants are grown for food. Do not use in aircraft cabins. Do not allow adults, children, or pets to enter the treated area, until vapors, mists and aerosols have dispersed, and the treated area has been thoroughly ventilated.

Wait two (2) hours after application, then open windows, vents and doors for two (2) hours. If an odor is still detectable, additional ventilation is required.

Manufactured for Durvet, Inc.  
100 S.E. Magellan Drive, Blue Springs, MO 64014

EPA Registration No. 1021-1623-12281

EPA Est. No. 47000-IA-01

66941110-1 ISS13XB04



STATE OF HAWAII  
Department of Agriculture  
ACCEPTED  
LICENSE NO.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**Pesticide Storage:** Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food.

**Pesticide Disposal & Container Handling:** Do Not Puncture or Incinerate! Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

#### FIRST AID

**IF SWALLOWED:** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

#### CAUTION

Breathing spray mist may be harmful. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Users should wear long-sleeved shirt, long pants and shoes plus socks. Remove and wash contaminated clothing before reuse.

#### PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions for Use on this label very carefully.

Highly Flammable  
Ingredient



Ingrediente Altamente  
Inflamable



STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO. **8486.20**

Contains NYLAR® IGR Insect Growth Regulator

**No·Bite™**

**HOUSE FOGGER**

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS AND PRECAUTIONS COMPLETELY BEFORE USE

INSTRUCCIONES EN ESPAÑOL DENTRO DE LA CAJA

**DOES NOT CONTROL BED BUGS**

**General Precautions & Restrictions:**

Do not apply this product in a manner that will contact adults, children or pets either directly or through drift.

For use only when building has been vacated by human beings and pets. Remove pets and birds, and cover fish aquariums before spraying. Do not use in greenhouses where plants are grown for food. Do not use in aircraft cabins. Do not allow adults, children, or pets to enter the treated area, until vapors, mists and aerosols have dispersed, and the treated area has been thoroughly ventilated.

Wait two (2) hours after application, then open windows, vents and doors for two (2) hours. If an odor is still detectable, additional ventilation is required.

**To Use This Product Correctly:**




DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables.



Use of a fogger in an enclosed space may cause the product to explode, resulting in injury to people or damage to property. Do not use in a room 5 ft.

x 5 ft. with an 8 ft. ceiling or smaller; instead, allow fog to enter from other rooms.

Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.).



Call your gas utility or management company if you need assistance with your pilot lights.



Use only one canister of fogger to treat a room up to 27 ft. x 27 ft. with an 8 ft. ceiling or 6,000 cubic ft. of unobstructed space.



**Before You Fog:**

In the home, exposed food should be covered or removed. All food preparation surfaces and utensils should be covered during treatment or thoroughly washed before use.

Close outside doors and windows. Shut off fans, air conditioners, and ventilation equipment. Put out all flames, pilot lights and other ignition sources. Call your gas utility or management company if you need assistance.

Remove pets and birds but leave pets' bedding as this is a primary hiding place for fleas and must be treated for best results. No need to discard pet bedding after treatment. Cover and turn off fish aquariums before activating fogger.

Cover waxed wood floors and waxed furniture in the immediate area surrounding the fogger. Open interior closet doors and cabinets of areas to be treated.

Place a chair, small table or stand in the center of the room to be treated and cover with newspaper.

Fill out and place hang-tag on the door to the treated area to alert family and others with access to the treated area not to enter for 2 hours.


For more effective control of storage pests, cockroaches, and crickets, open all cupboard doors and drawers for better penetration of fog. Remove all infested foodstuffs and dispose of in outdoor trash.

For flea and tick control, thoroughly vacuum all carpeting and upholstered furniture, along baseboards, under furniture, and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces.

Use additional units for remote rooms or where the free flow of fog is not assured.

**To Start Fogging:**

**SHAKE FOGGER WELL BEFORE USING.** Hold can at arm's length with top of can pointing away from face and eyes. Push down on finger pad until it locks. This will start fogging action.



**Vacate the treated house, individual apartment unit or other structure immediately.** Keep treated area closed for two (2) hours. Do not remain in the area during treatment.

**Do Not Re-enter for 2 Hours**



**Airing Out:**

Wait two (2) hours after application, then open windows, vents and doors for two (2) hours. If an odor is still detectable, additional ventilation is required.

**Each can treats a room up to 27 ft. x 27 ft. with an 8 ft. ceiling or 6,000 cubic feet of unobstructed space.**

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**Pesticide Storage:** Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food.

**Pesticide Disposal & Container Handling:** Do Not Puncture or Incinerate! Nonrefillable container. Do not reuse or refill this container. *If empty:* Place in trash or offer for recycling if available. *If partly filled:* Call your local solid waste agency for disposal instructions.

**FIRST AID**

**IF SWALLOWED:**

Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

**IF ON SKIN OR CLOTHING:**

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

**PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Breathing spray mist may be harmful. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Users should wear long-sleeved shirt, long pants and shoes plus socks. Remove and wash contaminated clothing before reuse.

**PHYSICAL OR CHEMICAL HAZARDS**

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions for Use on this label very carefully.

Highly Flammable Ingredient Ingrediente Altamente Inflamable



**IGR NO-BITE™ HOUSE FOGGER** contains a combination of three insecticides that stops the flea life cycle in three ways and controls other listed insects. **THE FIRST INSECTICIDE IS NYLAR®,** an insect growth regulator, that does not allow the flea to reproduce, thereby providing long-term control. **THE SECOND INSECTICIDE IS THE BOTANICAL PYRETHRUM,** which provides effective quick-kill of insects upon direct contact and an added benefit of flushing the insects from their hiding place to aid in a more complete kill. **PERMETHRIN,** THE THIRD ACTIVE INSECTICIDE, provides activity until NYLAR® takes effect.



Contains NYLAR® IGR Insect Growth Regulator

**No·Bite™**

**HOUSE FOGGER**

effective long-term control

**Breaks the Flea Life Cycle**

To protect your pet against, and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea & tick products **NO·BITE** Flea & Tick SPRAYS, MISTS & SHAMPOOS in conjunction with this application & prior to re-entry.

As part of a complete flea control program, use EPA registered **NO·BITE** Flea & Tick HOUSE & CARPET SPRAY.

Contains NYLAR® IGR Insect Growth Regulator

**No·Bite™**

**HOUSE FOGGER**

**Breaks the Flea Life Cycle**

Prevents reinfestation for 7 months

Kills Cockroaches, Ticks, Spiders, Ants, and other listed insects

**kills adult & preadult fleas**

INCLUDING flea eggs FOR 7 MONTHS

**water-based** contains no CFC's or other ozone depleting substances

**ACTIVE INGREDIENTS**

|  |                |
|--|----------------|
| 2-[1-Methyl-2-(4-phenoxyphenoxy)ethoxy] pyridine | 0.10%          |
| Pyrethrins                                       | 0.05%          |
| N-Octyl bicycloheptene dicarboximide*            | 0.38%          |
| Permethrin**                                     | 0.40%          |
| <b>OTHER INGREDIENTS</b>                         | <b>99.07%</b>  |
| <b>TOTAL</b>                                     | <b>100.00%</b> |

\*MGK® 264, Insecticide Synergist  
\*\*Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans  
EVERCIDE®, NYLAR®, and MGK® are registered trademarks of McLaughlin Gormley King Company

**KEEP OUT OF REACH OF CHILDREN CAUTION**

See back panel for additional Precautionary Statements & First Aid  
INSTRUCCIONES EN ESPAÑOL DENTRO DE LA CAJA



**KILLS Insects on Contact**

SUCH AS:

- Ants, Beetles, Booklice, Boxelder Bugs, Cadelles, Carpenter Bees, Centipedes, Cockroaches, Earwigs, Firebrats, Fleas (Adults Larvae), Flies, Flying Moths, Gnats, Granary Insects, Hornets, Indian Mealworms, Lesser Grain Borers, Lice, Midges, Millipedes, Mosquitoes, Palmetto Bugs, Pillbugs, Rice Weevils, Silverfish, Sowbugs, Ticks, Wasps, Waterbugs, Wood Borers, Yellow Jackets

**3 Pack for multi-room use**

NET WT 18 OZ (510G)  
THREE · 6 OZ (170G) CANS

Contains NYLAR® IGR Insect Growth Regulator

**No·Bite™**

**HOUSE FOGGER**

**Three Pack for multi-room use**

Each can treats a room up to 27 ft. x 27 ft. with an 8 ft. ceiling or 6,000 cubic feet of unobstructed space.

**For use in Homes, Attics, Basements, Garages, Apartments, Boats, Cabins, Campers, Closed Porches, Condominiums, Kennels, Kitchens, Pet Sleeping Areas, Institutions**

**Effective Long-Term Control**

Use Flea & tick products as part of an integrated pest management program on your pet, around your home and in your yard.

