



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD **2012-2014** LIC. NO.



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD **2015-2017** LIC. NO.

**8494.1**



## Liquid Sanitizer Concentrate

For Sanitizing  
Water Softeners - RO Units - Water Coolers

EPA Est. No. 3640-WI-01 EPA Reg. No. 1839-155-73529

### ACTIVE INGREDIENTS

Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides.....	10.0%
Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides.....	10.0%
INERT INGREDIENTS.....	80.0%
<b>TOTAL</b>	<b>100.0%</b>

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

SEE OUTER CONTAINER FOR PRECAUTIONARY  
STATEMENTS AND USE DIRECTIONS.

DISPOSAL: Do not reuse container. Wrap and put in trash  
collection.

NET CONTENTS: 0.5 FL. OZ. (14.79 ml)

Distributed by: Pro Products, LLC, Fort Wayne, IN [www.proproducts.com](http://www.proproducts.com)



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD **2006-2008** LIC. NO.



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD **2009-2011** LIC. NO.

24 PACK

**Sani-System**  
by Pro Products

**Liquid Sanitizer Concentrate**

**For Sanitizing  
Water Softeners  
RO Units  
Water Coolers**

Distributed by:  
Pro Products, LLC  
Fort Wayne, IN 46825  
www.proproducts.com

EPA Est. No. 3640-WI-01  
EPA Reg. No. 1839-155-73529

24 PACK

**Sani-System**  
by Pro Products

**Liquid Sanitizer Concentrate**

**For Sanitizing  
Water Softeners - RO Units - Water Coolers**

**KEEP OUT OF REACH OF CHILDREN - DANGER**

**FIRST AID:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

See back panel for additional precautionary statements.

**ACTIVE INGREDIENTS**

Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides.....10.0%  
Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides.....10.0%  
INERT INGREDIENTS.....80.0%  
TOTAL 100.0%

**NET CONTENTS: 24 PACKETS 0.5 FL. OZ. EACH (TOTAL 12 FL. OZ.)**

24 PACK

**Sani-System**  
by Pro Products

**Liquid Sanitizer Concentrate**

**For Sanitizing  
Water Softeners  
RO Units  
Water Coolers**



**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**Sanitization of Interior Surfaces of Water Softeners and Reverse Osmosis (RO) Units**  
1. Backwash the softener and add 1 ounce of sanitizer per 8 gallons of water (200 ppm active quaternary) to the brine tank well. (NOTE: standard system capacity is 48 gallons.) (The brine tank should have water in it to permit the solution to be carried into the softener.)  
2. Proceed with the normal regeneration or interrupt the cycle after the brining step and let the softener soak for a minimum of 60 seconds.  
3. Backwash the softener with potable water to make sure all sanitizing solution is thoroughly rinsed from the unit before returning it to service.

**Reverse Osmosis (RO) Units** - Sanitization should occur after initial installation, after the system is serviced and periodically during its use. Turn off RO system, drain storage tank and remove membrane element and pre-filters. Put membrane element in a plastic bag so it remains wet. Fill empty pre-filter housing with 1 ounce of sanitizer per 8 gallons of water (200 ppm active sanitizer) and turn on raw water. (NOTE: standard system capacity is 1-2 gallons.)  
3. After holding tank is full, let system stand idle for a minimum of 60 seconds. Turn off water. Drain holding tank.  
4. Before the system is put back into service, flush system with potable water to assure sanitizing solution is rinsed thoroughly from system. Follow the manufacturer's directions for re-installation of new pre-filters, membrane element and post filter.

**Sanitization of Interior Surfaces of Ice Machines, Water Coolers, Water Holding Tanks and Pressure Tanks**  
Ice Machines - Sanitization should occur after initial installation, after the machine is serviced and periodically during its use.  
1. Shut off incoming water line to machine.  
2. Prepare a solution of 1 ounce of sanitizer per 8 gallons of water (200 ppm active quaternary).  
3. Circulate solution through machine making sure to wet all surfaces and allow a minimum contact of 60 seconds.  
4. Drain and completely flush system twice with potable water.  
5. Return machine to normal operation.

**PRECAUTIONARY STATEMENTS - HAZARDS TO HUMANS AND DOMESTIC ANIMALS. DANGER-KEEP OUT OF REACH OF CHILDREN. CORROSIVE. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. May be fatal if swallowed or absorbed through skin. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.**  
**STORAGE AND DISPOSAL - DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL. PESTICIDE STORAGE - Store in a dry place no lower in temperature than 50°F or higher than 120°F. CONTAINER DISPOSAL - Do not reuse empty container. Wrap container and put in trash.**

**For Sanitizing Water Softeners - RO Units - Water Coolers**

**Liquid Sanitizer Concentrate**

**Sani-System**  
by Pro Products

**Sani-System**  
by Pro Products

**Liquid Sanitizer Concentrate**

**For Sanitizing  
Water Softeners - RO Units - Water Coolers**

24 PACK