



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD **2015-2017** LIC. NO.

**8526.1**



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD **2012-2014** LIC. NO.



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD **2009-2011** LIC. NO.



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD **2006-2008** LIC. NO.



# Citrus II®

**HOSPITAL  
GERMICIDAL DEODORIZING  
CLEANER**

• FRESH CITRUS SCENT

- VIRUCIDE • TUBERCULOCIDAL • MILDEWSTAT (on hard inanimate surfaces)
- FUNGICIDE (against pathogenic fungi) • DISINFECTANT • CLEANER
- MEETS OSHA BLOODBORNE PATHOGEN STANDARD FOR HIV, HBV, HCV & HAV • KILLS 99.9% OF BACTERIA
- CLEANS AND DEODORIZES IN ONE EASY STEP
- READY-TO-USE DISINFECTANT SPRAY

**ACTIVE INGREDIENTS**

n-Alkyl (60% C <sub>14</sub> , 30% C <sub>12</sub> , 5% C <sub>10</sub> , 5% C <sub>8</sub> )	0.105%
dimethyl benzyl ammonium chlorides	0.105%
n-Alkyl (68% C <sub>12</sub> , 32% C <sub>14</sub> )	99.790%
dimethyl ethylbenzyl ammonium chlorides	
<b>INERT INGREDIENTS</b>	
<b>TOTAL</b>	<b>100.000%</b>

EPA REG NO. 1839-83-68939  
EPA EST. NO. 68939-GA-001

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See Back Panel for Additional Precautionary Statements.

Beaumont Products, Inc.  
1560 Big Shanty Drive  
Kennesaw, GA 30144

U.S. Patent No. 5, 444, 094

NET CONTENTS: 22 FL. OZ. (650mL)

**PRECAUTIONARY STATEMENTS**

**- HAZARDS TO HUMANS AND DOMESTIC ANIMALS -  
CAUTION**

**KEEP OUT OF REACH OF CHILDREN.** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

**FIRST AID**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

**STORAGE AND DISPOSAL**

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

**PESTICIDE STORAGE:** Store in a dry place no lower in temperature than 50°F or higher than 120°F

**CONTAINER DISPOSAL:** Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in sanitary landfill, or incinerate, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. For containers 1 gallon or less: Do not reuse empty container (bottle, can, bucket). Wrap container and put in trash.

Beaumont Products, Inc.  
(800) 451-7096  
www.citrus2.com

Open Label for  
Additional Directions



REV 0306

**\*VIRUCIDAL ACTIVITY:**

This product kills on hard, non-porous inanimate surfaces when allowed to remain wet for a **10-minute contact time** against: HIV-1 (associated with AIDS), Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Hepatitis A Virus (HAV), Poliovirus Type 1, Canine Parvovirus, Bovine Viral Diarrhea Virus (BVDV). This product when used on environmental, inanimate hard surfaces exhibits effective virucidal activity against Norwalk Virus and Feline Calicivirus **when the treated surface is allowed to remain wet for 30 seconds.** This product when used on environmental, inanimate hard surfaces exhibits virucidal activity against Human Coronavirus **when the treated surface is allowed to remain wet for 2 minutes.** This product when used on environmental, inanimate hard surfaces exhibits virucidal activity against Rabies Virus **when the treated surface is allowed to remain wet for 30 seconds.**

**KILLS HIV-1, HBV, HCV AND HAV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/ objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV), and Hepatitis C Virus (HCV), and Hepatitis A Virus (HAV).

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV, HCV AND HAV ON SURFACES/OBJECTS SOILED WITH BLOOD/ BODY FLUIDS. PERSONAL PROTECTION:** When handling items soiled with blood or body fluids use disposable latex gloves, gowns, masks, or eye coverings.

**CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

**CONTACT TIME:** Allow surface to remain wet for 10 minutes.

**DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

**FUNGICIDAL ACTIVITY:** This product is fungicidal against the pathogenic fungus, Trichophyton mentagrophytes (Athlete's Foot Fungus) **when used with a 10 minute contact time on clean, non-porous hard surfaces** found in bathrooms, shower stalls, lockers rooms, or other areas commonly contacted by bare feet.

**MILDEWSTAT:** To control mold and mildew on pre-cleaned, hard, non-porous surfaces spray surface to be treated making sure to wet completely. Let air dry. Repeat application at weekly intervals or when mildew growth appears.

EFFICACY TESTS HAVE DEMONSTRATED THAT THIS PRODUCT IS AN EFFECTIVE BACTERICIDE, FUNGICIDE AND VIRUCIDE IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM)

**CITRUS II HOSPITAL  
GERMICIDAL DEODORIZING  
CLEANER**

is designed specifically as a general non-acid ready-to-use cleaner and disinfectant for use in facilities where housekeeping is of prime importance in controlling the hazard of cross contamination. It is formulated to disinfect hard, non-porous, inanimate environmental surfaces: floors, walls, glazed ceramic tile, plastic surfaces, bathrooms, shower stalls, bathtubs, and cabinets. For plastic and painted surfaces, spot test on an inconspicuous area before use. May be used in kitchen on counters, sinks, appliances, and stove tops. A rinse with potable water is required for surfaces in direct contact with food. In addition this product deodorizes those areas which generally are hard to keep fresh smelling.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is not for use on critical or semi-critical medical device surfaces.

**DISINFECTION, DEODORIZING AND CLEANING:** Remove gross filth or heavy soil prior to application of the product. Hold container six to eight inches from surfaces to be treated. Spray area until it is covered with the solution. Allow product to penetrate and the surface to remain wet for 3 minutes (for Bloodborne Pathogens: HIV-1, HBV, HCV, and HAV allow surfaces to remain wet for 10 minutes). No scrubbing is necessary. Wipe off with a clean cloth, mop or sponge. The product will not leave grit or soap scum.

Using approved AOAC test methods under Good Laboratory (GLPs), in the presence of 5% blood serum and a 3 minute contact time, unless otherwise noted, this product kills the following organisms on hard non-porous inanimate surfaces:

**BACTERICIDAL ACTIVITY (BACTERIA):** Pseudomonas aeruginosa, (ATCC 15442) • Listeria monocytogenes (ATCC 35152) • Staphylococcus aureus, (ATCC 6538) • Yersinia enterocolitica (ATCC 23715) • Salmonella choleraesuis (ATCC 10708) • Enterococcus faecium (ATCC 6569) • Escherichia coli, ATCC 11229) • Corynebacterium ammoniagenes, (ATCC 6871) • Escherichia coli, 0157:H7, (ATCC 43895) • Salmonella typhi, (ATCC 6539) • ANTIBIOTIC- RESISTANT BACTERICIDAL ACTIVITY: Methicillin resistant Staphylococcus (MRSA), (ATCC 33593) • Vancomycin resistant Enterococcus faecalis (VRE), (ATCC 51575) • Vancomycin intermediate resistant Staphylococcus aureus (VISA), (CDC Isolate 99287)

This product exhibits effective disinfectant activity against Clostridium difficile vegetative form, (ATCC 9689) when treated surface is allowed to remain wet for 1 minute (60 seconds).

**TUBERCULOCIDAL ACTIVITY:** This product exhibits disinfectant efficacy against Mycobacterium tuberculosis (BCG), at 20 degrees Centigrade when treated surface is allowed to remain wet for 5 minutes.