

**For Control of Grasses and Broadleaf Weeds
(both Annual and Perennial)
In Crop and Non-Crop Areas**



LICENSED

PERIOD 2014-2016 LIC. NO. 8528.7



AVENGER AG

BURNDOWN HERBICIDE



FOR ORGANIC PRODUCTION

OMRI™

Listed

Organic Materials Review Institute

ACTIVE INGREDIENT: d-limonene	55%
INERT INGREDIENTS:.....	45%
Total	100%

KEEP OUT OF REACH OF CHILDREN

CAUTION

EPA Reg. No. 82052- 4
EPA Est. No. 82052-GA-1

Net Contents: 1 Gallon

Manufactured by:
Cutting Edge Formulations, Inc.
3057 Summer Oak Place, Buford, GA 30581
www.avengerorganics.com
sales@avengerorganics.com

GM1208-1

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing.

FIRST AID	
If on Skin or Clothing: <ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.	If in Eyes: <ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lens, if present, after the first 5 minutes. Then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment.	

Personal Protective Equipment (PPE): Applicators and other handlers must wear:

- Long sleeved shirt and pants
- Shoes plus socks
- Protective eyewear
- Chemical resistant gloves such as nitrile rubber, polyvinyl chloride (PVC) and viton.

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations • User should: <ul style="list-style-type: none">• Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.• Remove clothing immediately if product gets inside. Then wash thoroughly and put on clean clothing.

PHYSICAL AND CHEMICAL HAZARDS

Combustible: Do not use or store near heat or open flame.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.

PPE required for early entry to treated areas (that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water), is: • Long sleeved shirt and pants • Shoes plus socks • Protective eyewear • Chemical resistant gloves such as nitrile rubber, polyvinyl chloride (PVC) and viton.

Non-Agricultural Use Requirements

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. Keep children and pets out of the treated areas until sprays have dried.

Product information: AvengerAG® is a broad spectrum weed killer that contains a citrus extract. It is non-selective and controls most annual and perennial weeds, both grasses and broadleaves. **For best performance, complete coverage of target weeds is necessary.** The product does not translocate. It will affect only those portions of plants that are coated with the spray solution. **Spray until thoroughly wet.**

Environmental Conditions: AvengerAG is effective over a wide range of environmental conditions. Cool weather may slow the activity of AvengerAG. For best results, spray when ambient high temperatures are expected above 50°F and lows above freezing. On cooler days, spray during the warm part of the day.

Allow heavy dew to evaporate prior to AvengerAG applications. Do not apply if windy conditions exist or rain is expected within 2 hours.

Spray Drift Management: Do not allow the herbicide solution to contact desirable vegetation as small amounts can cause severe damage to crops and other desirable plants.

Mixing of AvengerAG: Fill the spray tank 1/2 full with clean water. Add AvengerAG while agitating. Then fill remainder with water.

Tank Mixing of AvengerAG: Fill the spray tank 1/2 full with clean water. Add any dry formulations and then liquid formulations to the tank. Add AvengerAG while agitating. Then fill remainder with water.

Tank Mix Combinations: When AvengerAG is used in combination with any other products, refer to the respective product labels for rates and methods of application, proper timing, restrictions and precautions.

Compatibility Testing: If the compatibility with another product is not known, a jar test or physical compatibility study should be conducted before tank mixtures are made.

Application Instructions and Rates

Mix this product in clean water and apply to the foliage of vegetation to be controlled. Spray until weeds are thoroughly wet. A minimum spray volume of 60 gallons per acre is to be used. Because the underside of the weed leaf may be more susceptible, side sprays are recommended.

Do not apply this product through any type of irrigation system or by aerial application.

Broadcast Applications

Apply AvengerAG at a ratio of 1 part AvengerAG into 6 parts of water (see Table 1).

Table 1 - Broadcast Application: Mixing Rates for 1:6 Dilution	
Final Spray Volume	Amount of AvengerAG 1:6 ratio (14% dilution rate)*
1 gal	20 fl. oz.
60 gal	8 1/2 gal
100 gal	14 gal
<i>*Percent AvengerAG Burndown Herbicide in water.(Equivalent to 8% d-limonene active ingredient in water.)</i>	

A minimum spray volume of 60 gallons per acre is to be used. Spray until thoroughly wet. Do not exceed 8 1/2 gallons of AvengerAG per acre per application.

Spot Applications (Spot Treatments)

In cool situations or for tough to kill weeds, a more concentrated spray may be needed. In such situations, spot treatments with a 20% dilution rate of AvengerAG, a ratio of 1 part AvengerAG into 4 parts of water may be used up to one (1) week before harvest (see Table 2). Do not exceed 8 1/2 gallons of AvengerAG per acre per application.

Table 2 - Spot Application: Mixing Rates for 1:4 Dilution	
Final Spray Volume	Amount of AvengerAG 1:4 ratio (20% dilution rate)*
1 gal	26 fl. oz.
60 gal	12 gal
100 gal	20 gal
<i>*Percent AvengerAG Burndown Herbicide in water.(Equivalent to 11% d-limonene active ingredient in water.)</i>	

Directions for Minimizing Spray Drift:

Spray directly on weeds (or apply with hooded spray equipment is to be used to prevent the spray from contacting crop.) Use equipment to direct spray on to the weeds. Do not use mist blowers or any other application techniques which may result in drift on to desirable vegetation. Do not allow spray solution to drip, splash or drift on to desirable vegetation; small amounts can cause severe damage to crops. Use low drift, low pressure nozzles.

These procedures will also reduce the potential for off-target drift and crop injury:

- Spray hoods must be operated on the ground or skimming across ground surface.
- Operate at ground speeds of no greater than 5 miles per hour to avoid bouncing of the spray hoods.
- Apply when wind speeds are 10 miles per hour or less.

AvengerAG is intended for non-selective weed control in and around all crop and non-crop areas.

CROPS

Crop	Broadcast Treatment Instructions	Spot Treatment Instructions	Precautions and other Comments
Bearing Tree, Vine and Berry Crops: Berries* Citrus Grapes (wine, table,raisin) Nuts Pome Fruit Stone Fruit	Apply at a 14% dilution rate of AvengerAG, a ratio of 1 part AvengerAG into 6 parts of water (see Table 1) up to first fruit set. Do not exceed 8 1/2 gallons of AvengerAG per acre per application. A minimum spray volume of 60 gallons per acre is to be used.	In cool situations or for tough to kill weeds, a more concentrated spray may be needed. In such situations, spot treatments with a 20% dilution rate of AvengerAG, a ratio of 1 part AvengerAG into 4 parts of water may be used up to one (1) week before harvest (see Table 2). Do not exceed 8 1/2 gallons of AvengerAG per acre per application.	Do not apply this product through any type of irrigation system or by aerial application. Spray until weeds are thoroughly wet. Follow directions for Minimizing Spray drift. Avoid contact of herbicide solution, spray drift or mist with foliage, green bark of trunk or branches, fruit or other parts of trees, canes and vines.
Non-Bearing Tree, Vine and Berry Crops: Berries* Citrus Grapes (wine, table,raisin) Nuts Pome Fruit Stone Fruit	Apply at a 14% dilution rate of AvengerAG, a ratio of 1 part AvengerAG into 6 parts of water (see Table 1). Do not exceed 8 1/2 gallons of AvengerAG per acre per application. A minimum spray volume of 60 gallons per acre is to be used.	Not Applicable	Do not apply this product through any type of irrigation system or by aerial application. Spray until weeds are thoroughly wet. Follow directions for Minimizing Spray drift. Avoid contact of herbicide solution, spray drift or mist with foliage, green bark of trunk or branches, fruit or other parts of trees, canes and vines.

CROPS (continued)

Crop	Broadcast Treatment Instructions	Spot Treatment Instructions	Precautions and other Comments
Vegetable Crops: Brassica (cole) Vegetables Fruiting Vegetables Leafy Vegetables Legume Vegetables Root and Tuber Vegetables	Make pre-emergence or at planting applications of AvengerAG, or apply to burn down winter foliage; applications must be made before seedling emergence to avoid severe injury. Allow at least 2 days between application and transplanting. Apply at a 14% dilution rate of AvengerAG, a ratio of 1 part AvengerAG into 6 parts of water (see Table 1). Do not exceed 8 1/2 gallons of AvengerAG per acre per application A minimum spray volume of 60 gallons per acre is to be used.	In cool situations or for tough to kill weeds, a more concentrated spray may be needed. In such situations, spot treatments with a 20% dilution rate of AvengerAG, a ratio of 1 part AvengerAG into 4 parts of water may be used (see Table 2). Do not exceed 8 1/2 gallons of AvengerAG per acre per application.	Do not apply this product through any type of irrigation system or by aerial application. Spray until weeds are thoroughly wet. Follow directions for Minimizing Spray drift. Avoid contact of herbicide solution, spray drift or mist with foliage.
Herbs and Spices:	Make pre-emergence or at planting applications of AvengerAG, or apply to burn down winter foliage; applications must be made before seedling emergence to avoid severe injury. Allow at least 2 days between application and transplanting. Apply at a 14% dilution rate of AvengerAG, a ratio of 1 part AvengerAG into 6 parts of water (see Table 1). Do not exceed 8 1/2 gallons of AvengerAG per acre per application. A minimum spray volume of 60 gallons per acre is to be used.	In cool situations or for tough to kill weeds, a more concentrated spray may be needed. In such situations, spot treatments with a 20% dilution rate of AvengerAG, a ratio of 1 part AvengerAG into 4 parts of water may be used (see Table 2). Do not exceed 8 1/2 gallons of AvengerAG per acre per application.	Do not apply this product through any type of irrigation system or by aerial application. Spray until weeds are thoroughly wet. Follow directions for Minimizing Spray drift. Avoid contact of herbicide solution, spray drift or mist with foliage.
Non-Crop Areas: Including borders, driveways, sidewalks, around mature landscaping, trees, shrubs, foliage and ornamentals, around buildings, in greenhouses and nurseries, and around flower beds.	Apply at a 14% dilution rate of AvengerAG, a ratio of 1 part AvengerAG into 6 parts of water (see Table 1). Do not exceed 8 1/2 gallons of AvengerAG per acre per application. A minimum spray volume of 60 gallons per acre is to be used.	In cool situations or for tough to kill weeds, a more concentrated spray may be needed. In such situations, spot treatments with a 20% dilution rate of AvengerAG, a ratio of 1 part AvengerAG into 4 parts of water may be used (see Table 2). Do not exceed 8 1/2 gallons of AvengerAG per acre per application.	Do not apply this product through any type of irrigation system or by aerial application. Spray until weeds are thoroughly wet. Follow directions for Minimizing Spray drift. Avoid contact of herbicide solution, spray drift or mist with foliage, green bark of trunk or branches, fruit or other parts of trees, canes and vines.

* Not for use in California on berries of any kind.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: store in a cool, dry place and in such a manner to prevent cross contamination with other pesticides, fertilizers, food and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Pesticide Disposal: wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Conditions of Sale and Warranty

The **Directions For Use** of this product reflects the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result, because of factors such as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of Cutting Edge Formulations or the Seller. All such risks are assumed by the Buyer.

To the extent consistent with applicable law, Cutting Edge Formulations warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above. To the extent consistent with applicable law, Cutting Edge Formulations makes no other express or implied warranty of fitness or merchantability or any other express or implied warranty. To the extent consistent with applicable law, in no case shall Cutting Edge Formulations or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. To the extent consistent with applicable law, Cutting Edge Formulations and the Seller offer this product, and the Buyer and user accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of Cutting Edge Formulations. AvengerAG is a registered trademark of Cutting Edge Formulations, Inc.