




STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **8530.2**

**STORE  
THIS  
SIDE  
UP**



## EZ-JECT™ Copperhead Herbicide Shells

Water-Soluble Herbicide in Shells for Stem Injection  
Controls Undesirable Woody Brush, Trees and Vines – Roots and All – on Forestry Sites, Roadsides, Rights-of-Way, Industrial Sites, Fencerows, Railroads, Standing Water and Wetlands

### ACTIVE INGREDIENT:

Isopropylamine salt of Imazapyr  
(2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl]-3-pyridinecarboxylic acid)\* ..... 83.5%

**OTHER INGREDIENTS** ..... 16.5%

**Total** 100.0%

\* Equivalent to 0.008 ounces (0.23 grams) per shell of Isopropylamine salt of Imazapyr or 0.006 ounces (0.18 grams) of Imazapyr Acid.

## Keep Out of Reach of Children CAUTION

See below for First Aid and additional  
Precautionary Statements.

Net Contents: 25 Shells

Shell Net Weight: 0.01 ounce (0.28 g)

Total Net Weight: 0.25 oz (7 g)

EPA Reg. No. 83220-2 • EPA Est. 69117-NE-1

Sold by:

# EZ-Ject,™ Inc.

P.O. Box 34645 • Omaha, NE 68134 • Toll Free: 1-888-395-6732

### FIRST AID

If Swallowed:

- Immediately call a poison control center or doctor for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

For additional information on this product (including health concerns, medical emergencies or pesticide incidents) you may call 1-800-222-1222, 24 hours a day, 7 days per week.

### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are made out of any waterproof material. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart. Applicators and other handlers must wear long-sleeved shirt, long pants, shoes plus socks and chemical-resistant gloves. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables are given, use detergent and hot water. Keep and wash PPE separately from other laundry.

### USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been heavily contaminated with this product; do not reuse them.

### USER SAFETY RECOMMENDATIONS

**Users should:** Wash hands with plenty of soap and water before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing/PPE immediately if pesticide gets inside, then thoroughly wash and put on clean clothing. Immediately remove PPE after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed.

### ENVIRONMENTAL HAZARDS

This product is toxic to plants; drift and run-off may be hazardous to plants in water adjacent to treated areas. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. See *Directions for Use* for additional precautions and requirements.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons directly. Only protected handlers may be in the area during application. Do not apply directly to water or inject into stems below the water level. Woody vegetation may be controlled by injection of EZ-Ject™ selective injection herbicide shells. This product controls woody brush, tree and vine on the following sites: forestry, roadsides, rights-of-way, industrial, residential, fencerows, railroads and standing water and wetlands. For trees and brush in standing water or wetlands this product may be injected only into stems above the water level.

This product moves throughout the tree from the point of injection to all roots and shoots. Symptoms appear gradually (normally within 2 to 4 weeks) beginning with wilting, yellowing and browning of the foliage. This is followed by deterioration of all roots and shoots.

Inject the shells using only the EZ-Ject™ shell injection equipment. The shells must penetrate through the outer bark into living xylem/phloem tissue to provide effective results. For trees with less than 2.5 inches of trunk diameter measured at the base of the plant, inject one shell per stem below all major branches. For trees greater than 2.5 inches of trunk diameter, measured at the base of the plant, inject one shell every 2-4 inches of trunk circumference, evenly spaced around the trunk of the tree, below all major branches. Tree may be injected at any time of the year except when wood is frozen. For woody brush with a minimum of 3/4" diameter, inject one shell at the base of the plant.

**Note: Injury may occur to non-target or woody plants if they extend from the same root system, or their root systems are grafted to those of the treated tree.**

The species of woody brush, trees and vines controlled by this product include:

### WOODY BRUSH AND TREES

- Alder (*Alnus* spp.)
- American beech (*Fagus grandifolia*)
- Ash (*Fraxinus* spp.)
- Aspen (*Populus* spp.)
- Autumn olive (*Elaeagnus umbellata*)
- Black oak (*Quercus kelloggii*)
- Blackgum (*Nyssa sylvatica*)
- Boxelder (*Acer negundo*)
- Brazilian peppertree (*Schinus terebinthifolius*)
- Ceanothis (*Ceanothis* spp.)
- Cherry (*Prunus* spp.)
- Chinaberry (*Melia azedarach*)
- Chinese tallow-tree (*Sapium sebiferum*)
- Chinquapin (*Castanopsis chrysophylla*)
- Cottonwood (*Populus trichocarpa* and *P. deltoides*)
- Cypress (*Taxodium* spp.)
- Dogwood (*Cornus* spp.)
- Eucalyptus (*Eucalyptus* spp.)
- Hawthorn (*Crataegus* spp.)
- Hickory (*Carya* spp.)
- Huckleberry (*Gaylussacia* spp.)
- *Lyonia* spp. including: Fetterbrush (*Lyonia lucida*) Staggerbrush (*Lyonia mariana*)
- Madrone (*Arbutus menziesii*)
- Maple (*Acer* spp.)
- Melaleuca (*Melaleuca quinquenervia*)
- Mulberry (*Morus* spp.)
- Oak (*Quercus* spp.)
- Persimmon (*Diospyros virginiana*)
- Poison oak (*Rhus diversiloba*)
- Popcorn-tree (*Sapium sebiferum*)
- Poplar (*Populus* spp.)
- Privet (*Ligustrum vulgare*)
- Red alder (*Alnus rubra*)
- Red maple (*Acer rubrum*)
- Saltcedar (*Tamarix pentandra*)
- Sassafras (*Sassafras albidum*)
- Sourwood (*Oxydendrum arboreum*)
- Sumac (*Rhus* spp.)
- Sweetgum (*Liquidambar styraciflua*)
- Sycamore (*Platanus occidentalis*)
- Tanoak (*Lithocarpus densiflorus*)
- Titi (*Crylla racemiflora*) [ suppression]
- Tree of heaven (*Ailanthus altissima*)
- *Vaccinium* spp. including: Blueberry (*Vaccinium* spp.) Sparkleberry (*Vaccinium arboretum*)
- Willow (*Salix* spp.)
- Yellow poplar (*Linodendron tulipifera*)

### VINES

- Honeysuckle (*Lonicera* spp.)
- Redvine (*Brunnichia cirrhosa*)
- Virginia creeper (*Parthenocissus quinquefolia*)
- Wild buckwheat (*Polygonum convolvulus*)
- Wild grape (*Vitis* spp.)
- Wild rose (*Rosa* spp. including: Multiflora rose (*Rosa multiflora*) Macartney rose (*Rosa bracteata*)

## STORAGE AND DISPOSAL

Do not contaminate water, food, feed or seed by storage or disposal. **Pesticide Storage:** Keep container closed to prevent spills and contamination. At the end of each use period, remove unused shells from the EZ-Ject injection system. Replace unused shells in original container and re-seal. Always store the product with the open end of the capsule facing UP.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of onsite by using according to *Directions for Use* on this label, or at an approved waste disposal facility.

**Container Disposal:** Non-refillable container; do not reuse or refill container. Offer for recycling if available; alternatively, dispose of in a sanitary landfill or by other procedures approved by state and local authorities

For additional product information call 1-888-395-6732

### NOTICE OF WARRANTY

EZ-Ject™, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for use under average conditions when used in accordance with the directions on the labeling. EZ-Ject™, Inc. does not make or authorize any agent or representative to make any other warranty, guarantee or representation, expressed or implied, concerning this product.

EZ-Ject™ is a trademark of EZ-Ject™, Inc.

# **EZ-JECT™ Diamondback Herbicide Shells**

---

## **ACTIVE INGREDIENT:**

Glyphosate, N-(phosphonomethyl) glycine, in the form of its  
isopropylamine salt (CAS No. 38641-94-0)..... 83.5%

**OTHER INGREDIENTS** ..... 16.5%

**Total:** 100.0%

---

**Keep Out of Reach of Children**

## **CAUTION**

**See box label for complete Directions for Use,  
First Aid and additional Precautionary Statements.**

---

Sold by ***EZ-Ject™, Inc.***

**Net Contents: 25 Shells**

**Shell Net Weight: 0.01 ounce (0.28 g)**


**Total Net Weight: 0.25 oz (7 g)**

**EPA Reg. No. 83220-1**

**EPA Est. 69117-NE-1**

**P.O. Box 34645 • Omaha, NE 68134**

**Toll Free: 1-888-395-6732**





## EZ-JECT™ Diamondback Herbicide Shells

Water-Soluble Herbicide in Shells for Trunk and Stem Injection  
Controls Undesirable Woody Brush, Trees and Vines – Roots and All

### ACTIVE INGREDIENT:

Glyphosate, N-(phosphonomethyl) glycine, in the form of its isopropylamine salt  
(CAS No. 38641-94-0) . . . . . 83.5%

OTHER INGREDIENTS . . . . . 16.5%

Total: 100.0%

### Keep Out of Reach of Children

## CAUTION

See below for First Aid and additional Precautionary Statements.

Net Contents: 1200 Shells  
Shell Net Weight: 0.01 ounce (0.28 g)  
Total Net Weight: 12 oz (340 g)

EPA Reg. No. 83220-1 • EPA Est. 69117-NE-1

Sold by

# EZ-Ject, Inc.

P.O. Box 34645 • Omaha, NE 68134  
Toll Free: 1-888-395-6732

## FIRST AID

**If Swallowed:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes then continue rinsing eye.

Call a poison control center or doctor for treatment advice.

**Have the product container or label with you when calling a poison control center or doctor, or going for treatment.**

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS & DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear long-sleeved shirt and long pants, socks and shoes.

### ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### USER SAFETY RECOMMENDATIONS

**Users should:** Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside, then wash thoroughly and put on clean clothing.

### PRODUCT INFORMATION

This product is recommended for woody brush, tree and vine control in all non-cropland sites including forestry, roadsides, rights-of-way, industrial, residential, fencerows, railroads and aquatic sites. Woody vegetation may be controlled by injection of EZ-Ject Diamondback Herbicide Shells.

This product moves throughout the tree from the point of injection to all roots and shoots. Symptoms appear gradually (normally within 4 to 8 weeks) beginning with wilting, yellowing and browning of the foliage. This is followed by deterioration of all roots and shoots.

For aquatic sites, this product may be injected into stems of trees and brush standing in water or wetlands. Do not apply directly to water or inject into stems below the water level.

### APPLICATION INSTRUCTIONS

Inject the shells using only EZ-Ject shell injection equipment. The shells must penetrate through the outer bark into living phloem tissue to provide effective results.

For trees with less than 2.5 inch DBH (diameter at breast height), inject one shell per stem. Inject one shell every 4 inches, evenly around the trunk of the tree, below all major branches. Tree may be injected at any time of the year except when wood is frozen.

### WEEDY BRUSH, TREES AND VINES CONTROLLED

This product will control the following species:

- Alder
- Ash
- Aspen, quaking
- Big-leaf maple
- Birch
- Black cherry
- Cascara
- Ceanothus
- Chamise
- Cherry
- Cottonwood
- Dogwood
- Douglas fir
- Elderberry
- Elm
- Eucalyptus
- Hackberry
- Hawthorn
- Hazel
- Hemlock
- Hickory
- Locust, honey
- Lodgepole pine
- Madron
- Manzanita
- Maple
- Mountain maple
- Oak
- Persimmon
- Pin cherry
- Poison ivy
- Poison oak
- Ponderosa pine
- Poplar
- Poplar, yellow
- Redbud
- Sagebrush
- Sassafras
- Sourwood
- Sumac
- Sweet gum
- Tan oak
- Vine maple
- Waxmyrtle
- Western red cedar
- Willow

## STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

**Pesticide Storage:** Keep container closed to prevent spills and contamination. At the end of each use period, remove unused shells from EZ-Ject shell injection system. Replace unused shells in original container and re-seal. Store with the open end of the shell pointing up.

**Pesticide Disposal:** Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state and local procedures.

**Container Disposal:** Non-refillable container; do not reuse or refill this container. Triple rinse (or equivalent) then offer for recycling, if available; otherwise, discard in trash.

For additional product information call 1-888-395-6732

### LIMIT OF WARRANTY AND LIABILITY

EZ-Ject, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the complete Directions for Use when used in accordance with those Directions under the conditions described therein. NO OTHER EXPRESS WARRANTY OR IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated herein. Buyer and all users shall promptly notify this Company of any claims whether based in contract, negligence, strict liability, tort or otherwise.

To the extent consistent with applicable law, the exclusive remedy of the user or buyer, and the limit of the liability of this company or any other seller for any and all losses, injuries or damages resulting from the use or handling of this product (including claims based in contract, negligence, strict liability, other tort or otherwise) shall be the purchase price paid by the user or buyer for the quantity of this product involved, or at the election of the company or any other seller, the replacement of such quantity, or if not acquired by purchase, replacement of such quantity. To the extent consistent with applicable law, in no event shall this company or any other seller be liable for any incidental, consequential or special damages.

Upon opening and using this product, buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement. If terms are not acceptable, return at once unopened.

Product protected by U.S. Patent No. 4,405,531. No license granted under any non-U.S. patent(s).

EZ-Ject™ is a trademark of EZ-Ject™, Inc.