



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO.


**8576.3**



Quick killing

Controls 10 species  
of insects

Contains the botanical  
insecticide, Pyrethrum



# BestDefense™

FLY & MOSQUITO CONTROL

Ready-To-Use Spray

For Use On Horses

KEEP OUT OF REACH  
OF CHILDREN  
**CAUTION**

See back panel for First Aid and  
additional Precautionary Statements

EPA Reg. No. 1021-1796-84151

EPA Est. No. 85996-MO-1 (A)

EPA Est. No. 58996-MO-1 (B)

(I) is the last letter of bottle code

**ACTIVE INGREDIENTS:**

Pyrethrins.....	0.10%
Piperonyl butoxide, Technical* .....	1.00%
<b>OTHER INGREDIENTS .....</b>	<b>98.90%</b>
	100.00%

\*Equivalent to min. 0.8% (butylcarbityl) (6-propylpiperonyl) ether and  
0.2% related compounds

**NET CONTENTS 1 QUART (32 FL. OZ.) (946 ML)**

**DIRECTIONS FOR USE**

**It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.**

Read all directions completely before use. For best results, follow directions for specific use areas. Do not use this product in or on electrical equipment due to possibility of shock. Avoid contamination of food and feedstuffs. Remove pets and birds and cover fish aquariums before spraying.

**FOR USE ON HORSES:**

To protect Horses from attacks and to kill and repel Stable Flies, Horse Flies, Deer Flies, House Flies, Horn Flies, Lesser House Flies, Mosquitoes, including the Culex species that may carry and transmit the West Nile Virus, and Gnats, spray about 3 seconds on each side of animal, being careful to thoroughly spray back, withers, and forelegs.

**To protect from Face Flies,** spray the face and hair or spray on a cloth and rub on the face, being certain to avoid contact with the eyes. Repeat treatment as necessary when flies are troublesome.

**For effective control of biting and sucking lice** on horses, spray to thoroughly wet the hair of the animal including the head and brush of the tail. Repeat treatment in 10 days to kill newly hatched lice.

**For use in Animal Quarters and Barns:** For rapid kill of Flies, Mosquitoes, including the Culex species that may carry and transmit the West Nile Virus, Gnats, and other listed flying insects, spray at the rate of 5 – 10 seconds per 1000 cubic feet of space, directing the spray toward the ceiling and upper corners. Do not direct spray towards animals or birds. For best results, close doors and windows before spraying and keep them closed for 10 – 15 minutes. Applicator should vacate the treated area and ventilate it prior to returning.

**For use in Dog Houses, Dog Sleeping Quarters, and Kennels:** Controls fleas and ticks indoors and around pet areas. Remove, destroy, or wash pet's old bedding. To reduce infestation, thoroughly spray animal's bedding, sleeping quarters, and kennel, around baseboards, window and door frames, wall cracks, local areas of floors, and other resting places until the surface is slightly moist. Treat these areas at the rate of 2 seconds per linear foot at a distance of 12-18 inches. Also spray the entire inside surface of doghouses. Put fresh bedding in pet's quarters after spray has dried. Allow treated areas to dry thoroughly before allowing pets to re-enter. For best results and to protect your pet against, and to minimize reintroduction of, adult fleas from outdoors use EPA-registered flea and tick products (such as collar, pet powder, spray, dip, shampoo) in conjunction with this application.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal. **Pesticide Storage:** Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food. **Pesticide Disposal and Container Handling:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**FIRST AID**

**IF SWALLOWED:** Immediately call a poison control center or doctor. **Do not** induce vomiting unless told to do so by a poison control center or doctor. **Do not** give *any* liquid to the person. **Do not** give anything by mouth to an unconscious person.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **Have the product container or label with you when calling a poison control center or doctor, or going for treatment.** For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

**PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or rinsate.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use this product in or on electrical equipment because of shock hazard.

Distributed By: **Manna Pro Products, LLC** 707 Spirit 40 Park Drive, Suite 150  
St. Louis, MO 63005. 800-690-9908 [marketing@mannaapro.com](mailto:marketing@mannaapro.com)



COPY AREA