

PMS 268 PMS 280 Cyan Magenta Yellow Black



LICENSED

PERIOD 2014-2016 LIC. NO.

8581.14

No Coating



NET CONTENTS: 1.626 FL OZ
6 DOSES
EACH DOSE
0.271 FL OZ (8.0 ML)
FOR DOGS
OVER 95 LBS

- Begins reducing flea feeding in 5 minutes
- Onset of flea knockdown in less than 2 hours
- Monthly use kills all stages of flea life cycle
- Kills fleas that may cause flea allergy dermatitis
- 6-way protection, repels, and kills fleas, ticks, mosquitoes, lice, sand flies and mites (excluding mange mite)
- Repels and kills Brown dog ticks, American dog ticks, Deer ticks, Gulf Coast ticks, and Lone Star ticks for one month
- Repels and kills mosquitoes that may transmit vector-borne diseases
- Convenient easy to apply topical treatment
- Quick drying, non-greasy and water resistant

DO NOT USE ON CATS – MAY BE FATAL

Due to their unique physiology and inability to metabolize certain compounds this product must not be used on cats. If applied to a cat, or ingested by a cat that actively grooms a recently treated dog, contact your veterinarian immediately.



Manufactured by:
Ceva Animal Health, LLC
Lenexa, KS 66215
EPA Reg. No. 83399-6
EPA Est. No. 68669-NC-1



READ ENTIRE LABEL BEFORE EACH USE. See package insert. USE ONLY ON DOGS AND PUPPIES OVER THE AGE OF 8 WEEKS. KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS
WARNING: Causes substantial but temporary eye injury, harmful if swallowed or absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco products or using the toilet.

HAZARDS TO DOMESTIC ANIMALS
For external use on dogs only. Do not use this product on cats.
Do not use this product on debilitated, aged, medicated, pregnant or nursing animals, or animals known to be sensitive to pesticide products without first consulting a veterinarian.

SIDE EFFECTS
Monitor your dog after application. Individual sensitivity, such as slight transitory redness, erythema, itching -pruritus- or other signs of discomfort at the site of application, may occur after using ANY pesticide product for dogs. If signs of sensitivity occur, bathe your dog with mild soap and shampoo and rinse with large amounts of water. If signs of individual animal sensitivity occur and persist, contact your veterinarian. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these signs occur, consult your veterinarian or call us at 1-877-847-3950. Have the product container or label with you when calling your veterinarian for advice.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center, or doctor for treatment advice.

If swallowed: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center, doctor, or 1-877-847-3950 or after 6 pm EST call 1-888-426-4435 for emergency medical information. Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may contact 1-877-847-3950 or after 6 pm EST call 1-888-426-4435 for emergency medical information. For additional information please contact us at 1-877-847-3950

SimpleGuard® 3
for Dogs
(dinotefuran/permethrin/pyriproxyfen)



NET CONTENTS: 1.626 FL OZ
6 DOSES
EACH DOSE
0.271 FL OZ (8.0 ML)
FOR DOGS
OVER 95 LBS



SimpleGuard® 3
for Dogs
over 95 lbs
(dinotefuran/permethrin/pyriproxyfen)

REPELS AND KILLS FOR ONE MONTH

- FLEAS
- TICKS
- MOSQUITOES



NET CONTENTS: 1.626 FL OZ
6 DOSES
EACH DOSE
0.271 FL OZ (8.0 ML)

Available from Licensed Veterinarians Only

Once-a-Month Spot-On

ACTIVE INGREDIENTS:
DINOTEFURAN 4.95%
PYRIPROXYFEN 0.44%
PERMETHRIN 36.08%
OTHER INGREDIENTS 58.53%
TOTAL 100.00%

FOR DOGS – USE ONLY ON DOGS WEIGHING OVER 95 LBS.
Keep out of reach of children
WARNING
See package insert for directions for use, precautionary statements and first aid.



NET CONTENTS: 1.626 FL OZ
6 DOSES
EACH DOSE
0.271 FL OZ (8.0 ML)
FOR DOGS
OVER 95 LBS



SimpleGuard® 3
for Dogs
(dinotefuran/permethrin/pyriproxyfen)

NET CONTENTS: 1.626 FL OZ
6 DOSES
EACH DOSE
0.271 FL OZ (8.0 ML)
FOR DOGS
OVER 95 LBS



SimpleGuard® 3
for Dogs
(dinotefuran/permethrin/pyriproxyfen)


7/8

5 7/16

4 1/2



053960



SimpleGuard[®] 3 for Dogs & Puppies

(dinotefuran/permethrin/pyriproxyfen)

- For dogs and puppies 5 to 10 lbs, over 8 weeks of age
- For dogs and puppies 11 to 20 lbs, over 8 weeks of age
- For dogs and puppies 21 to 55 lbs, over 8 weeks of age
- For dogs 56 to 95 lbs
- For dogs over 95 lbs

- Repels and kills fleas, ticks, and mosquitoes for one month
- Kills 4 species of ticks (*Rhipicephalus* spp, *Dermacentor variabilis*, *Ixodes* spp, *Amblyomma maculatum*), 3 types of mosquitoes (*Culex* spp, *Ochlerotatus* spp, *Aedes* spp), and all stages of fleas
- Begins reducing flea feeding in 5 minutes
- Onset of flea knockdown in less than 2 hours
- Repels and kills ticks that may transmit Lyme disease, Rocky Mountain Spotted fever, babesiosis, ehrlichiosis, bartonellosis, hepatozoonosis, and anaplasmosis
- Easy, spot-on topical application
- Continues to kill and repel fleas and ticks after shampooing
- Only available from licensed veterinarians

After application, SimpleGuard spreads over the dog's body to provide full body protection against fleas, ticks and mosquitoes.

ACTIVE INGREDIENTS:

Dinotefuran 4.95%
Pyriproxyfen 0.44%
Permethrin 36.08%

OTHER INGREDIENTS 58.53%

TOTAL 100.00%



DO NOT USE ON CATS

KEEP OUT OF REACH OF CHILDREN

WARNING See directions for use, precautionary statements, first aid and ingredients.

FOR ADDITIONAL INFORMATION, PLEASE CONTACT US AT 1-877-847-3950

READ ENTIRE LABEL BEFORE EACH USE

USE ONLY ON DOGS OR PUPPIES OVER 8 WEEKS OLD

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

WARNING: Causes substantial, but temporary eye injury. Harmful if swallowed or absorbed through skin. DO NOT get in eyes or on clothing. Avoid contact with skin. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco products or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

FOR EXTERNAL USE ON DOGS ONLY. DO NOT USE THIS PRODUCT ON CATS.

Do not use this product on debilitated, aged, medicated, pregnant or nursing dogs, or dogs known to be sensitive to pesticide products without first consulting a veterinarian.

SIDE EFFECTS: Monitor your dog after application. Individual sensitivity, such as slight transitory redness, erythema, itching -pruritus- or other signs of discomfort at the site of application, may occur after using ANY pesticide product for dogs. If signs of sensitivity occur, bathe your dog with mild soap or shampoo and rinse with large amounts of water. If signs of individual animal sensitivity occur and persist, contact your veterinarian. Gastrointestinal signs such as vomiting or diarrhea have also been reported, if these signs occur, consult your veterinarian or call us at 1-877-847-3950. Have the product container or label with you when calling your veterinarian for advice.



DO NOT USE ON CATS – MAY BE FATAL. Due to their unique physiology and inability to metabolize certain compounds, this product must not be used on cats. Keep cats away from treated dogs for 24 hours. If applied to a cat, or ingested by a cat that actively grooms a recently treated dog, contact your veterinarian immediately.

FIRST AID


| | |
|--|---|
| If in eyes: | Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center, or doctor for treatment advice. |
| If swallowed: | Call a poison control center, or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. |
| If on skin or clothing: | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. If skin appears irritated after rinsing call a poison control center or doctor, or 1-877-847-3950 after 6 pm EST call 1-888-426-4435 immediately for treatment advice. |
| Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may contact 1-877-847-3950 weekdays between 9am and 6pm EST or 1-888-426-4435 for emergency medical information. | |

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. [Precaución al consumidor: si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.] (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you.)

HOW TO APPLY:

- 1. Use Restrictions: USE ONLY ON DOGS. Do not use on cats or other animals. Do not have contact or allow children to have contact with treated areas until treatment is completely dry.**
2. Remove applicator from package.
3. The dog should be standing or in a comfortable position for easy application.
4. Holding the applicator tube upright pointing away from face, place thumb and index finger around the applicator tip under the large disk. With other hand, grasp the stem of applicator tip above smaller disk. Press down firmly on small disk until both disks meet, piercing the seal. See illustration.
5. Using the applicator tip, part the hair at the base of the tail and begin applying the product onto the skin in a continuous line from the base of the tail along the center of the back all the way up to the shoulder blades, as shown in the diagram, squeezing the applicator tube until it is empty. Avoid superficial application to the dog's hair. Do not get the product in the dog's eyes or mouth.



6. Discard empty applicator tube as outlined in the Storage and Disposal section.
7. Repeat every month or as recommended by your veterinarian.
8. For optimal treatment, control and prevention of adult and immature flea stages, ticks, mosquitoes, lice, mites (excluding mange mites), biting flies and sand flies, year-round treatment is recommended.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry place. Protect from freezing. Keep out of reach of children.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. **If empty**, place in trash or offer for recycling if available. **If partially filled**, call your local solid waste agency for disposal instructions. Never place unused products down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that the material conforms to the chemical parameters of the US EPA registration and the label. To the extent consistent with applicable law seller makes no warranty, express or implied, other than indicated on the label. Buyer and user assume all risk of use and handling of this material. To the extent consistent with applicable law any damages arising from use of this product or a breach of this warranty shall be limited to direct damages and shall not include consequential or incidental damages such as loss of profit or values.

Volume varies with size of animal for which package is intended and number of applicators per package. Product packaged in 6 applicators per package. Total volume will correspond to number of applicators.

Manufactured by:
Ceva Animal Health, LLC
Lenexa, KS 66215

EPA Reg. No. 83399-6
EPA Est. No. 68669-NC-1



SimpleGuard is the registered trademark of Vicar Operating, Inc.