

Vectra 3D® is a registered trademark of Ceva Animal Health, LLC.  
Ceva Animal Health, LLC, 8735 Rosehill Road, Lenexa, KS 66215 - ©2013

EPA Reg. No. 83399-6 EPA Est. No. 68669-NC-1

For more information, call 1-888-426-4435 for emergency medical treatment information.  
You may contact 1-800-999-0297 weekdays between 9 am and 6 pm EST  
center or doctor or going for treatment.

<b>First Aid</b>	<p><b>If in eyes:</b> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes. Then continue rinsing.</p> <p><b>If swallowed:</b> Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.</p> <p><b>If on skin:</b> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. If skin appears irritated after rinsing call a poison control center or doctor or 1-800-999-0297 or after 6 pm EST call 1-888-426-4435 immediately for treatment advice.</p>
------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

- ▲ Begins reducing flea feeding in 5 minutes
- ▲ Kills fleas that may cause flea allergy dermatitis
- ▲ Repels and kills Brown dog ticks, American dog ticks, Gulf Coast ticks and Lone Star ticks for one month
- ▲ Repels and kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, babesiosis, ehrlichiosis, hepatozoonosis and anaplasmosis
- ▲ Repels and kills mosquitoes that may transmit vector-borne disease
- ▲ Repels and kills biting and sand flies
- ▲ Repels and kills lice
- ▲ Repels mites (excluding mange mites) and prevents further infestation
- ▲ Patented applicator tip for easy application directly to the skin



**Vectra 3D®**  
for Dogs and Puppies  
11 to 20 lbs  
over 8 weeks of age

**Vectra 3D®**

**Vectra 3D®**  
for Dogs and Puppies  
11 to 20 lbs  
over 8 weeks of age



Ceva Animal Health, LLC will provide new product or your money back.  
SATISFACTION GUARANTEED  
RECYCLABLE PACKAGING  
58510

**FOR EXTERNAL USE ON DOGS ONLY - DO NOT USE THIS PRODUCT ON CATS**

Monitor your dog after application. Individual sensitivity, such as slight transitory redness, erythema, itching - pruritus - or other signs of discomfort at the site of application, may occur after using ADV pesticide product for dogs. If signs of sensitivity occur, bathe your dog with mild soap or shampoo and rinse with large amounts of water. If signs of individual dog sensitivity occur and persist, contact your veterinarian. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these signs occur, consult your veterinarian or call us at 1-800-999-0297. Have the product container or label with you when calling your veterinarian for advice.

**HAZARDS TO DOMESTIC ANIMALS**  
Do not use this product on debilitated, aged, medicated, pregnant or nursing dogs, or dogs known to be sensitive to pesticide products without first consulting a veterinarian.

**HAZARDS TO HUMANS**  
**WARNING:** Causes substantial but temporary eye injury. Harmful if swallowed or absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco products, or using the toilet.

**PRECAUTIONARY STATEMENTS**  
For additional information, contact us at 1-800-999-0297 or contact.us@ceva.com

**READ ENTIRE LABEL BEFORE EACH USE**  
**USE ONLY ON DOGS OR PUPPIES OVER 8 WEEKS OLD**

**DO NOT USE ON CATS - MAY BE FATAL**  
Due to their unique physiology and inability to metabolize certain compounds this product must not be used on cats. Keep cat away from treated dogs for 24 hours. If applied to a cat, or ingested by a cat that actively grooms a recently treated dog, contact your veterinarian immediately.

**11 to 20 lbs over 8 weeks of age**  
**Vectra 3D® for Dogs and Puppies**

**WARNEKE**

HARMONY.112

printed

02/10/2010

Cust Job Size Style Blank

HARMONY LABS  
VECTRA 3D 3 P  
5+1/4 x 29/32 x 5+1/8  
SLEEVE  
12+29/32 x 5+1/8

Department of Agriculture  
STATE OF HAWAII

LICENSED

PERIOD 2014-2016 LIC. NO.

8581.18

BD

**11-20 LBS**  
**3 DOSES**



**Vectra 3D® for Dogs and Puppies**  
**11 to 20 lbs**  
**over 8 weeks of age**



Repels and kills fleas, ticks, mosquitoes, lice, mites (excluding mange mites), and biting & sand flies  
Protects for 1 month  
Prevents all flea stages from developing  
Quick drying, non-greasy and waterproof

**ACTIVE INGREDIENTS:**  
Dinotefuran ..... 4.95 %  
Pyriproxyfen ..... 0.44 %  
Permethrin ..... 36.08 %  
**OTHER INGREDIENTS** ..... 58.53 %  
**TOTAL** ..... 100.00 %  
NET CONTENTS: 0.162 fl oz (3 doses, each 0.054 fl oz)  
**KEEP OUT OF REACH OF CHILDREN**  
**WARNING**  
See package insert for directions for use, precautionary statements and first aid.

For Dogs & Puppies - Use only on dogs weighing 11-20 lbs and 8 weeks or older

**AVAILABLE FROM LICENSED VETERINARIANS**

**DO NOT USE ON CATS**



**Vectra 3D®**



**Vectra 3D®**  
for Dogs and Puppies  
**11 to 20 lbs**  
**over 8 weeks of age**



**11-20 LBS**  
**3 DOSES**



- ▼ Vectra 3D® for Dogs and Puppies 5 to 10 lbs, over 8 weeks of age
- ▼ Vectra 3D® for Dogs and Puppies 11 to 20 lbs, over 8 weeks of age
- ▼ Vectra 3D® for Dogs and Puppies 21 to 55 lbs, over 8 weeks of age
- ▼ Vectra 3D® for Dogs 56 to 95 lbs
- ▼ Vectra 3D® for Dogs over 95 lbs

### AVAILABLE FROM LICENSED VETERINARIANS

- ▼ Begins reducing flea feeding in 5 minutes
- ▼ Kills fleas that may cause flea allergy dermatitis
- ▼ Prevents all flea stages from developing
- ▼ Repels and kills Brown dog ticks, American dog ticks, Deer ticks, Gulf Coast ticks and Lone Star ticks for one month
- ▼ Repels and kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, babesiosis, ehrlichiosis, bartonellosis, hepatzoonosis and anaplasmosis
- ▼ Repels and kills mosquitoes that may transmit vector-borne disease
- ▼ Repels and kills biting and sand flies
- ▼ Repels and kills lice
- ▼ Repels mites (excluding mange mites) and prevents further infestation
- ▼ Quick drying, non greasy and waterproof

Using the patented applicator, Vectra 3D is specially designed to spread over the dog's body providing effective control of fleas, ticks and mosquitoes for one month.

#### ACTIVE INGREDIENTS:

Dinotefuran..... 4.95%  
 Pyriproxyfen..... 0.44%  
 Permethrin..... 36.08%  
**OTHER INGREDIENTS 58.53%**  
**TOTAL ..... 100.00%**

 **DO NOT USE ON CATS**

**KEEP OUT OF REACH OF CHILDREN  
 WARNING**

See directions for use, precautionary statements, first aid and ingredients.

#### FOR ADDITIONAL INFORMATION, PLEASE CONTACT US AT

1-800-999-0297 or [contact.us@ceva.com](mailto:contact.us@ceva.com)

**READ ENTIRE LABEL BEFORE EACH USE**

**USE ONLY ON DOGS OR PUPPIES OVER 8 WEEKS OLD**

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS

**WARNING:** Causes substantial but temporary eye injury. Harmful if swallowed or absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco products, or using the toilet.

##### HAZARDS TO DOMESTIC ANIMALS

**For external use on dogs only. Do not use this product on cats.**

Do not use this product on debilitated, aged, medicated, pregnant or nursing dogs, or dogs known to be sensitive to pesticide products without first consulting a veterinarian.

**SIDE EFFECTS:** Monitor your dog after application. Individual sensitivity, such as slight transitory redness, erythema, itching -pruritus- or other signs of discomfort at the site of application, may occur after using ANY pesticide product for dogs. If signs of sensitivity occur, bathe your dog with mild soap or shampoo and rinse with large amounts of water. If signs of individual dog sensitivity occur and persist, contact your veterinarian. Gastrointestinal signs such as vomiting or diarrhea have also been reported, if these signs occur, consult your veterinarian or call us at 1-800-999-0297. Have the product container or label with you when calling your veterinarian for advice.



**DO NOT USE ON CATS - MAY BE FATAL.** Due to their unique physiology and inability to metabolize certain compounds this product must not be used on cats. Keep cats away from treated dogs for 24 hours. If applied to a cat, or ingested by a cat that actively grooms a recently treated dog, contact your veterinarian immediately.

#### FIRST AID

<b>If in eyes:</b>	Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
<b>If swallowed:</b>	Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.
<b>If on skin or clothing:</b>	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. If skin appears irritated after rinsing call a poison control center, or doctor, or 1-800-999-0297 or after 6 pm EST call 1-888-426-4435 immediately for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may contact 1-800-999-0297 weekdays between 9 am and 6 pm EST or 1-888-426-4435 for emergency medical treatment information.

## DIRECTIONS FOR USE


It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
[Precaución al consumidor: si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (To the User: If you cannot speak English, do not use this product until the label has been fully explained to you.)]

## HOW TO APPLY:

1. **Use Restrictions: USE ONLY ON DOGS.** Do not use on cats or other animals. Do not have contact or allow children to have contact with treated areas until treatment is completely dry.
2. Remove applicator tube from package.
3. The dog should be standing or in a comfortable position for easy application.


4. Holding the applicator tube upright, pointing away from face, place thumb and index finger around the applicator tip under the large disk. With other hand, grasp the stem of applicator tip above smaller disk.

Press down firmly on small disk until both disks meet, piercing the seal.  
See illustration.



5. Using the applicator tip part the hair at the base of the tail and begin applying the product onto the skin in a continuous line from the base of the tail along the center of the back all the way up to the shoulder blades, as shown in the diagram, squeezing the applicator tube until its empty. Avoid superficial application to the dog's hair.

Do not get the product in the dog's eyes or mouth.



6. Discard empty applicator tube as outlined in Storage and Disposal section.
7. Repeat every month or as recommended by your veterinarian.
8. For optimal treatment control and prevention of adult and immature flea stages, ticks, mosquitoes, lice, mites (excluding mange mites) biting flies, and sand flies, year-round treatment is recommended.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. **Storage:** Store in a cool, dry place. Protect from freezing. **Disposal:** Place in trash or offer for recycling if available. Never place unused products down any indoor or outdoor drain.

## LIMITED WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that the material conforms to the chemical parameters of the US EPA registration and the label. To the extent consistent with applicable law, seller makes no warranty, express or implied, other than indicated on the label. Buyer and user assume all risk of use and handling of this material. To the extent consistent with applicable law, any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profit or values.



Recyclable Package

EPA Reg. No. 83399-6  
EPA Est. No. 68669-NC-1



Ceva Animal Health, LLC  
8735 Rosehill Road  
Lenexa, KS 66215

SATISFACTION  
*Guaranteed*

Ceva Animal Health, LLC  
will provide new product  
or your money back.

For additional information please contact us at 1-800-999-0297 or [contact.us@ceva.com](mailto:contact.us@ceva.com).

©2013 Ceva Animal Health, LLC 9/13

Vectra 3D is a registered trademark of CEVA Animal Health, LLC