

Summit VetPharm will provide new product or your money back

Summit VetPharm LLC
Rutherford, NJ 07070
301 17 N
VETERINARIAN - F.A.S.P.
SUMMIT
VETERINARIAN - F.A.S.P.

Manufactured for

NET CONTENTS: 3 doses, each 0.06 fl. oz. (1.6 mL)

EPA Reg. No. 83399-6
EPA Est. No. 68669-NC-1

For additional information please contact us at 1-800-999-0297 or info@summitvetpharm.com

DO NOT USE ON CATS. Due to their unique physiology and ability to metabolize certain compounds, this product must not be used on cats. If applied to a cat, or ingested by a cat that actively grooms a recently treated dog, this product may have serious harmful effects. If this occurs, contact your veterinarian immediately.

PRECAUTIONARY STATEMENTS

DO NOT USE ON CATS

USE ONLY ON DOGS OR PUPPIES OVER 7 WEEKS OLD

READ ENTIRE LABEL BEFORE EACH USE

FOR ADDITIONAL INFORMATION, CONTACT US AT 1-800-999-0297

WARNING:

KEEP OUT OF REACH OF CHILDREN

- 6-way protection, repels, and kills fleas, ticks, mosquitoes, lice, sand flies and mites
- Repels and kills Brown dog ticks, American dog ticks, Deer ticks, Gulf Coast ticks, and Lone Star ticks for one month

WARNING: Causes substantial but temporary eye injury. Harmful if swallowed or absorbed through skin. Do not get in eyes or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco products.

Do not use this product on debilitated, aged, medicated, pregnant or nursing animals, or animals known to be sensitive to pesticide products without first consulting a veterinarian.

Individual sensitivity, such as slight transitory redness of the skin at the site of application, may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap or shampoo and rinse with large amounts of water. If signs of individual animal sensitivity occur and persist, contact your veterinarian.

Have the product container or label with you when calling your veterinarian for advice.

For external use on dogs only. Do not use this product on cats.

Vectra 3D

FOR DOGS AND PUPPIES OVER 7 WEEKS OF AGE WEIGHING 2.5-20 LBS

STATE OF HAWAII
Department of Agriculture

ACCEPTED


LICENSE NO. **8581.1**

Disc.

Vectra 3D is a registered trademark of Summit VetPharm.
©2009 Summit VetPharm LLC. Rutherford, NJ 07070
Printed in USA 7/09 V3D-014-09

Proof of PURCHASE

3



Vectra 3D

3D 3 DOSE

FOR DOGS AND PUPPIES OVER 7 WEEKS OF AGE WEIGHING 2.5-20 LBS

REPELS AND KILLS FOR ONE MONTH

- ▼ Fleas
- ▼ Ticks
- ▼ Mosquitoes
- ▼ Mites
- ▼ Sand Flies
- ▼ Biting & Sucking Lice

ACTIVE INGREDIENTS:

Dinotefuran.....	4.95%
Pyriproxyfen.....	0.44%
Permethrin.....	36.08%
OTHER INGREDIENTS.....	58.53%
TOTAL.....	100.00%

WARNING: KEEP OUT OF REACH OF CHILDREN

See package insert for directions for use, precautionary statements and first aid.

AVAILABLE FROM LICENSED VETERINARIANS ONLY

- ▼ Quick onset of activity within 2 hours; kills fleas in 6 hours
- ▼ Prevents the development of fleas, flea eggs, larvae and pupae for one month
- ▼ Quick drying, non-greasy and water resistant
- ▼ Repels and kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, babesiosis, ehrlichiosis, bartonellosis, hepatozoonosis and anaplasmosis
- ▼ Kills fleas that may cause flea allergy dermatitis
- ▼ Convenient topical treatment with patented applicator

NET CONTENTS: 3 Doses, each 0.06 fl. oz. (1.6 mL)

Vectra 3D

3D 3 PACK

FOR DOGS AND PUPPIES OVER 7 WEEKS OF AGE WEIGHING 2.5-20 LBS



- ▼ Vectra 3D® for dogs and puppies 2.5 to 20 lbs, over 7 weeks of age
- ▼ Vectra 3D® for dogs and puppies 21 to 55 lbs, over 7 weeks of age
- ▼ Vectra 3D® for dogs 56 to 95 lbs
- ▼ Vectra 3D® for dogs over 95 lbs

ONLY AVAILABLE FROM LICENSED VETERINARIANS

- ▼ 6-way protection, repels and kills fleas, ticks, mosquitoes, lice, sand flies and mites
- ▼ Kills 4 species of ticks (*Rhipicephalus* spp, *Dermacentor variabilis*, *Ixodes* spp, *Amblyomma* spp), 3 species of mosquitoes (*Culex* spp, *Ochlerotatus* spp, *Aedes* spp), and all stages of fleas
- ▼ Quick onset of activity within 2 hours; kills fleas in 6 hours
- ▼ Repels and kills ticks that may cause Lyme disease, Rocky Mountain spotted fever, babesiosis, ehrlichiosis, bartonellosis, hepatozoonosis and anaplasmosis
- ▼ Convenient topical treatment that allows application down to skin
- ▼ Quick drying, non-greasy and water resistant
- ▼ Only available from licensed veterinarians

Spreads naturally over the dog's body to provide full body protection against fleas, ticks, mosquitoes, lice, sand flies and mites.

ACTIVE INGREDIENTS:

Dinotefuran.....4.95%
 Pyriproxyfen.....0.44%
 Permethrin.....36.08%
OTHER INGREDIENTS... 58.53%

TOTAL100.00%



DO NOT USE ON CATS

KEEP OUT OF REACH OF CHILDREN

WARNING: See directions for use, precautionary statements, first aid and ingredients.

FOR ADDITIONAL INFORMATION, PLEASE CONTACT US AT 1-800-999-0297

READ ENTIRE LABEL BEFORE EACH USE

USE ONLY ON DOGS OR PUPPIES OVER 7 WEEKS OLD

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

For external use on dogs only. Do not use this product on cats.

Use only on dogs and puppies over the age of 7 weeks (1.6mL and 3.6mL sizes)

WARNING: Causes substantial, but temporary eye injury, harmful if swallowed or absorbed through skin. DO NOT get in eyes or on clothing. Avoid contact with skin. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco products.

Do not use this product on debilitated, aged, medicated, pregnant or nursing animals, or animals known to be sensitive to pesticide products without first consulting a veterinarian.

Sensitivity, such as slight transitory redness of the skin at the site of application, may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap or shampoo and rinse with large amounts of water. If signs of individual animal sensitivity occur and persist, contact your veterinarian. Have the product container or label with you when calling your veterinarian for advice.



DO NOT USE ON CATS. Due to their unique physiology and inability to metabolize certain compounds, this product must not be used on cats. If applied to a cat, or ingested by a cat that actively grooms a recently treated dog, this product may have serious harmful effects. If this occurs, contact your veterinarian immediately.


FIRST AID	
If in eyes:	Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center, or doctor for treatment advice.
If swallowed:	Call a poison control center or doctor for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person.
If on skin:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center, doctor, or 1-888-426-4435 immediately for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may contact 1-800-999-0297 between 9am and 6pm weekdays or 1-888-426-4435.	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
[Precaución al consumidor: si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (To the User: If you cannot speak English, do not use this product until the label has been fully explained to you.)]

HOW TO APPLY:

1. **USE ONLY ON DOGS. DO NOT USE ON CATS OR OTHER ANIMALS.**
2. Remove applicator from package.
3. The dog should be standing or in a comfortable position for easy application.
4. Holding the applicator tube upright, place thumb and index finger around the applicator tip under the large disk. With other hand, grasp the stem of applicator tip above smaller disk. Press down firmly on small disk until both disks meet, piercing the seal. See illustration.
5. Using the tip of the applicator part the hair down to the level of the skin and slowly apply the product. Avoid superficial application to the animal's hair.



For dogs weighing 2.5 to 20 lbs, apply the product to one spot, as shown in the diagram, onto the skin, squeezing the applicator tube until empty.

For dogs weighing 21 to 55 lbs OR for dogs weighing 56 to 95 lbs, apply the product evenly to three spots along the dog's back, beginning between the shoulder blades and continuing in the order shown in the diagram, squeezing the applicator tube until empty.

For dogs weighing over 95 lbs, apply the product evenly to four spots on the dog's back, beginning between the shoulder blades and continuing in the order shown in the diagram, squeezing the applicator tube until empty.

6. Discard empty applicator tube as outlined in Storage and Disposal.
7. Repeat every month or as recommended by your veterinarian. Do not apply in less than 30 days.
8. For treatment, control and prevention of fleas, flea eggs, flea larvae, flea pupae, ticks, mosquitoes, lice, sand flies and mites, year-round treatment is recommended.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Storage: Store in a cool, dry place. Protect from freezing.

Disposal: If empty, do not reuse the container. Place in trash or offer for recycling if available. If partially filled, call your local solid waste agency for disposal instructions. Never place unused products down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that the material conforms to the chemical parameters of the US EPA registration and the label. To the extent consistent with applicable law seller makes no warranty, express or implied, other than indicated on the label. Buyer and user assume all risk of use and handling of this material when such use and handling are contrary to the label instructions. To the extent consistent with applicable law any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profit or values.

Volume varies with size of animal for which package is intended and number of applicators per package. Product may be packaged in 1, 2, 3, 4, 6, 8, 9, 12, 24 or 36 applicators per package. Total volume will correspond to number of applicators.



EPA Reg. No. 83399-6

EPA Est. No. 68669-NC-1

Manufactured in USA by



301 Rt. 17 N
Rutherford, NJ 07070

SATISFACTION
Guaranteed


Summit VetPharm will provide
new product or your money back.

Summit VetPharm
Printed Side
T011409EA

36 36 DOSES

Vectra 3D

FOR DOGS AND PUPPIES OVER 7 WEEKS OF AGE
WEIGHING 2.5–20 LBS



Vectra 3D

FOR DOGS AND PUPPIES OVER 7 WEEKS OF AGE
WEIGHING 2.5–20 LBS

- Quick onset of activity within 2 hours; kills fleas in 6 hours
- Prevents the development of fleas, flea eggs, larvae and pupae for one month
- Quick drying, non-greasy and water resistant
- Repels and kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, babesiosis, ehrlichiosis, bartonellosis, hepatozoonosis and anaplasmosis
- Kills fleas that may cause flea allergy dermatitis
- Convenient topical treatment with patented applicator

VETERINARY PACK
AVAILABLE FROM LICENSED VETERINARIANS ONLY

A monthly topical for protection against fleas, ticks, mosquitoes, lice, sand flies and mites.

Veterinary exclusivity ensured by **BLOODHOUND** Technology

36 36 DOSES

Vectra 3D

FOR DOGS AND PUPPIES OVER 7 WEEKS OF AGE
WEIGHING 2.5–20 LBS

EFFECTIVE MONTHLY CONTROL OF:

- Fleas
- Ticks
- Mosquitoes
- Mites
- Sand Flies
- Biting & Sucking Lice

KEEP OUT OF REACH OF CHILDREN
WARNING: See package insert for directions for use, precautionary statements, first aid and other information.

ACTIVE INGREDIENTS:	
Dimetileturan	4.95%
Pyriproxyfen	0.44%
Permethrin	36.08%
OTHER INGREDIENTS	
TOTAL	100.00%

VETERINARY PACK
AVAILABLE FROM LICENSED VETERINARIANS ONLY

FOR DOGS AND PUPPIES OVER 7 WEEKS OF AGE
WEIGHING 2.5–20 LBS



Vectra 3D

FOR DOGS AND PUPPIES OVER 7 WEEKS OF AGE
WEIGHING 2.5–20 LBS

- Quick onset of activity within 2 hours; kills fleas in 6 hours
- Prevents the development of fleas, flea eggs, larvae and pupae for one month
- Quick drying, non-greasy and water resistant
- Repels and kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, babesiosis, ehrlichiosis, bartonellosis, hepatozoonosis and anaplasmosis
- Kills fleas that may cause flea allergy dermatitis
- Convenient topical treatment with patented applicator

VETERINARY PACK
AVAILABLE FROM LICENSED VETERINARIANS ONLY

A monthly topical for protection against fleas, ticks, mosquitoes, lice, sand flies and mites.

Veterinary exclusivity ensured by **BLOODHOUND** Technology

36 36 DOSES

Vectra 3D | FOR DOGS AND PUPPIES OVER 7 WEEKS OF AGE
WEIGHING 2.5–20 LBS.

KEEP OUT OF REACH OF CHILDREN
WARNING:

FOR ADDITIONAL INFORMATION, CONTACT US AT 1-800-999-0297
READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS OR PUPPIES OVER 7 WEEKS OLD

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING: Causes substantial but temporary eye injury. Harmful if swallowed or absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before

eating, drinking, chewing gum, or using tobacco products. Do not use this product on debilitated, aged, medicated, pregnant or nursing animals, or animals known to be sensitive to pesticide products without first consulting a veterinarian. Individual sensitivity, such as slight transitory redness of the skin at the site of application, may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap or shampoo and rinse with large amounts of water. If signs of individual animal sensitivity occur and persist, contact your veterinarian. Have the product container or label with you when calling your veterinarian for advice. For external use on dogs only. Do not use this product on cats.

DO NOT USE ON CATS. Due to their unique physiology and inability to metabolize certain compounds, this product must not be used on cats. If applied to a cat, or ingested by a cat that actively grooms a recently treated dog, this product may have serious harmful effects. If this occurs, contact your veterinarian immediately.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
If swallowed: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.
If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center, doctor, or 1-888-426-4435 immediately for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may contact 1-800-999-0297 between 9 am and 6 pm weekdays or 1-888-426-4435 for emergency medical information.
EPA Reg. No. 83399-6 EPA Est. No. 68669-NC-1

Satisfaction Guaranteed
Summit VetPharm will provide new product or your money back.
Made in the USA by
SUMMIT
301 Rt. 17 N
Rutherford, NJ 07070
Net Contents:
36 doses each
0.16 fl. oz.
(1.6 mL)

For additional information please contact us at 1-800-999-0297 or info@summitvetpharm.com
Vectra 3D and Bloodhound are registered trademarks of Summit VetPharm LLC.
©2009 Summit VetPharm LLC, Rutherford, NJ 07070
VSD-074-09 7/09

Glue

Glue

Glue

Hidden Text Area

Hidden Text Area

3 1/2

7

4 3/16



- ▼ Vectra 3D® for dogs and puppies 2.5 to 20 lbs, over 7 weeks of age
- ▼ Vectra 3D® for dogs and puppies 21 to 55 lbs, over 7 weeks of age
- ▼ Vectra 3D® for dogs 56 to 95 lbs
- ▼ Vectra 3D® for dogs over 95 lbs

ONLY AVAILABLE FROM LICENSED VETERINARIANS

- ▼ 6-way protection, repels and kills fleas, ticks, mosquitoes, lice, sand flies and mites
- ▼ Kills 4 species of ticks (*Rhipicephalus* spp, *Dermacentor variabilis*, *Ixodes* spp, *Amblyomma* spp), 3 species of mosquitoes (*Culex* spp, *Ochlerotatus* spp, *Aedes* spp), and all stages of fleas
- ▼ Quick onset of activity within 2 hours; kills fleas in 6 hours
- ▼ Repels and kills ticks that may cause Lyme disease, Rocky Mountain spotted fever, babesiosis, ehrlichiosis, bartonellosis, hepatozoonosis and anaplasmosis
- ▼ Convenient topical treatment that allows application down to skin
- ▼ Quick drying, non-greasy and water resistant
- ▼ Only available from licensed veterinarians

Spreads naturally over the dog's body to provide full body protection against fleas, ticks, mosquitoes, lice, sand flies and mites.

ACTIVE INGREDIENTS:

Dinotefuran.....4.95%
 Pyriproxyfen.....0.44%
 Permethrin.....36.08%

OTHER INGREDIENTS... 58.53%

TOTAL100.00%



KEEP OUT OF REACH OF CHILDREN

WARNING: See directions for use, precautionary statements, first aid and ingredients.

FOR ADDITIONAL INFORMATION, PLEASE CONTACT US AT 1-800-999-0297

READ ENTIRE LABEL BEFORE EACH USE

USE ONLY ON DOGS OR PUPPIES OVER 7 WEEKS OLD

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

For external use on dogs only. Do not use this product on cats.

Use only on dogs and puppies over the age of 7 weeks (1.6mL and 3.6mL sizes)

WARNING: Causes substantial, but temporary eye injury, harmful if swallowed or absorbed through skin. DO NOT get in eyes or on clothing. Avoid contact with skin. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco products.

Do not use this product on debilitated, aged, medicated, pregnant or nursing animals, or animals known to be sensitive to pesticide products without first consulting a veterinarian.

Sensitivity, such as slight transitory redness of the skin at the site of application, may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap or shampoo and rinse with large amounts of water. If signs of individual animal sensitivity occur and persist, contact your veterinarian. Have the product container or label with you when calling your veterinarian for advice.



DO NOT USE ON CATS. Due to their unique physiology and inability to metabolize certain compounds, this product must not be used on cats. If applied to a cat, or ingested by a cat that actively grooms a recently treated dog, this product may have serious harmful effects. If this occurs, contact your veterinarian immediately.





FIRST AID	
If in eyes:	Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center, or doctor for treatment advice.
If swallowed:	Call a poison control center or doctor for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person.
If on skin:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center, doctor, or 1-888-426-4435 immediately for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may contact 1-800-999-0297 between 9am and 6pm weekdays or 1-888-426-4435.	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. [Precaución al consumidor: si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (To the User: If you cannot speak English, do not use this product until the label has been fully explained to you.)]

HOW TO APPLY:

- 1. USE ONLY ON DOGS. DO NOT USE ON CATS OR OTHER ANIMALS.**
2. Remove applicator from package.
3. The dog should be standing or in a comfortable position for easy application.
4. Holding the applicator tube upright, place thumb and index finger around the applicator tip under the large disk. With other hand, grasp the stem of applicator tip above smaller disk. Press down firmly on small disk until both disks meet, piercing the seal. See illustration.
5. Using the tip of the applicator, part the hair down to the level of the skin and slowly apply the product. Avoid superficial application to the animal's hair.



For dogs weighing 2.5 to 20 lbs, apply the product to one spot, as shown in the diagram, onto the skin, squeezing the applicator tube until empty.

For dogs weighing 21 to 55 lbs OR for dogs weighing 56 to 95 lbs, apply the product evenly to three spots along the dog's back, beginning between the shoulder blades and continuing in the order shown in the diagram, squeezing the applicator tube until empty.

For dogs weighing over 95 lbs, apply the product evenly to four spots on the dog's back, beginning between the shoulder blades and continuing in the order shown in the diagram, squeezing the applicator tube until empty.

6. Discard empty applicator tube as outlined in Storage and Disposal.
7. Repeat every month or as recommended by your veterinarian. Do not apply in less than 30 days.
8. For treatment, control and prevention of fleas, flea eggs, flea larvae, flea pupae, ticks, mosquitoes, lice, sand flies and mites, year-round treatment is recommended.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Storage: Store in a cool, dry place. Protect from freezing.

Disposal: If empty, do not reuse the container. Place in trash or offer for recycling if available. If partially filled, call your local solid waste agency for disposal instructions. Never place unused products down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that the material conforms to the chemical parameters of the US EPA registration and the label. To the extent consistent with applicable law seller makes no warranty, express or implied, other than indicated on the label. Buyer and user assume all risk of use and handling of this material when such use and handling are contrary to the label instructions. To the extent consistent with applicable law any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profit or values.

Volume varies with size of animal for which package is intended and number of applicators per package. Product may be packaged in 1, 2, 3, 4, 6, 8, 9, 12, 24 or 36 applicators per package. Total volume will correspond to number of applicators.

Manufactured in USA by



EPA Reg. No. 83399-6
EPA Est. No. 68669-NC-1



301 Rt. 17 N
Rutherford, NJ 07070

SATISFACTION
Guaranteed

Summit VetPharm will provide
new product or your money back.