



Over 1.5 lbs  
8 weeks or older

Catego<sup>TM</sup>  
for Cats

3 doses



STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO.  
**8581.39**

Catego<sup>TM</sup>  
for Cats

Over 1.5 lbs  
8 weeks or older



Kills adult fleas, flea eggs, flea larvae, ticks and chewing lice  
Kills fleas within 6 hours  
Kills ticks through contact so they do not have to bite to die  
Easy to apply spot-on patented applicator  
For both indoor and outdoor cats and kittens

For Cats & Kittens - Use only on cats and kittens weighing over 1.5 lbs and over 8 weeks of age



**ACTIVE INGREDIENTS:**

Dinotefuran ..... 22.00 %  
Fipronil ..... 8.92 %  
Pyriproxyfen ..... 3.00 %  
**OTHER INGREDIENTS** ..... 66.08 %

**TOTAL** ..... 100.00 %

NET CONTENTS: 0.051 fl oz (3 doses, each dose 0.017 fl oz)

**KEEP OUT OF REACH OF CHILDREN  
WARNING**

See package insert for directions for use, precautionary statements, and first aid.



Catego<sup>TM</sup>  
for Cats

Over 1.5 lbs  
8 weeks or older





# Catego™ for Cats



- ▼ Kills adult fleas, flea eggs, flea larvae, ticks and chewing lice
- ▼ A single dose effectively stops flea infestation and prevents re-infestation for one month
- ▼ Once monthly application
- ▼ For both indoor and outdoor cats and kittens
- ▼ Convenient, easy to apply
- ▼ Quick drying, non-greasy

#### FIRST AID

If swallowed:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.
If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice
If on skin or clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center, doctor, or 1-800-999-0297 or after 6pm EST 1-888-426-4435 immediately for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may contact 1-800-999-0297 or after 6pm EST 1-888-426-4435 for emergency medical information.

EPA Reg. No. 83399-15 EPA Est. No. 68669-NC-1

Manufactured for:  
Ceva Animal Health, LLC  
8735 Rosehill Road, Lenexa, KS 66215  
C70810B-US / 17-A1-V1  
Catego™ trademark is the property of Ceva Santé Animale S.A.

## READ ENTIRE LABEL BEFORE EACH USE

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS

**WARNING:** May be fatal if swallowed. Causes moderate eye irritation. Harmful if absorbed through the skin. Do not get in eyes or on clothing. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco products, or using the toilet. Remove and wash contaminated clothing before reuse.

### HAZARDS TO DOMESTIC ANIMALS

**For external use only on cats and kittens weighing over 1.5 lbs and over 8 weeks of age.**

Do not use this product on debilitated, aged, medicated, pregnant or nursing animals or animals known to be sensitive to pesticide products without first consulting a veterinarian.

### SIDE EFFECTS

Monitor your cat after application. Individual sensitivity, such as slight transitory redness, erythema, scratching, pruritus or other signs of discomfort at the site of application, may occur after using ANY pesticide product for cats. If signs of sensitivity occur, bathe your cat with mild soap or shampoo and rinse with large amounts of water. If signs of individual animal sensitivity occur and persist, contact your veterinarian. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call us at 1-800-999-0297. Have the product container or label with you when calling your veterinarian for advice.



**Catego™**  
**for Cats**  
**Over 1.5 lbs**  
**8 weeks or older**

SATISFACTION  
*Guaranteed*

Ceva Animal Health, LLC will provide  
new product or your money back.



RECYCLABLE  
PACKAGING



51392

# Catego™ for Cats

**Over 1.5 lbs  
8 weeks or older**

## ACTIVE INGREDIENTS:

Dinotefuran .....	22.00 %
Fipronil .....	8.92 %
Pyriproxyfen .....	3.00 %
<b>OTHER INGREDIENTS</b> .....	66.08 %
<b>TOTAL</b> .....	100.00 %

**Kills adult fleas, flea eggs, flea larvae, ticks and chewing lice**

## KEEP OUT OF REACH OF CHILDREN WARNING

**READ ENTIRE LABEL BEFORE EACH USE**

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS

**WARNING:** May be fatal if swallowed. Causes moderate eye irritation. Harmful if absorbed through the skin. Do not get in eyes or on clothing. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco products, or using the toilet. Remove and wash contaminated clothing before reuse.

### HAZARDS TO DOMESTIC ANIMALS

**For external use only on cats and kittens weighing over 1.5 lbs and over 8 weeks of age.**

Do not use this product on debilitated, aged, medicated, pregnant or nursing animals or animals known to be sensitive to pesticide products without first consulting a veterinarian.

#### FIRST AID

If swallowed:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.
If in eyes:	Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
If on skin or clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center, doctor, or 1-800-999-0297 or after 6pm EST 1-888-426-4435 immediately for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may contact 1-800-999-0297 or after 6pm EST 1-888-426-4435 for emergency medical information.

#### SIDE EFFECTS

Monitor your cat after application. Individual sensitivity, such as slight transitory redness, erythema, scratching, pruritus or other signs of discomfort at the site of application, may occur after using ANY pesticide product for cats. If signs of sensitivity occur, bathe your cat with mild soap or shampoo and rinse with large amounts of water. If signs of individual animal sensitivity occur and persist, contact your veterinarian. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call us at 1-800-999-0297. Have the product container or label with you when calling your veterinarian for advice.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. [Precaución al consumidor: si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (To the User: If you cannot speak English, do not use this product until the label has been fully explained to you).]



**Use Restriction:** Use only on cats. Do not have contact or allow children to have contact with treated areas until treatment is completely dry.

## HOW TO OPEN:


- Separate one unit from the others.
- Cut on both dotted lines with scissors.
- Open plastic lid.
- Remove tube.

## HOW TO APPLY:

1. Remove applicator tube from package.
2. The cat should be standing or in a comfortable position for easy application.
3. Holding the applicator upright, pointing away from your face, place your thumb and index finger around the applicator tip under the large disk. With the other hand, grasp the stem of the applicator tip above the small disk. Press down firmly on the small disk until both disks meet, piercing the seal. (See illustration).



4. Part the hair down to the level of the skin and slowly apply the product at the base of the cat or kitten's head until the applicator tube is completely empty, as shown in the diagram below. Avoid superficial application to the cat's hair. Do not get the product in your cat's eyes or mouth.



5. Discard the empty applicator tube as outlined in the Storage and Disposal section.
6. Repeat every month, or as recommended by your veterinarian.
7. For optimal treatment, control and prevention of adult fleas, flea eggs, flea larvae, ticks and chewing lice year-round treatment is recommended.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

**PESTICIDE STORAGE:** Store in a cool, dry place. Protect from freezing.

**PESTICIDE DISPOSAL AND CONTAINER DISPOSAL:** Non-refillable container. Do not reuse or refill this container.

**If empty:** Place in trash or offer for recycling, if available. **If partially filled:** call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## LIMITED WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that the material conforms to the chemical parameters of the US EPA registration and the label. Seller makes no warranty to the extent consistent with applicable law, express or implied, other than indicated on the label. Buyer and user assume all risk of use and handling of this material when such use and handling are contrary to the label directions. To the extent consistent with applicable law, any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profit or values.

C70810B-US / 08-A1-v1

Ceva Animal Health, LLC, 8735 Rosehill Road, Lenexa, KS 66215

Catego™ trademark is the property of Ceva Santé Animale S.A.

EPA Reg. No. 83399-15

EPA Est. No. 68669-NC-1

