



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2015-2017 LIC. NO.

8658.6

APPROVED

By creyesgarc at 10:56 am, May 14, 2015

Per EPA stamped label 1-28-15

MEDLINE

MICRO-KILL™ Q3

CONCENTRATED DISINFECTANT,
CLEANER & DEODORIZER

For Restaurants, Hospitals, Institutional and Industrial Use.

-Staphylocidal-Pseudomonacidal-Bactericidal
-Salmonellacidal-Fungicidal-Virucidal*

Active Ingredients:

Octyl decyl dimethyl ammonium chloride.....	6.67%
Dioctyl dimethyl ammonium chloride.....	2.67%
Didecyl dimethyl ammonium chloride.....	4.00%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride.....	8.90%
Other Ingredients:	77.76%
TOTAL	100.00%

NET CONTENTS: 1gal. (64 oz) 1.89 L

EPA REG. NO. 6836-349-37549
EPA EST. 10088-W-2

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See Side Panel for Precautionary Statements and First Aid

www.medline.com ©2011, 2015 Medline Industries, Inc.
Manufactured for Medline Industries, Inc., One Medline Place,
Mundelein, IL 60060 USA 1-800-MEDLINE RE15ATH

REF EVSCHEM110

H: 3.75" W: 7" CR: 0.125"

This product is a concentrated one-step Hospital Use disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal*, fungicidal, and inhibits the growth of mold and mildew, and their odors, when used as directed. This product is effective at eliminating odors on porous surfaces such as upholstery, drapes, carpets, bedding, shower curtains, mattresses and non-porous surfaces such as walls and floors. Use this product on washable hard, nonporous surfaces of: Bathroom fixtures, bathtubs, cabinets, cages, chairs, counters, doorknobs, floors, garbage cans, showers, sinks, telephones, whirlpool. Non-critical medical device surfaces: Beds, bed frames, bed rails, crutches, defibrillators, gurneys. Non-critical medical equipment surfaces: Examining tables, lamps, rescue tools, scales, stands, stretchers, stethoscopes, walkers, wheelchairs. Use this product in: Health Care facilities, hospitals, nursing homes, day care centers, nurseries, emergency vehicles, schools, prisons, institutional facilities.

This product is effective against:

1 MINUTE CONTACT TIME: VIRUSES: *HIV-1, *Influenza Type A/Hong Kong
3 MINUTE CONTACT TIME: BACTERIA: Pseudomonas aeruginosa, Salmonella enterica, Staphylococcus aureus, Acinetobacter baumannii, Bordetella bronchiseptica, Bordetella pertussis, Campylobacter jejuni, Enterococcus faecalis, Enterococcus faecalis - Vancomycin resistant, ESBL Escherichia coli, Escherichia coli (E. coli), Escherichia coli O157:H7, Klebsiella pneumoniae, Klebsiella pneumoniae Carbapenem-resistant, Listeria monocytogenes, Proteus vulgaris, Shigella dysenteriae, Shigella flexneri serotype 1B, Shigella sonnei, Staphylococcus aureus - Community Associated Methicillin-Resistant (NRS384) (USA300), Staphylococcus aureus-Methicillin-Resistant, Staphylococcus aureus - Vancomycin Intermediate Resistant, Streptococcus pyogenes, Vibrio cholerae, Yersinia enterocolitica

Viruses: *Hepatitis B Virus (HBV), *Hepatitis C Virus (HCV), *Herpes Simplex Virus Type 1, *Herpes Simplex Virus Type 2, *Human Coronavirus, *Respiratory Syncytial Virus (RSV), *Rotavirus, *Vaccinia

Fungi: Candida albicans, Trichophyton mentagrophytes

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Before use in federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from the room or carefully protected.

PREPARATION OF DISINFECTANT USE-SOLUTION: Add 1/2 oz. per gallon of water (1:256). For heavy duty use, add 2 oz. per gallon of water (1:64). Use 1 oz. per gallon of water to kill Norovirus, Enterobacter aerogenes and Serratia marcescens. Use 2 oz. per gallon of water to kill Adenovirus Type 5 and Type 7.

DISINFECTION/VIRUCIDAL*/FUNGICIDAL/MOLD AND MILDEW CONTROL DIRECTIONS:

Apply use-solution to hard, nonporous surfaces, thoroughly wetting surfaces with a sprayer. Treated surfaces must remain wet for contact time indicated on the label. Wipe dry with a cloth, sponge, or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is required. Spray 6-8 inches from the surface; rub with a brush, sponge or cloth. Do not breathe spray. Rinse all surfaces that come in contact with food such as

countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes. Prepare a fresh solution daily or more often if the solution becomes visibly dirty or diluted.

For fungicidal activity: This product is an effective fungicide against Trichophyton mentagrophytes [the athlete's foot fungus] when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities. This product is a one-step fungicide at 1/2 oz. per gallon in 250 ppm hard water and 5% serum.

For mold and mildew: At 1/2 oz. per gallon, this product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Repeat treatment every seven days, or more often if new growth appears. This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. Prepare a fresh solution daily or more often if the use solution becomes visibly diluted or soiled.

***KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/ OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS**

in health care settings or other settings in which there is a likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/ objects with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV OR HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

- **PERSONAL PROTECTION:** Clean-up must always be done wearing protective gloves, gowns, masks and eye protection.
- **CLEANING PROCEDURES:** Blood and other body fluids containing HIV-1 or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of this product.
- **CONTACT TIME:** Leave surface wet for 1 minute (60 seconds) for HIV-1 and 3 minutes for HBV and HCV with 1/2 oz. per gallon use-solution. Use contact time indicated on the label for disinfection against all other viruses, bacteria and fungi claimed.
- **DISPOSAL OF INFECTIOUS MATERIAL:** Blood/body fluids cleaning materials and clothing must be disposed of according to local regulations for infectious waste disposal.

TO CLEAN AND DEODORIZE: Mix 1/2 oz. of this product per gallon of water to clean and deodorize surfaces. Apply using a sprayer. Wipe or allow to air dry.
DEODORIZING DIRECTIONS: Spray Solutions: 1/2 - 1 oz. per gallon of water eliminates undesirable odors. Allow surfaces to air dry. CARPETS: 1/2 - 1 oz. per gallon of water eliminates odors associated with urine, vomit, smoke and mildew. Reapply using a spray device after cleaning for freshening effects. Allow to dry.

Dieline ————— Bleed — — — — — Print Area - - - - -

Just guessing where fold is ^^

H: 3.75" W: 4" CR: 0.125"

MEDLINE

MICRO-KILL™ Q3

CONCENTRATED DISINFECTANT, CLEANER & DEODORIZER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

DANGER: Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and protective (rubber or chemical resistant) gloves. Harmful if swallowed or if absorbed through the skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

If In Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

If On Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Handling and Disposal: Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash.

LOT



Dieline

Bleed

Print Area