

- Easy dispense package
- Kills avian influenza A (H3N2 and H5N1) on pre-cleaned environmental surfaces
- These wipes will not harm surfaces

Protex Disinfectant Wipes are a one-step disinfectant and Bactericidal according to the current AOAC Use-Dilution Test Method modified in the presence of 5% organic serum against:

Bacteria

Acinetobacter baumannii, Brevibacterium ammoniagenes, Campylobacter jejuni, Community Associated Methicillin-Resistant Staphylococcus aureus - CA-MRSA, Enterobacter aerogenes, Enterococcus faecalis-Vancomycin Resistant -VRE, ESBL Escherichia coli, Klebsiella pneumoniae, Legionella pneumophila, Pseudomonas aeruginosa, Pseudomonas cepacia, Salmonella enterica, Salmonella schottmuelleri, Salmonella typhi, Serratia marcescens, Shigella dysenteriae, Staphylococcus aureus - Methicillin-Resistant - MRSA, Staphylococcus aureus - Multi-Drug Resistant, Staphylococcus aureus-Vancomycin Intermediate Resistant - VISA, Streptococcus pyogenes, Vibrio cholerae

Viruses

*Hepatitis B Virus (HBV), *Hepatitis C Virus (HCV), *Herpes Simplex Virus Type 1, *Herpes Simplex Virus Type 2, *HIV-1 (AIDS Virus), *Human Coronavirus, *Influenza Type A Virus/ Brazil, *Norwalk Virus, *Respiratory Syncytial Virus, *Rotavirus, *SARS Associated Coronavirus, *Vaccinia Virus

Fungi

Aspergillus niger, Trichophyton mentagrophytes

Use Protex Disinfectant Wipes in:

Ambulances • Athletic facilities • Dental offices • Exercise facilities • Health Clubs • Hospitals • Medical Offices • Nursing homes

Use Protex Disinfectant Wipes on washable hard, nonporous surfaces of: Examining tables • Non-critical medical equipment surfaces • Resuscitators • Stethoscopes • Ultrasound transducers and equipment

Other hard, nonporous surfaces made of: Finished woodwork • Formica® • Metal • Plastic • Stainless steel • Upholstery – vinyl and plastic

To Open Package: Remove cover. Pull up wipe corner from center of roll. Thread through hole in the cover. Replace cover. Open center cap on cover to remove wipe. When not in use, close center cap securely to prevent moisture loss.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

TO CLEAN AND DISINFECT (DISINFECTION/VIRUCIDAL*/FUNGICIDAL DIRECTIONS):

Wipe hard non-porous surface with wipe until surface is visibly wet. Allow surface to remain wet for 10 minutes. Let air dry. If surfaces are extremely dirty, clean first with another wipe before disinfecting.

Discard used wipe in trash. Do not flush in toilet. Rinse food contact surfaces with clean, potable water after disinfecting. Do not use to disinfect dishes, glassware, or utensils. Do not use as a diaper wipe or for personal cleansing.

For fungicidal activity, Protex Disinfectant Wipes are an effective fungicide against Trichophyton mentagrophytes in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities.

Protex Disinfectant Wipes are a one-step fungicide.

***KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces /objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV OR HCV ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS.

Personal protection: Clean-up must always be done wearing protective gloves, gowns, masks and eye protection.

Cleaning procedure: Blood and other body fluids containing HIV or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of Protex Disinfectant Wipes. Protex Disinfectant Wipes can be used for this purpose.

Contact time: Leave surface wet for 1 minute (60 seconds) for HIV-1 and 10 minutes for HBV and HCV. Use a 10-minute contact time for disinfection against all other viruses, bacteria and fungi claimed.

Disposal of infectious material: Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

This product is for use on hard nonporous surfaces not conducive to treatment by immersion or excess liquid against Avian Influenza A.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Caution. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.


Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling poison control center or doctor or going for treatment.

STORAGE AND DISPOSAL

Nonrefillable container. Store in original container in areas inaccessible to children. Keep securely closed. Do not reuse or refill this container. Discard empty container in trash or recycle (if available).

Questions? Comments?
Call 1-800-631-8888



MANUFACTURED FOR:



Parker Laboratories Inc.
286 Eldridge Road
Fairfield, NJ 07004

www.parkerlabs.com

disinfectant
protex wipes

REF 46-70

One-Step Cleaner/Disinfectant

Premoistened disinfecting textured wipes

- **Kills Pandemic 2009 H1N1 influenza A virus**
- **Effective in the presence of 5% serum contamination**

Protex™ Disinfectant Wipes Are Effective Against:

- Staphylococcus aureus-Methicillin-Resistant-MRSA
- Staphylococcus aureus-Vancomycin Intermediate Resistant-VISA
- Pseudomonas aeruginosa
- Salmonella enterica
- *Hepatitis B Virus (HBV)
- *Herpes Simplex Virus Type 1
- *Herpes Simplex Virus Type 2
- *HIV-1 (AIDS Virus)

Active Ingredients:

Octyl decyl dimethyl ammonium chloride.....	0.069%
Dioctyl dimethyl ammonium chloride.....	0.028%
Didecyl dimethyl ammonium chloride.....	0.042%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride.....	0.093%
Other Ingredients:	99.768%
Total.....	**100.000%

** Includes weight of absorbent wipe.

KEEP OUT OF REACH OF CHILDREN CAUTION

See left side panel for Precautionary Statements and First Aid

EPA Registration No. 6836-313-82613
EPA Establishment No. 50757-WI-01



Net Contents: 2 lb. 1 oz.; contains 120 pre-moistened disinfecting wipes, 7 inch by 10 inch.