

TO CLEAN AND DISINFECT (DISINFECTION/ VIRUCIDAL*):

Wipe hard non-porous surface with wipe until surface is visibly wet. Allow surface to remain wet for 4 minutes. Permit surface to air dry. Discard used wipe in trash. Do not flush in toilet.

***KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings

surfaces; wipe surface using enough wipes to allow treated surface to remain wet for 15 seconds for Staphylococcus aureus, Klebsiella pneumoniae, and Campylobacter jejuni. Let surface dry. For highly soiled surfaces, clean excess dirt first.

Protex Ultra Disinfectant Wipes kill:

Bacteria
Acinetobacter baumannii, Brevibacterium ammoniagenes, Campylobacter jejuni, Community Associated Methicillin-Resistant Staphylococcus aureus - CA-MRSA NRS384 USA300,

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor or going for treatment.

STORAGE AND DISPOSAL

Store in original container in areas inaccessible to children. Keep securely closed. Non-refillable container. Do not reuse or refill this container. Discard empty container in trash or recycle (if available).



LICENSED

8682.3

REF48-39

PERIOD 2014-2016 LIC. NO.



MANUFACTURED FOR:

Parker Laboratories Inc.
286 Eldridge Road
Fairfield, NJ 07004
www.parkerlabs.com

One-Step Cleaner/Disinfectant/Sanitizer
Premoistened disinfecting wipes

- Kills 99.9% of bacteria in just 15 seconds
- Effective in the presence of 5% serum contamination
- Hospital Disinfectant
- Eliminates Pseudomonas, MRSA, CA-MRSA, E.coli, Campylobacter in 4 minutes

Protex™ Ultra Disinfectant Wipes Are Effective Against:

- Staphylococcus aureus-Multi-Drug Resistant
- Staphylococcus aureus-Vancomycin Intermediate Resistant-VISA
- Pseudomonas aeruginosa
- Pseudomonas cepacia
- *Hepatitis B Virus (HBV)
- *Hepatitis C Virus (HCV)
- *HIV-1 (AIDS Virus)
- *Influenza A Virus H1N1
- *SARS Associated Coronavirus

Active Ingredients:

Octyl decyl dimethyl ammonium chloride.....	0.0909%
Diocetyl dimethyl ammonium chloride.....	0.0364%
Didecyl dimethyl ammonium chloride.....	0.0545%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride.....	0.1212%
Other Ingredients:	99.6970%
Total.....	100.0000%

¹Includes weight of absorbent wipe

KEEP OUT OF REACH OF CHILDREN CAUTION See back panel for Precautionary Statements and First Aid

LIFT HERE

Use Protex Ultra Disinfectant Wipes in:
Ambulances • Athletic facilities • Dental offices • Emergency Vehicles • Exercise facilities • Health Clubs • Hospitals • Locker Rooms • Medical Offices • Nursing homes

Use Protex Ultra Disinfectant Wipes on washable hard, nonporous surfaces of: Non-critical medical device surfaces • Defibrillators • Resuscitators • Stethoscopes • Ultrasound transducers and equipment

Other hard, nonporous surfaces made of: Finished woodwork • Formica* • Metal • Plastic • Stainless steel • Upholstery – vinyl and plastic

To Open Package: Slowly peel back the label. Remove wipe as needed. To retain moisture, reseal by firmly pressing seal back on the pouch.

DIRECTIONS FOR USE:
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not use as a diaper or for personal cleansing. This is not a baby wipe!
Do not flush in toilet.

For plastic and painted surfaces, spot test on an inconspicuous area before use. Will not harm most surfaces: including acrylic, sealed fiberglass and vinyl. Do not use on unpainted wood. Note: Not recommended for unpainted wood, natural marble or brass.

or other settings in which there is an expected likelihood of soiling of inanimate surfaces /objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV OR HCV ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS.

Personal protection: Clean-up must always be done wearing protective gloves, gowns, masks and eye protection.

Cleaning procedure: Blood and other body fluids containing HIV or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of Protex Ultra Disinfectant Wipes. Protex Ultra Disinfectant Wipes can be used for this purpose.

Contact time: Leave surface wet for 1 minute (60 seconds) for HIV-1. Use appropriate contact time as listed on label for disinfection for all other viruses and bacteria claimed.

Disposal of infectious material: Blood, body fluids, cleaning materials and clothing must be disposed of according to local regulations for infectious waste disposal.

SANITIZING:
To sanitize hard, non-porous, non-food contact

Enterobacter aerogenes, Enterococcus faecalis-Vancomycin Resistant-VRE, ESBL Escherichia coli, Klebsiella pneumoniae, Legionella pneumophila, Pseudomonas aeruginosa, Pseudomonas cepacia, Salmonella enterica, Salmonella schottmuelleri, Salmonella typhi, Serratia marcescens, Shigella dysenteriae, Staphylococcus aureus -Methicillin-Resistant-MRSA, Staphylococcus aureus-Multi-Drug Resistant, Staphylococcus aureus-Vancomycin Intermediate Resistant – VISA, Streptococcus pyogenes, Vibrio cholerae

Viruses
*Hepatitis B Virus (HBV), *Hepatitis C Virus (HCV), *Herpes Simplex Virus Type 1, *Herpes Simplex Virus Type 2, *HIV-1 (AIDS Virus), *Human Coronavirus, *Influenza Type A Virus/ Brazil Flu, *Norwalk Virus, *Respiratory Syncytial Virus, *Rotavirus, *SARS Associated Coronavirus, *Vaccinia Virus

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS
Caution. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

Net Contents: 9 oz., 60 pre-moistened disinfecting wipes, 6.5 in. X 6 in.

EPA Registration No. 6836-340-82613
EPA Establishment No. 87248-NJ-01



Questions? Comments?
Call 1-800-631-8888

Active Ingredients:

Octyl decyl dimethyl ammonium chloride.....	0.0909%
Dioctyl dimethyl ammonium chloride.....	0.0364%
Didecyl dimethyl ammonium chloride.....	0.0545%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride.....	0.1212%
Other Ingredients:	99.6970%
Total.....	100.0000% ¹

¹Includes weight of absorbent wipe

KEEP OUT OF REACH OF CHILDREN

CAUTION See side panel for Precautionary Statements and First Aid

EPA Registration No. 6836-340-82613

EPA Establishment No. 87871-NY-001

NET CONTENTS: 50, 7.9 in. x 6.25 in., (0.27 oz), pre-moistened disinfecting wipes, 13.5 oz



Use **ProteX Ultra Disinfectant Wipes** in: Ambulances • Dental offices • Emergency Vehicles • Exercise facilities
• Health Clubs • Hospitals • Locker Rooms • Medical Offices • Nursing homes

Use **ProteX Ultra Disinfectant Wipes** on washable hard, nonporous surfaces of: Non-critical medical device surfaces
• Defibrillator • Resuscitators • Stethoscopes • Ultrasound transducers and equipment

Other hard, nonporous surfaces made of: Finished woodwork • Formica® • Metal • Plastic • Stainless steel
• Upholstery – vinyl and plastic

• To clean and disinfect hard non-porous surfaces of gym equipment, exercise machines, wrestling mats
and gymnastic equipment.

To Open Package: Tear pouch open at tear notch. Pull out Wipe. Unfold Wipe.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use as a diaper wipe or for personal cleansing.

This is not a baby wipe!

Do not flush in toilet.

For plastic and painted surfaces, spot test on an inconspicuous area before use. Will not harm most surfaces: including
acrylic, sealed fiberglass and vinyl. Do not use on unpainted wood. Note: Not recommended for unpainted wood, natural
marble or brass.

TO CLEAN AND DISINFECT/VIRUCIDAL* DIRECTIONS: Wipe hard non-porous surface with wipe until surface is visibly wet.
Allow surface to remain wet for 4 minutes. Permit surface to air dry. If surfaces are extremely dirty, clean first with another
wipe before disinfecting. Discard used wipe in trash. Do not flush in toilet. Rinse food contact surfaces with clean, potable
water after disinfecting. Do not use to disinfect dishes, glassware or utensils.

***KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED
WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling
of inanimate surfaces /objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood
or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1)
or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

MANUFACTURED FOR:



Parker Laboratories Inc.
286 Eldridge Road
Fairfield, NJ 07004
www.parkerlabs.com



(01) 1 0611400 04801 0



SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV OR HCV ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS.

Personal protection: Clean-up must always be done wearing
protective gloves, gowns, masks and eye protection.

Cleaning procedure: Blood and other body fluids containing HIV or
HBV or HCV must be thoroughly cleaned from surfaces and objects
before application of **ProteX Ultra Disinfectant Wipes**. **ProteX Ultra
Disinfectant Wipes** can be used for this purpose.

Contact time: Leave surface wet for 1 minute (60 seconds) for HIV-1.
Use appropriate contact time as listed on label for all other viruses and
bacteria claimed.

Disposal of infectious material: Blood, body fluids, cleaning
materials and clothing must be disposed of according to local
regulations for infectious waste disposal.

SANITIZING:

To sanitize hard, non-porous, non-food contact surfaces; wipe surface
using enough wipes to allow treated surface to remain wet for 15
seconds for *Staphylococcus aureus*, *Klebsiella pneumoniae*, and
Campylobacter jejuni. Let surface dry. For highly soiled surfaces,
clean excess dirt first.



One-Step Cleaner/Disinfectant/Sanitizer

Premoistened disinfecting wipes

- Kills 99.9% of bacteria in just 15 seconds
- Effective in the presence of 5% serum contamination
- Hospital Disinfectant
- Eliminates Pseudomonas, MRSA, CA-MRSA, E.coli, Campylobacter in 4 minutes

ProteX™ Ultra Disinfectant Wipes Are Effective Against:

- Staphylococcus aureus-Multi-Drug Resistant
- Staphylococcus aureus-Vancomycin Intermediate Resistant [VISA]
- Pseudomonas aeruginosa
- Burkholderia cepacia
- Hepatitis B Virus [HBV]
- Hepatitis C Virus [HCV]
- HIV-1 [AIDS Virus]
- Influenza A Virus H1N1
- SARS Associated Coronavirus [SARS]



ProteX Ultra Disinfectant Wipes Kill:

Bacteria

Acinetobacter baumannii, Corynebacterium ammoniagenes, Campylobacter jejuni, Staphylococcus aureus – Community Associated Methicillin-Resistant [CA-MRSA] [MR1384] [USA300], Enterobacter aerogenes, Enterococcus faecalis-Vancomycin Resistant [RE], E.coli, Escherichia coli, Klebsiella pneumoniae, Legionella pneumophila, Pseudomonas aeruginosa, Burkholderia cepacia, Salmonella enterica, Salmonella choleraesuis, Salmonella typhi, Shigella sonnei, Shigella dysenteriae, Staphylococcus aureus –Methicillin-Resistant [MRSA], Staphylococcus aureus-Multi-Drug Resistant, Staphylococcus aureus-Vancomycin Intermediate Resistant [VISA], Streptococcus pyogenes, Vibrio cholerae

Viruses

Hepatitis B Virus [HBV], Hepatitis C Virus [HCV], Herpes Simplex Virus Type 1, Herpes Simplex Virus Type 2, HIV-1 [AIDS Virus], Human Coronavirus, Influenza Type A Virus/Brazil Flu, Norwalk Virus, Respiratory Syncytial Virus [RSV], Rotavirus, SARS Associated Coronavirus [SARS], Vaccinia Virus

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Caution. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.


FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor or going for treatment.

STORAGE AND DISPOSAL

Store in original container in area inaccessible to children. Keep securely closed. Nonrefillable container. Do not reuse or refill this container. Discard empty container in trash or recycle.

Questions? Comments?
Call 1-800-631-4888



dieline

seal all around

REF 48-01

protex **ultra**
 disinfectant wipes
One-Step Cleaner/Disinfectant/Sanitizer

Active Ingredients:

Octyl decyl dimethyl ammonium chloride.....	0.0909%
Dioctyl dimethyl ammonium chloride.....	0.0364%
Didecyl dimethyl ammonium chloride.....	0.0545%
Alkyl (C ₁₂ , 50%; C ₁₀ , 40%; C ₈ , 10%)	
dimethyl benzyl ammonium chloride.....	0.1212%
Other Ingredients.....	99.6970%
Total.....	100.0000%

Includes weight of absorbent wipe
 • Kills 99.9% of bacteria in 15 seconds • Effective in the presence of 5% serum contamination • Hospital Disinfectant
 • Eliminates Pseudomonas, MRSA, CA-MRSA, E.coli, Campylobacter in 4 minutes

Use **Protex Ultra Disinfectant Wipes** in: Medical Offices
 • Exercise facilities • Use **Protex Ultra Disinfectant Wipes** on: Non-critical medical device surfaces • Ultrasound transducers and equipment • Upholstery-vinyl and plastic

KEEP OUT OF REACH OF CHILDREN

CAUTION See back panel for Precautionary Statements and First Aid

EPA Registration No. 6836-340-82613
 EPA Establishment No. 878711-NY-001
NET CONTENTS: 1 - 7.9 in. x 6.25 in. pre-moistened disinfecting wipe
NET WEIGHT: 0.27 oz

fold line

90MM

FRONT

6MM

TO OPEN PACKAGE: Tear pouch open at tear notch. Pull out Wipe.

Unfold Wipe.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not use as a diaper wipe or for personal cleansing. This is not a baby wipe! Do not flush in toilet. **TO CLEAN AND DISINFECT VIRUCIDAL* DIRECTIONS:** Wipe hard non-porous surface with wipe until surface is visibly wet. Allow surface to remain wet for 4 minutes. Permit surface to air dry. If surfaces are extremely dirty, clean first with another wipe before disinfecting. Discard used wipe in trash. Do not flush in toilet. Rinse food contact surfaces with clean, potable water after disinfecting. Do not use to disinfect dishes, glassware or utensils. **SANITIZING:** To sanitize hard, non-porous, non-food contact surfaces; wipe surface using enough wipes to allow treated surface to remain wet for 15 seconds for *Staphylococcus aureus*, *Klebsiella pneumoniae*, and *Campylobacter jejuni*. Let surface dry. For highly soiled surfaces, clean excess dirt first.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Caution. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. **FIRST AID-IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor or going for treatment.

STORAGE AND DISPOSAL: Store in original container in areas inaccessible to children. Keep securely closed. Nonrefillable container. Do not reuse or refill this container. Discard empty container in trash or recycle.

MANUFACTURED FOR:
 Parker Laboratories Inc.
 286 Eldridge Road,
 Fairfield, NJ 07004
www.parkerlabs.com
 WB-046-0003A



CUTMARK

BACK

8MM

3MM

3MM

70MM

Use Protex Ultra Disinfectant Wipes in:

Ambulances • Dental offices • Emergency Vehicles • Exercise facilities • Health Clubs • Hospitals • Locker Rooms • Medical Offices • Nursing homes

Use Protex Ultra Disinfectant Wipes on washable hard, nonporous surfaces of: Non-critical medical device surfaces • Defibrillators • Resuscitators • Stethoscopes • Ultrasound transducers and equipment

Other hard, nonporous surfaces made of: Finished woodwork • Formica® • Metal • Plastic • Stainless steel • Upholstery – vinyl and plastic

• To clean and disinfect hard non-porous surfaces of gym equipment, exercise machines, wrestling mats and gymnastic equipment.

To Open Package: Flip open lid. To start first wipe take the edge of wipe from large opening to the small dispensing opening and pull up. Always close lid securely between uses to retain moisture.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not use as a diaper wipe or for personal cleansing. This is not a baby wipe! Do not flush in toilet.

For plastic and painted surfaces, spot test on an inconspicuous area before use. Will not harm most surfaces: including acrylic, sealed fiberglass and vinyl. Do not use on unpainted wood. Note: Not recommended for unpainted wood, natural marble or brass.

TO CLEAN AND DISINFECT/VIRUCIDAL* DIRECTIONS:

Wipe hard non-porous surface with wipe until surface is visibly wet. Allow surface to remain wet for 4 minutes. Permit surface to air dry. If surfaces are extremely dirty, clean first with another wipe before disinfecting. Discard used wipe in trash. Do not flush in toilet. Rinse food contact surfaces with clean, potable water after disinfecting. Do not use to disinfect dishes, glassware or utensils.

***KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces /objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 [HIV-1] or Hepatitis B Virus [HBV] or Hepatitis C Virus [HCV].

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV OR HCV ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS.

Personal protection: Clean-up must always be done wearing protective gloves, gowns, masks and eye protection.

Cleaning procedure: Blood and other body fluids containing HIV or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of **Protex Ultra Disinfectant Wipes**. **Protex Ultra Disinfectant Wipes** can be used for this purpose.

Contact time: Leave surface wet for 1 minute (60 seconds) for HIV-1. Use appropriate contact time as listed on label for all other viruses and bacteria claimed.

Disposal of infectious material: Blood, body fluids, cleaning materials and clothing must be disposed of according to local regulations for infectious waste disposal.

SANITIZING:

To sanitize hard, non-porous, non-food contact surfaces; wipe surface using enough wipes to allow treated surface to remain wet for 15 seconds for Staphylococcus aureus, Klebsiella pneumoniae, and Campylobacter jejuni. Let surface dry. For highly soiled surfaces, clean excess dirt first.

Protex Ultra Disinfectant Wipes Kills:

Bacteria

Acinetobacter baumannii, Corynebacterium ammoniagenes, Campylobacter jejuni, Staphylococcus aureus - Community Associated Methicillin-Resistant [CA-MRSA] [NRS384] [USA300], Enterobacter aerogenes, Enterococcus faecalis-Vancomycin Resistant [VRE], ESBL Escherichia coli, Klebsiella pneumoniae, Legionella pneumophila, Pseudomonas aeruginosa, Burkholderia cepacia, Salmonella enterica, Salmonella schottmuelleri, Salmonella typhi, Serratia marcescens, Shigella dysenteriae, Staphylococcus aureus - Methicillin-Resistant [MRSA], Staphylococcus aureus-Multi-Drug Resistant, Staphylococcus aureus-Vancomycin Intermediate Resistant [VISA], Streptococcus pyogenes, Vibrio cholerae

Viruses

*Hepatitis B Virus [HBV], *Hepatitis C Virus [HCV], *Herpes Simplex Virus Type 1, *Herpes Simplex Virus Type 2, *HIV-1 [AIDS Virus], *Human Coronavirus, *Influenza Type A Virus/ Brazil Flu, *Norwalk Virus, *Respiratory Syncytial Virus [RSV], *Rotavirus, *SARS Associated Coronavirus [SARS], *Vaccinia Virus

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
Caution. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor or going for treatment.

STORAGE AND DISPOSAL

Store in original container in areas inaccessible to children. Keep securely closed. Nonrefillable container. Do not reuse or refill this container. Discard empty container in trash or recycle (if available).

**Questions? Comments?
Call 1-800-631-8888**



LICENSED

PERIOD 2014-2016 LIC. NO. **8682.3**



MANUFACTURED FOR:



Parker Laboratories, Inc.
286 Eldridge Road
Fairfield, NJ 07004

www.parkerlabs.com

LA-048-0001A



REF 48-70

**One-Step
Cleaner/Disinfectant/Sanitizer**

Premoistened disinfecting wipes

- Kills 99.9% of bacteria in just 15 seconds
- Effective in the presence of 5% serum contamination
- Hospital Disinfectant
- Eliminates Pseudomonas, MRSA, CA-MRSA, E.coli, Campylobacter in 4 minutes

Protex™ Ultra Disinfectant Wipes Are Effective Against:

- Staphylococcus aureus-Multi-Drug Resistant
- Staphylococcus aureus-Vancomycin Intermediate Resistant [VISA]
- Pseudomonas aeruginosa
- Burkholderia cepacia
- *Hepatitis B Virus [HBV]
- *Hepatitis C Virus [HCV]
- *HIV-1 [AIDS Virus]
- *Influenza A Virus H1N1
- *SARS Associated Coronavirus [SARS]

Active Ingredients:

Octyl decyl dimethyl ammonium chloride.....	0.0909%
Dioctyl dimethyl ammonium chloride.....	0.0364%
Didecyl dimethyl ammonium chloride.....	0.0545%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%)	
dimethyl benzyl ammonium chloride.....	0.1212%
Other Ingredients:	99.6970%
Total.....	100.0000% ¹

¹Includes weight of absorbent wipe

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for Precautionary Statements and First Aid
EPA Registration No. 6836-340-82613
EPA Establishment No. 87871-NY-001



Net Contents: 2 lb; contains 100 pre-moistened disinfecting wipes, 7 inch by 10 inch.