Department of Agriculture
STATE OF HAWAII

FRONT **LICENSED**

PERIOD **2015-2017** LIC. NO. 8686.3

Made From

MicroGuard™ III

Net Contents: 13.2oz.
copper per lb

Active Ingredient:
Copper: 82.6%
Other: 17.4%
Total: 100.0%

Department of Agriculture
STATE OF HAWAII

BACK **LICENSED**

PERIOD **2012-2014** LIC. NO.

MicroGuard III

Laboratory testing has shown that when cleaned regularly:

- This surface kills greater than 99.9% of bacteria* within two hours and continues to kill 99% of bacteria* even after repeated contaminations.
- This surface delivers continuous and ongoing antibacterial* action, remaining effective in killing greater than 99.9% of bacteria* within 2 hours.
- This surface kills greater than 99.9% of Gram-negative and Gram-positive bacteria* within 2 hours of exposure.

* Testing demonstrates effective antibacterial activity against *Staphylococcus aureus*, *Enterobacter aerogenes*, Methicillin-Resistant *Staphylococcus aureus* (MRSA), *Escherichia coli* O157:H7, and *Pseudomonas aeruginosa*.
The use of this product is a supplement to and not a substitute for standard infection control practices; users must continue to follow all current infection control practices, including those practices related to cleaning and disinfection of environmental surfaces. This surface has been shown to reduce microbial contamination, but it does not necessarily prevent cross contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Proper Care and Use of MicroGuard III. The use of MicroGuard III does not replace standard infection control procedures and good hygienic practices. This product must be cleaned and sanitized according to standard practice. Healthcare facilities must maintain the product in accordance with infection control guidelines; users must continue to follow all current infection control practices, including those practices related to disinfection of environmental surfaces.
This surface may be subject to recontamination and the level of active bacteria at any particular time will depend on the frequency and timing of recontamination and cleanliness of the surface (among other factors). In order for this product to have proper antimicrobial effect, the product must be cleaned and maintained according to the directions included on this label.
This product must not be waxed, painted, lacquered, varnished, or otherwise coated.
Routine cleaning to remove dirt and filth is necessary for good sanitation and to assure the effective antibacterial performance of this surface. Cleaning agents typically used for traditional touching surfaces are permissible; the appropriate cleaning agent depends on the type of soiling and the measure of sanitization required. Normal tarnishing or wear of MicroGuard III surfaces will not impair the antibacterial effectiveness of the product.
This product can not be used for any direct food contact or food packaging uses.

Surfaces that may be exposed to outdoor environmental conditions (e.g., handrails, shopping carts, child seats and ATM machines) are not representative of indoor laboratory test conditions, and therefore, may impart reduced efficacy if not cleaned when visibly soiled.

STORAGE AND DISPOSAL

MicroGuard III should be disposed in a responsible manner, including recycling.

WARRANTY STATEMENT

If used as intended, MicroGuard III alloys are wear-resistant and the durable antibacterial properties will remain effective for as long as the product remains in place and is used as directed.

EPA Reg. No. 85290-3 EPA Est. No. 85290-IA-001
Manufactured by: PMX Industries, Inc, 5300 Willow Creek Dr, Cedar Rapids, IA 52404