

United States.
NOTICE TO BUYER: Purchase of this material does not confer any rights under patents of countries outside of the

Agricultural Use Requirements
Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to supplemental labeling under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

See Directions for Use in Supplemental Labeling attached.

Place
Directions For Use
Here

SEE DIRECTIONS FOR USE FOLDER BELOW
NOTE: Remove folder through perforated plastic envelope after breaking perforations. Do not pull plastic envelope away from package; this might tear package and expose contents.

THIS PACKAGE CONTAINS M1™ SP IN A WATER-SOLUBLE BAG—ENTIRE CONTENTS DISSOLVE IN WATER.
After opening package, immediately dump entire contents into spray tank. Do not touch inner bag; handling may cause breakage.

RESTRICTED USE PESTICIDE

Due to High Acute Toxicity to Humans.

For retail sale and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification. Direct supervision for this product requires the certified applicator to review federal and supplemental label instructions with all personnel prior to application, mixing, loading, or repair or cleaning of application equipment.


Department of Agriculture
STATE OF HAWAII
LICENSED
PERIOD 2012-2014 LIC. NO.

M1™ SP


Department of Agriculture
STATE OF HAWAII
LICENSED
PERIOD 2015-2017 LIC. NO.

8690.11

insecticide

Water Soluble Powder In Water Soluble Bags

GROUP 1A INSECTICIDE

Agsurf™
Corporation

Active Ingredient	By Weight
Methomyl	
(S-methyl-N-[(methylcarbamoyl)oxy]thioacetimidate)	90%
Other Ingredients	10%
	TOTAL 100%

EPA Reg. No. 352-342-85588

KEEP OUT OF REACH OF CHILDREN

DANGER POISON
PELIGRO 

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

FIRST AID

This Product is an N-Methyl Carbamate insecticide.
IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
ATROPINE IS AN ANTIDOTE—SEEK MEDICAL ATTENTION AT ONCE IN ALL CASES OF SUSPECTED POISONING.
If poisoning symptoms appear (see POISONING SYMPTOMS), get medical attention.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-888-261-1410 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER - FATAL IF SWALLOWED. MAY BE FATAL IF INHALED OR GETS IN EYES. DO NOT BREATHE DUST OR SPRAY MIST.
Do not get in eyes or on clothing. Wear protective eyewear and respirator. Harmful if absorbed through skin. Avoid contact with skin. Wash hands thoroughly with soap and water after handling.
POISONING SYMPTOMS — Methomyl poisoning produces effects associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors. If poisoning symptoms appear, refer to First Aid section on front of M1™ SP insecticide label and seek medical attention at once.
NOTE TO PHYSICIAN
Probable mucosal damage may contraindicate the use of gastric lavage.
TREATMENT — Atropine sulfate should be used for treatment. Administer repeated doses, 1.2 to 2.0 mg, intravenously every 10 to 30 minutes until full atropinization is achieved. Maintain atropinization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any cholinesterase inhibitor until recovery is assured.
Do not use 2-PAM for exposure to M1™ SP insecticide alone. However, for exposure to combinations of M1™ SP insecticide and organophosphorous insecticides, 2-PAM may be used as supported by the atropine sulfate treatment. Do not use morphine.
For medical emergencies involving this product, call toll free 1-888-261-1410.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and others exposed to the diluted spray solution must wear:
Long-sleeved shirt and long pants.
Chemical resistant gloves such as barrier laminate or butyl rubber.
Shoes plus socks.
Protective eyewear.
Mixers, loaders, cleaners, repairers of application equipment, and others exposed to the concentrate must wear:
Long sleeve shirt and long pants.
Chemical-resistant gloves, such as barrier laminate or butyl rubber.
Socks and chemical resistant footwear.
Protective eyewear.
Respirator as outlined below.
Chemical resistant apron.
For exposures in enclosed areas, a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or a NIOSH approved respirator with an organic vapor (OV) cartridge or a canister with any R, P, or HE prefilter.
For exposures outdoors, Dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C), or a NIOSH approved respirator with any R, P, or HE prefilter.
Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROL STATEMENTS

Human flaggers must be in enclosed cabs.
When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR part 170.240 (d)(4)-(6)], the handler PPE requirements may be reduced or modified as specified in the WPS.
The enclosed cabs must be used in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR part 170.240 (d)(4)-(6)]. The handler PPE requirements may be reduced or modified as specified in the WPS.
Water soluble packets when used correctly qualify as a closed loading system under the WPS. Handlers handling this product while it is enclosed in intact water-soluble packets are permitted to wear long-sleeved shirt, long pants, shoes plus socks, chemical-resistant gloves, and chemical-resistant apron, provided the other required PPE is immediately available in case the bag is opened.
Pilots must not assist in the mixing and loading operations.

USER SAFETY RECOMMENDATIONS

USERS SHOULD: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, and mammals. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high-water mark. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwater or rinsate.
This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.
This chemical is known to leach through soil into groundwater under certain conditions as a result of label use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.
This chemical can contaminate surface water through spray drift. Under some conditions, it may also have a high potential for runoff into surface water for several days to weeks after application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas overlying extremely shallow groundwater, areas with in-field canals or ditches that drain to surface water, areas not separated from adjacent surface waters with vegetated filter strips, and areas over-lying tile drainage systems that drain to surface water.

PHYSICAL AND CHEMICAL HAZARDS

Keep container closed. Use with adequate ventilation.

EPA Est. No. 33971-MEX-003

Agsurf Corporation, 1209 Orange Street, Wilmington, Delaware, 19801
Made in U.S.A.

A01487395

Net 2 lb Nonrefillable Container

**“M1™ SP” in
WATER SOLUBLE
PACKAGES!
THIS SIDE UP
AVOID ROUGH HANDLING BELOW 50° F.
LIFT FLAP TO OPEN – DO NOT CUT**

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER - FATAL IF SWALLOWED. MAY BE FATAL IF INHALED OR GETS IN EYES. DO NOT BREATHE DUST OR SPRAY MIST.
Do not get in eyes or on clothing. Wear protective eyewear and respirator. Harmful if absorbed through skin. Avoid contact with skin. Wash hands thoroughly with soap and water after handling.
POISONING SYMPTOMS: Methomyl poisoning produces effects associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors. If poisoning symptoms appear, refer to First Aid section on front of M1™ SP insecticide label and seek medical attention at once.
NOTE TO PHYSICIAN:
Probable mucosal damage may contraindicate the use of gastric lavage.
TREATMENT: Atropine sulfate should be used for treatment. Administer repeated doses, 1.2 to 2.0 mg, intravenously every 10 to 30 minutes until full atropinization is achieved. Maintain atropinization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any cholinesterase inhibitor until recovery is assured. Do not use 2-PAM for exposure to M1™ SP insecticide alone. However, for exposure to combinations of M1™ SP insecticide and organophosphorus insecticides, 2-PAM may be used as required to supplement the atropine sulfate treatment. Do not use morphine.

PERSONAL PROTECTIVE EQUIPMENT
For medical emergencies involving this product, call toll free 1-888-261-1410.
Applicators and others exposed to the diluted spray solution must wear:
Long-sleeved shirt and long pants.
Chemical-resistant gloves such as barrier laminate or butyl rubber.
Shoes plus socks.
Protective eyewear.

EPA Est. No. 33971-MEX-003

**Agsurf Corporation, 1209 Orange Street, Wilmington, Delaware, 19801
Made in U.S.A.**

A01487386

PERSONAL PROTECTIVE EQUIPMENT (Cont'd)
Mixers, loaders, cleaners, repairers of application equipment, and others exposed to the concentrate must wear:
Long sleeve shirt and long pants.
Chemical-resistant gloves, such as barrier laminate or butyl rubber.
Socks and chemical-resistant footwear.
Protective eyewear.
Respirator as outlined below:
Chemical-resistant apron.
For exposures in enclosed areas, a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or a NIOSH approved respirator with an organic vapor (OV) cartridge or a canister with any R, P, or HE prefilter.
For exposures outdoors, Dustmist filtering respirator (MSHA/NIOSH approval number prefix TC-21C), or a NIOSH approved respirator with any R, P, or HE prefilter.
Clean clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROL STATEMENTS
Human flaggers must be in enclosed cabs.
When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR part 170.240 (d)(4-6)), the handler PPE requirements may be reduced or modified as specified in the WPS. The enclosed cabs must be used in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR part 170.240 (d)(4-6)). The handler PPE requirements may be reduced or modified as specified in the WPS. Water soluble packets when used correctly qualify as a closed loading system under the WPS. Handlers handling this product while it is enclosed in intact water-soluble packets are permitted to wear long-sleeved shirt, long pants, shoes plus socks, chemical-resistant gloves, and chemical-resistant apron, provided the other required PPE is immediately available in case the bag is opened. Pests must not assist in the mixing and loading operations.



**CARBAMATE PESTICIDES,
SOLID, TOXIC (METHOMYL)
UN 2757**

**U
n** **4G/Y6.7/S/11
USA/+AA1482**

RESTRICTED USE PESTICIDE
Due to High Acute Toxicity to Humans.
For retail sale and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification. Direct supervision for this product requires the certified applicator to review federal and supplemental label instructions with all personnel prior to application, mixing, loading, or repair or cleaning of application equipment.

M1™ SP
insecticide

AGSURF™
Corporation

Water Soluble Powder in Water Soluble Bags

ACTIVE INGREDIENT	BY WEIGHT
Methomyl(S-methyl-N-[(methylcarbamoyl)oxy]thioacetimidate)] 90%
OTHER INGREDIENTS	10%
	TOTAL 100%

EPA Reg. No. 352-342-85588
See back and side panel for additional precautionary statements.

KEEP OUT OF REACH OF CHILDREN
DANGER POISON

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

FIRST AID
This Product is an N-Methyl Carbamate insecticide.
IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
ATROPINE IS AN ANTIDOTE –SEEK MEDICAL ATTENTION AT ONCE IN ALL CASES OF SUSPECTED POISONING.
If poisoning symptoms appear (see POISONING SYMPTOMS), get medical attention.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-888-261-1410 for emergency medical treatment information.

Net 12 lb (6-2 lb envelopes)

USER SAFETY RECOMMENDATIONS
USERS SHOULD: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS
This pesticide is toxic to fish, aquatic invertebrates, and mammals. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high-water mark. Dirt and runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwater or rinsate.
This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.
This chemical is known to leach through soil into groundwater under certain conditions as a result of label use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.
This chemical can contaminate surface water through spray drift. Under some conditions, it may also have a high potential for runoff into surface water for several days to weeks after application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas overlying extremely shallow groundwater, areas with in-field canals or ditches that drain to surface water, areas not separated from adjacent surface waters with vegetated filter strips, and areas over-lying tile drainage systems that drain to surface water.

PHYSICAL AND CHEMICAL HAZARDS
Keep container closed. Use with adequate ventilation.

See Directions for Use in Supplemental Labeling enclosed.

Agricultural Use Requirements
Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to supplemental labeling under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

Notice to Buyer: Purchase of this material does not confer any rights under patents of countries outside of the United States.

DP307120 / A01487386 / ■ PMS 186 ■ PMS 282 ■ GCM1 90 Black / Cad #:5132 / 9.30.11