

Powdered Detergent/Disinfectant

**CLEANER • DETERGENT • DEODORIZER • *VIRUCIDE • DISINFECTANT • MILDEWSTAT (on hard inanimate surfaces)
FUNGICIDE (against pathogenic fungi) Kills Pandemic 2009 H1N1 Influenza A virus (formerly called swine flu)**

ACTIVE INGREDIENTS

Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈) dimethyl benzyl ammonium chlorides..... 7.95%

Alkyl (68% C₁₂, 32% C₁₄) dimethyl ethylbenzyl ammonium chlorides..... 7.95%

INERT INGREDIENTS 84.10%

Total 100.00%

**KEEP OUT OF REACH OF CHILDREN
DANGER**



FIRST AID: Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

You may contact 1-800-255-3924 for emergency medical treatment information. **NOTE TO PHYSICIAN** Probable mucosal damage may contraindicate the use of gastric lavage.

See back panel for additional precautionary statements.

Total Net Contents: 2.81 lbs./ 1.27 kg
90 Water-Soluble Packets
each containing
0.5 wt. oz./14.17 g of product



EPA REG. NO. 1839-93-3640
EPA EST. NO. 46275-IL-003



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2015-2017 LIC. NO.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

DANGER

KEEP OUT OF REACH OF CHILDREN. CORROSIVE.

Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, rubber gloves, and protective clothing. May be fatal if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

PESTICIDE STORAGE - Store in a dry place no lower in temperature than 50°F or higher than 120°F. Store in an area inaccessible to children.

CONTAINER DISPOSAL - Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container promptly after emptying.

Triple rinse as follows: Fill container ¼ full with water and recap. Agitate vigorously. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat procedure two more times. Then offer for recycling or reconditioning. If not available, puncture and dispose in a sanitary landfill.

PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

STEARNS

Sold by:

STEARNS PACKAGING CORPORATION
P.O. Box 3216, Madison, Wisconsin 53704
(800) 655-5008 • www.stearnspkg.com

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Powdered Detergent/Disinfectant is a phosphate-free formulation designed to provide effective cleaning, deodorizing, and disinfection specifically for hospitals, nursing homes, and other institutions where housekeeping is of prime importance in controlling the hazard of cross-contamination.

Powdered Detergent/Disinfectant, when used as directed, is formulated to disinfect inanimate, hard non-porous surfaces such as walls, floors, sink tops, tables, and chairs. For larger areas such as operating rooms, patient care facilities, and restrooms, this product is designed to provide both general cleaning and disinfection.

Powdered Detergent/Disinfectant deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, and any other areas which are prone to odors caused by microorganisms.

Use Powdered Detergent/Disinfectant to clean and disinfect hard, non-porous surfaces of personal protective safety equipment (PPE), athletic equipment (helmets, headgear) and non-medical breathing apparatus (respirators, gas masks).

PACKETS - Follow label dilution instructions by dropping packet directly into water. Do not remove packets before use. Store in cool dry place. Do not handle packets with wet hands.

DISINFECTION - To disinfect inanimate, hard non-porous surfaces add one 0.5 oz. premeasured packet of Powdered Detergent/Disinfectant or measure powder at the following use dilutions:

Add this amount of product	0.5 ounce	1 ounce	1.5 ounces
in warm water to make:	1 gallon	2 gallons	3 gallons

Stir gently to form a uniform solution. Apply solution with a mop, cloth, sponge or hand pump trigger sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes and then let air dry.

For heavily soiled areas, a pre-cleaning step is required. Prepare a fresh solution for each use.

DISINFECTION and CLEANING of NON-MEDICAL PERSONAL PROTECTIVE EQUIPMENT (PPE):

Pre-clean heavily soiled, hard, non-porous surfaces of the equipment prior to disinfecting. Add 0.5 oz. of Powdered Detergent/Disinfectant to one gallon of water (or equivalent use dilution). Stir gently to form a uniform solution. Apply solution to the hard, non-porous surfaces of the equipment with a cloth, sponge, hand pump trigger sprayer or by immersion. Thoroughly wet all surfaces to be disinfected, allow to remain wet for 10 minutes. Wipe off any excess solution with a clean cloth, rinse the treated surface with potable water and let air dry prior to storage. The user must comply with all OSHA regulations (Code of Federal Regulations Title 29, Part 1910-134) for cleaning respiratory protection equipment.

PRECAUTION: Disinfection and cleaning at temperatures above 120°F will cause distortion of personal protection equipment (PPE) necessitating replacement.

BACTERICIDAL ACTIVITY - At the stated Disinfection dilution rate, Powdered Detergent/Disinfectant exhibits effective disinfectant activity against the organisms: Pseudomonas aeruginosa PRD-10, Escherichia coli, Klebsiella pneumoniae, Salmonella (schottmuelleri) enterica, Salmonella (choleraesuis) enterica, Brevibacterium ammoniagenes, Streptococcus faecalis, Shigella dysenteriae, Staphylococcus aureus, Enterobacter aerogenes and meets all requirements for hospital use.

MILDEWSTAT - To control mold and mildew on pre-cleaned, hard, non-porous surfaces mix Powdered Detergent/Disinfectant at the stated dilution rate for Disinfection. Apply solution with a mop, cloth, sponge or hand pump trigger sprayer making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth appears. At the Disinfection dilution rate, Powdered Detergent/Disinfectant is also fungicidal against the pathogenic fungi, Trichophyton mentagrophytes.

***VIRUCIDAL ACTIVITY** - Powdered Detergent/Disinfectant when used on environmental, inanimate, hard surfaces at the Disinfection dilution rate, exhibits effective virucidal activity against HIV-1, Influenza A2, Parainfluenza Type 1 (Sendai), Canine Distemper, Feline Pneumonitis, Vaccinia virus, Herpes Simplex Type 1, Hepatitis B Virus (HBV), Hepatitis C Virus (HCV).

Powdered Detergent/Disinfectant has demonstrated effectiveness against Influenza A virus and is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1 Influenza A virus.

KILLS HIV-1, HBV and HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV and HCV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids use disposable latex gloves, gowns, masks, and eye coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of Powdered Detergent/Disinfectant.


CONTACT TIME: Allow surface to remain wet for 10 minutes.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids must be autoclaved and disposed of according to local regulations for infectious waste disposal.

EFFICACY TESTS HAVE DEMONSTRATED THAT POWDERED DETERGENT/ DISINFECTANT IS AN EFFECTIVE BACTERICIDE AND FUNGICIDE IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM.)

DEODORIZING and CLEANING - To deodorize and clean inanimate, hard, non-porous surfaces add one 0.5 oz. pre-measured packet of Powdered Detergent/Disinfectant or measure powder as per the dilution chart in the DISINFECTION section.

Stir gently to form a uniform solution. Apply solution with a mop, cloth, sponge or hand pump trigger sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes and then let air dry. Prepare a fresh solution for each use.



ST-794
ST794T/0213