TEST FABRIC OR SURFACES IN AN INCONSPICUOUS AREA FOR COLOR FASTNESS OR ADVERSE REACTION.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be harmful if swallowed (inhaled or absorbed through the skin). Do not breathe vapors (dust or spray mist). Do not get in eyes, on skin, or on clothing. May cause eye (and skin) Irritation.

DIRECTIONS FOR USE

It Is a violation of Federal Law to use this product in a manner inconsistent with Its labeling.
Microban Disinfectant Spray Plus should be applied with hand or power operated sprayers, foggers, automated metering systems or gravity drip dispensers as a broad spectrum disinfectant, mold and mildewcide, fungicide and deodorizing agent to previously cleaned surfaces. Spray areas until thoroughly moist, giving special attention to cracks and crevices. Allow ten to twenty minutes for drying. It Is not necessary to wipe the sprayed surface. Microban Disinfectant Spray Plus should not stain those materials not stained by water.

Microban Disinfectant Spray Plus, when used as directed, is effective in decontaminating bedding, mattresses, textiles, drapes, upholstered furniture, rugs, carpets and in storage areas to control mold, mildew, fungus and odors wherever they are a problem.

- Pest Control Service
- Movie booths
- Odor Control Service
- Bowling alleys
- Antique shops
- Refuse trucks
- Restoration Service
- Exercise rooms
- Shoes & Boots
- Veterinaries
- Second hand furniture shops
- Trash Chutes and Garbage Rooms
- Waste Compactors
- Carpet Cleaning Service
- Water Damage Service
- Storage areas and Basements
- Condensation collection & Drainage areas
- Laundry receiving stations
- Disinfection Service
- Waste Removal Service
- Upholsterers' Shops

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2012-2014 LIC. NO.

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2015-2017 LIC. NO.
8701.2

STORAGE AND DISPOSAL

Storage: Keep from freezing. Store in ventilated areas. Do not contaminate water, food or feed by storage and disposal. Dispose leftovers in landfill approved for pesticides.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Tripe rinse (or equivalent). Then offer for recycling, if available or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

microban

DISINFECTANT SPRAY PLUS

MILDEWCIDE · BACTERICIDE · FUNGICIDE
DEODORANT AND DISINFECTANT (Anti-Microbial)

FOR HOUSEHOLD, FARM PREMISE USES AND ANIMAL QUARTERS

Microban Disinfectant Spray Plus is a Broad Spectrum Disinfectant and is Also Effective Against Fungi, Mold & Mildew, and Odors Caused by Bacteria

ACTIVE INGREDIENTS	
o-Phenylphenol	0.22%
Diisobutylphenoxyethoxy ethyl dimethyl benzyl ammonium chloride monohydrate	0.70%
INERT INGREDIENTS	99.08%
TOTAL	**100.00%**

KEEP OUT OF REACH OF CHILDREN
WARNING

FIRST AID:

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a Poison Control Center or doctor for further treatment advice. **IF SWALLOWED:** Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

Net Contents:
- ❑ 1 GAL. (3.785) Litres
- ❑ 5 GAL. (18.9) Litres
- ❑ 55 GAL. (208) Litres

E.P.A. Reg. No. 70385-5

Manufactured For:
PRORESTORE® PRODUCTS
1016 Greentree Rd, Suite 115, Pittsburgh, PA 15220
U.S. Patent No. 3,458,629

E.P.A. EST. No.
- ❑ 9152-CA-001
- ❑ 8370-IL-1
- ❑ 10634-MA-1
- ❑ 37615-MD-001
- ❑ 42403-TX-001
- ❑ 49292-WA-01

Actual E.P.A. No. Shown above

GENERAL METHOD OF APPLICATION

Surfaces and objects must be cleaned of gross filth with suitable detergent before treatment. Spray surfaces and articles until thoroughly wet, use enough so that treated surfaces and objects remain wet for at least 10 minutes. May be applied with a sponge to impervious covers and surfaces, allowing to dry for 10 minutes. For fogging and other large volume applications use appropriate spraying equipment, protective clothing, gloves and respirator. Heavily treated spaces should be adequately ventilated and not re-entered for at least one hour after treatment.

AS A MILDEWCIDE, FUNGICIDE, BROAD SPECTRUM DISINFECTANT AND VIRUCIDE*: (Kills the influenza virus). In lobbies, hallways, washrooms, mop rooms, and veterinary clinics; in schools, hotels, motels, restaurants, offices, homes and industrial buildings.
For use on pre-cleaned hard non-porous surfaces such as tiled porcelain, waste receptacles, compactors, on, in and around rest room fixtures, toilet seats, locker rooms, telephones, door knobs, furniture and empty containerized storage units. For athletes foot fungus on floors, shower stalls, rest rooms. Follow method of application specified above.

AS A BACTERIOSTAT, FUNGISTAT AND DEODORIZING AGENT

Apply Microban Disinfectant Spray Plus as directed to floors, walls, ceilings that have been damaged by smoke, fire, floods and sewage backups. For cleanup operation in areas such as attics, wall voids, basements, areas above suspended ceilings and similar inaccessible spaces in buildings. Spray avian, rodent and other animal and human wastes and carcasses as directed above, prior to removal and disposal. Treat spaces and surfaces as specified in method of application. For use as a bacteriostat, fungistat and deodorizing agent on carpeting found in schools, hotels, motels, homes, shelters and commercial, industrial and public buildings. After a flood or water damage, vacuum or extract as much water as possible before application. Apply full strength with sprayer until moist to carpet nap and rake or brush in. To treat the backing and padding, a fogger is recommended. Allow to remain until dry. For best results carpets should be cleaned before application.

TO DISINFECT FARM PREMISES, POULTRY HOUSES, ANIMAL PENS AND VEHICLES

Remove all animals and feed from premises, vehicles and enclosures. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate all surfaces with the recommended disinfecting solution for a period of ten minutes. Immerse all halters, ropes and other types of equipment used in handling and restraining animals, as well as forks, shovels and scrapers used for removing litter and manure. Ventilate buildings, cars, boats and other closed spaces. Do not house live stock or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent and rinse with potable water before reuse. Apply Microban Disinfectant Spray Plus full strength as directed in the general method of application until thoroughly wet. Allow all surfaces to dry thoroughly, ventilate enclosed spaces adequately. Do not house animals in treated areas until thoroughly dry and free from odors.

© 2012 PRORESTORE® PRODUCTS

v1.3 121018 LRLB22152-U

microban

DISINFECTANT SPRAY PLUS

MILDEWCIDE · BACTERICIDE · FUNGICIDE
DEODORANT AND DISINFECTANT (Anti-Microbial)

FOR HOUSEHOLD, FARM PREMISE USES AND ANIMAL QUARTERS

Microban Disinfectant Spray Plus is a Broad Spectrum Disinfectant and is Also Effective Against Fungi, Mold & Mildew, and Odors Caused by Bacteria

ACTIVE INGREDIENTS

o-Phenylphenol	0.22%
Diisobutylphenoxyethoxy ethyl dimethyl benzyl ammonium chloride monohydrate	0.70%
INERT INGREDIENTS	99.08%
TOTAL	**100.00%**

KEEP OUT OF REACH OF CHILDREN
WARNING

FIRST AID:

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a Poison Control Center or doctor for further treatment advice. **IF SWALLOWED:** Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

Net Contents:
- ❑ 1 GAL. (3.785) Litres
- ❑ 5 GAL. (18.9) Litres
- ❑ 55 GAL. (208) Litres

E.P.A. Reg. No. 70385-5

Manufactured For:
PRORESTORE® PRODUCTS
1016 Greentree Rd, Suite 115, Pittsburgh, PA 15220
U.S. Patent No. 3,458,629

E.P.A. EST. No.
- ❑ 9152-CA-001
- ❑ 8370-IL-1
- ❑ 10634-MA-1
- ❑ 37615-MD-001
- ❑ 42403-TX-001
- ❑ 49292-WA-01

Actual E.P.A. No. Shown above

TEST FABRIC OR SURFACES IN AN INCONSPICUOUS AREA FOR COLOR FASTNESS OR ADVERSE REACTION.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be harmful if swallowed (inhaled or absorbed through the skin). Do not breathe vapors (dust or spray mist). Do not get in eyes, on skin, or on clothing. May cause eye (and skin) Irritation.

DIRECTIONS FOR USE

It Is a violation of Federal Law to use this product in a manner inconsistent with Its labeling.
Microban Disinfectant Spray Plus should be applied with hand or power operated sprayers, foggers, automated metering systems or gravity drip dispensers as a broad spectrum disinfectant, mold and mildewcide, fungicide and deodorizing agent to previously cleaned surfaces. Spray areas until thoroughly moist, giving special attention to cracks and crevices. Allow ten to twenty minutes for drying. It Is not necessary to wipe the sprayed surface. Microban Disinfectant Spray Plus should not stain those materials not stained by water.

Microban Disinfectant Spray Plus, when used as directed, is effective in decontaminating bedding, mattresses, textiles, drapes, upholstered furniture, rugs, carpets and in storage areas to control mold, mildew, fungus and odors wherever they are a problem.

- Pest Control Service
- Movie booths
- Odor Control Service
- Bowling alleys
- Antique shops
- Refuse trucks
- Restoration Service
- Exercise rooms
- Shoes & Boots
- Veterinaries
- Second hand furniture shops
- Trash Chutes and Garbage Rooms
- Waste Compactors
- Carpet Cleaning Service
- Water Damage Service
- Storage areas and Basements
- Condensation collection & Drainage areas
- Laundry receiving stations
- Disinfection Service
- Waste Removal Service
- Upholsterers' Shops

STORAGE AND DISPOSAL

Storage: Keep from freezing. Store in ventilated areas. Do not contaminate water, food or feed by storage and disposal. Dispose leftovers in landfill approved for pesticides.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Tripe rinse (or equivalent). Then offer for recycling, if available or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL METHOD OF APPLICATION

Surfaces and objects must be cleaned of gross filth with suitable detergent before treatment. Spray surfaces and articles until thoroughly wet, use enough so that treated surfaces and objects remain wet for at least 10 minutes. May be applied with a sponge to impervious covers and surfaces, allowing to dry for 10 minutes. For fogging and other large volume applications use appropriate spraying equipment, protective clothing, gloves and respirator. Heavily treated spaces should be adequately ventilated and not re-entered for at least one hour after treatment.

AS A MILDEWCIDE, FUNGICIDE, BROAD SPECTRUM DISINFECTANT AND VIRUCIDE*: (Kills the influenza virus). In lobbies, hallways, washrooms, mop rooms, and veterinary clinics; in schools, hotels, motels, restaurants, offices, homes and industrial buildings.
For use on pre-cleaned hard non-porous surfaces such as tiled porcelain, waste receptacles, compactors, on, in and around rest room fixtures, toilet seats, locker rooms, telephones, door knobs, furniture and empty containerized storage units. For athletes foot fungus on floors, shower stalls, rest rooms. Follow method of application specified above.

AS A BACTERIOSTAT, FUNGISTAT AND DEODORIZING AGENT

Apply Microban Disinfectant Spray Plus as directed to floors, walls, ceilings that have been damaged by smoke, fire, floods and sewage backups. For cleanup operation in areas such as attics, wall voids, basements, areas above suspended ceilings and similar inaccessible spaces in buildings. Spray avian, rodent and other animal and human wastes and carcasses as directed above, prior to removal and disposal. Treat spaces and surfaces as specified in method of application. For use as a bacteriostat, fungistat and deodorizing agent on carpeting found in schools, hotels, motels, homes, shelters and commercial, industrial and public buildings. After a flood or water damage, vacuum or extract as much water as possible before application. Apply full strength with sprayer until moist to carpet nap and rake or brush in. To treat the backing and padding, a fogger is recommended. Allow to remain until dry. For best results carpets should be cleaned before application.

TO DISINFECT FARM PREMISES, POULTRY HOUSES, ANIMAL PENS AND VEHICLES

Remove all animals and feed from premises, vehicles and enclosures. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate all surfaces with the recommended disinfecting solution for a period of ten minutes. Immerse all halters, ropes and other types of equipment used in handling and restraining animals, as well as forks, shovels and scrapers used for removing litter and manure. Ventilate buildings, cars, boats and other closed spaces. Do not house live stock or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent and rinse with potable water before reuse. Apply Microban Disinfectant Spray Plus full strength as directed in the general method of application until thoroughly wet. Allow all surfaces to dry thoroughly, ventilate enclosed spaces adequately. Do not house animals in treated areas until thoroughly dry and free from odors.

© 2012 PRORESTORE® PRODUCTS