



**PRECAUTIONARY STATEMENTS:**  
Hazards to humans and domestic animals.

**WARNING:**  
Dry product causes substantial but temporary eye injury. Harmful if absorbed through skin or if swallowed. Avoid contact with skin or clothing. Do not get in eyes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Contains iron sulphate (352 mg ferric iron).

**FIRST AID:**  
**If in eyes:**  
• Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.  
• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.  
• Call poison control center or doctor for treatment advice.

**If on skin:**  
• Take off contaminated clothing.  
• Rinse skin immediately with plenty of water for 15 – 20 minutes.  
• Call poison control center or doctor for treatment advice.

**If swallowed:**  
• Call a poison control center or doctor immediately for treatment advice.  
• Have person sip a glass of water if able to swallow.  
• Do not induce vomiting unless told to by a poison control center or doctor.  
• Do not give anything to an unconscious person.

Have the product container or label with you when consulting a poison control center or doctor, or going for treatment. In North America you may also contact 1-866-461-4403 for emergency medical treatment information.



Manufactured by:  
**P&G**  
Procter & Gamble  
B-233/234, H.I.T.E.  
Hub, Balochistan, Pakistan  
Made in Pakistan  
P&G is a trademark of The Procter & Gamble Company  
Batch No.

**KEEP OUT OF REACH OF CHILDREN**  
**WARNING: See side panel for all precautions.**

Quantity: 240 packets of 4g  
(0.14 oz)  
Each packet treats 10 liters /  
2.5 gallons of water

**Active Ingredient:**  
Calcium Hypochlorite: . . . . 0.546%  
Other Ingredients: . . . . 99.454%  
Total: . . . . . 100%  
2.17 ppm available chlorine



**STORAGE/DISPOSAL:** Store away from heat, humidity and sunlight. Dispose of empty container in trash. Dispose of floc in latrine or on the ground away from humans and animals.

**QUESTIONS? COMMENTS?**  
In North America Call: 1-866-461-4403  
Visit us at: [www.PGPurifierOfWater.com](http://www.PGPurifierOfWater.com)

92225427

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

<p><b>1. MIX</b></p> <p>10 liters</p>	<p><b>2. STIR</b></p> <p>5 MINUTES 5 MINUTES</p> <p>Stir well. Let water stand.</p> <p>10 liters</p> <p>If water is not clear, stir again until the floc is separated.</p>	<p><b>3. FILTER</b></p> <p>Use clean thick 100% cotton cloth without any holes.</p> <p>Dispose of the filtered floc away from children and animals.</p>	<p><b>4. DRINK</b></p> <p>Do not drink if water is yellow in color.</p> <p>Prepared water</p>
---------------------------------------	--	---	---

- 1. MIX:**
- Open a packet using a pair of scissors.
  - Add the contents of the packet to a clean mixing container holding 10 liters / 2.5 gallons of water.
- 2. STIR:**
- Stir the powder vigorously in the water for 5 minutes. Be sure a vortex is created when stirring. Then, let the water stand for 5 minutes until it becomes clear.
  - After adding the powder to the water, the water will become colored. The color indicates that the product is working. When the process is finished, the water will be clear.
- 3. FILTER:**
- If you see the water is still colored, you can stir again and let it rest for another few minutes.
  - Once the water looks clear, and the floc is at the bottom of the container, filter the water through a clean cloth filter into a clean storage container and cover it with a lid.
  - The filter must be a clean, thick 100% cotton cloth, without holes, that prevents the floc from passing through. Carefully pour the clear water through the cloth into a container. The floc will be left behind in the bottom of the container and in the cloth filter.
  - Discard the floc from the water treatment process in the latrine, or on the ground away from children and animals. Rinse and wash the cloth thoroughly before reusing.
- 4. BEFORE DRINKING:**
- **Wait 20 minutes** before drinking the water.
  - Do not drink water if it is colored or cloudy after treatment. If the floc accidentally gets into the treated water, use another cloth to filter the floc out of the treated water. The water is still good to drink.
  - Drink treated water within 24 hours after its preparation. Water that is not consumed may be used for cooking, washing, watering animals or otherwise discarded.
  - **ALWAYS** dispense the water from the storage container into another container, such as a cup or glass for drinking.
- EPA Reg. No. 3573-90  
EPA Est. No. 3573-PAK-001

# P&G™ PURIFIER OF WATER

**Active Ingredient:**  
Calcium Hypochlorite . . . . 0.546%  
**Other Ingredients:** . . . . . 99.454%  
**Total:** . . . . . 100%  
2.17 ppm available chlorine

## DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



### 1. MIX

- 1. MIX:**
- Open a packet using a pair of scissors.
  - Add the contents of the packet to a clean mixing container holding 10 liters/ 2.5 gallons of water.



### 2. STIR

- 5 MINUTES**      **5 MINUTES**
- Stir well.      Let water stand.
- If water is not clear, stir again until the floc is separated.

- 2. STIR:**
- Stir the powder vigorously in the water for 5 minutes. Be sure a vortex is created when stirring. Then, let the water stand for 5 minutes until it becomes clear.
  - After adding the powder to the water, the water will become colored. The color indicates that the product is working. When the process is finished, the water will be clear.



### 3. FILTER

- Use clean, thick 100% cotton cloth without any holes.
- Dispose of the filtered floc away from children and animals.

- 3. FILTER:**
- If you see the water is still colored, you can stir again and let it rest for another few minutes.
  - Once the water looks clear, and the floc is at the bottom of the container, filter the water through a clean cloth filter into a clean storage container and cover it with a lid.
  - The filter must be a clean, thick 100% cotton cloth, without holes, that prevents the floc from passing through. Carefully pour the clear water through the cloth into a container. The floc will be left behind in the bottom of the container and in the cloth filter.
  - Discard the floc from the water treatment process in the latrine, or on the ground away from children and animals. Rinse and wash the cloth thoroughly before reusing.



Wait for 20 minutes



### 4. DRINK

- Do not drink if water is yellow in color.
- Prepared water

- 4. BEFORE DRINKING:**
- **Wait 20 minutes** before drinking the water.
  - Do not drink water if it is colored or cloudy after treatment. If the floc accidentally gets into the treated water, use another cloth to filter the floc out of the treated water. The water is still good to drink.
  - Drink treated water within 24 hours after its preparation. Water that is not consumed may be used for cooking, washing, watering animals, or otherwise discarded.
  - **ALWAYS** dispense the water from the storage container into another container, such as a cup or glass for drinking.

## KEEP OUT OF REACH OF CHILDREN

### PRECAUTIONARY STATEMENTS:

Hazards to humans and domestic animals.

### WARNING:

Dry product causes substantial but temporary eye injury. Harmful if absorbed through skin or if swallowed. Avoid contact with skin or clothing. Do not get in eyes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Contains iron sulphate (352 mg ferric iron).

### FIRST AID:

#### If in eyes:

- Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
- Call poison control center or doctor for treatment advice.

#### If on skin:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15 – 20 minutes.
- Call poison control center or doctor for treatment advice.

#### If swallowed:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to by a poison control center or doctor.
- Do not give anything to an unconscious person.

Have the product container or label with you when consulting a poison control center or doctor, or going for treatment. In North America you may also contact 1-866-461-4403 for emergency medical treatment information.

**STORAGE/DISPOSAL:** Store away from heat, humidity and sunlight. Dispose of empty container in trash. Dispose of floc in latrine or on the ground away from humans and animals.

### QUESTIONS? COMMENTS?

In North America Call: 1-866-461-4403  
Visit us at: [www.PGPurifierofWater.com](http://www.PGPurifierofWater.com)

Manufactured by:

**P&G**  
Procter & Gamble  
B-233/234, H.I.T.E.  
Hub, Balochistan, Pakistan

P&G is a trademark of The Procter & Gamble Company  
P&G Purifier of Water is Made in Pakistan  
EPA Reg. No. 3573-90  
EPA Est. No. 3573-PAK-001



**Each packet treats  
10 liters/2.5 gallons of Water**

Calcium Hypochlorite...0.546%  
2.17 ppm available chlorine

**NET CONTENTS: 4g (0.14 oz)**

**1. MIX**



**5 MINUTES** Stir well.

**5 MINUTES** Let water stand. Filterer is floating. The water is now clear and the filterer is separated.


**2. STIR**



**5 MINUTES** 5 MINUTES

Let water stand. Filterer is floating. The water is now clear and the filterer is separated.

**3. FILTER**



Use clean cloth to filter water into another container. Dispose of the filtered filterer away from children and animals.

**4. DRINK**



Do not drink if water is yellow in color. Wait for 20 minutes.

**KEEP OUT OF REACH OF CHILDREN**

**WARNING:** Dry product causes substantial but temporary eye injury. May irritate skin. Do not get in eyes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Contains iron sulphate (350 mg ferric iron). See outer container for all precautions.

9225477

POA#1 US/Relief PG POW - Pakistan Sachet



Manufactured by:



Procter & Gamble  
7 Tuas West Street  
Tuas District  
Singapore 637448, Singapore

Made in Singapore  
P&G is a trademark of The Procter & Gamble Company

Batch No.

**KEEP OUT OF REACH OF CHILDREN**  
**WARNING:** See side panel for all precautions.

Quantity: 240 packets of 4g (0.14 oz)

Each packet treats 10 liters /  
2.5 gallons of water


Active Ingredient:  
Calcium Hypochlorite . . . . 0.546%  
Other Ingredients: . . . . . 99.454%  
Total: . . . . . 100%  
2.17 ppm available chlorine




**STORAGE/DISPOSAL:** Store away from heat, humidity and sunlight. Dispose of empty container in trash. Dispose of floc in latrine or on the ground away from humans and animals.

QUESTIONS? COMMENTS?  
In North America Call: 1-866-461-4403  
Visit us at: [www.PGPurifierOfWater.com](http://www.PGPurifierOfWater.com)

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



- 1. MIX:**
- Open a packet using a pair of scissors.
  - Add the contents of the packet to a clean mixing container holding 10 liters / 2.5 gallons of water.



- 2. STIR:**
- Stir the powder vigorously in the water for 5 minutes. Be sure a vortex is created when stirring. Then, let the water stand for 5 minutes until it becomes clear.
  - After adding the powder to the water, the water will become colored. The color indicates that the product is working. When the process is finished, the water will be clear.



- 3. FILTER:**
- If you see the water is still colored, you can stir again and let it rest for another few minutes.
  - Once the water looks clear, and the floc is at the bottom of the container, filter the water through a clean cloth filter into a clean storage container and cover it with a lid.
  - The filter must be a clean, thick 100% cotton cloth, without holes, that prevents the floc from passing through. Carefully pour the clear water through the cloth into a container. The floc will be left behind in the bottom of the container and in the cloth filter.
  - Discard the floc from the water treatment process in the latrine, or on the ground away from children and animals. Rinse and wash the cloth thoroughly before reusing.



Wait for 20 minutes



- 4. BEFORE DRINKING:**
- Wait **20 minutes** before drinking the water.
  - Do not drink water if it is colored or cloudy after treatment. If the floc accidentally gets into the treated water, use another cloth to filter the floc out of the treated water. The water is still good to drink.
  - Drink treated water within 24 hours after its preparation. Water that is not consumed may be used for cooking, washing, watering animals or otherwise discarded.
  - **ALWAYS** dispense the water from the storage container into another container, such as a cup or glass for drinking.

**PRECAUTIONARY STATEMENTS:**  
Hazards to humans and domestic animals.

**WARNING:**  
Dry product causes substantial but temporary eye injury. Harmful if absorbed through skin or if swallowed. Avoid contact with skin or clothing. Do not get in eyes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Contains iron sulphate (352 mg ferric iron).

- FIRST AID:**
- If in eyes:**
- Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.
  - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
  - Call poison control center or doctor for treatment advice.

- If on skin:**
- Take off contaminated clothing.
  - Rinse skin immediately with plenty of water for 15 – 20 minutes.
  - Call poison control center or doctor for treatment advice.

- If swallowed:**
- Call a poison control center or doctor immediately for treatment advice.
  - Have person sip a glass of water if able to swallow.
  - Do not induce vomiting unless told to by a poison control center or doctor.
  - Do not give anything to an unconscious person.

Have the product container or label with you when consulting a poison control center or doctor, or going for treatment. In North America you may also contact 1-866-461-4403 for emergency medical treatment information.

92271642

EPA Reg. No. 3573-90  
EPA Est. No. 3573-SGP-001

# P&G™ PURIFIER OF WATER


**Active Ingredient:**  
Calcium Hypochlorite . . . . 0.546%  
**Other Ingredients:** . . . . . 99.454%  
**Total:** . . . . . 100%  
2.17 ppm available chlorine

## DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



- 1. MIX:**
- Open a packet using a pair of scissors.
  - Add the contents of the packet to a clean mixing container holding 10 liters/ 2.5 gallons of water.



- 2. STIR:**
- Stir the powder vigorously in the water for 5 minutes. Be sure a vortex is created when stirring. Then, let the water stand for 5 minutes until it becomes clear.
  - After adding the powder to the water, the water will become colored. The color indicates that the product is working. When the process is finished, the water will be clear.



- 3. FILTER:**
- Use clean, thick 100% cotton cloth without any holes.
  - If you see the water is still colored, you can stir again and let it rest for another few minutes.
  - Once the water looks clear, and the floc is at the bottom of the container, filter the water through a clean cloth filter into a clean storage container and cover it with a lid.
  - The filter must be a clean, thick 100% cotton cloth, without holes, that prevents the floc from passing through. Carefully pour the clear water through the cloth into a container. The floc will be left behind in the bottom of the container and in the cloth filter.
  - Discard the floc from the water treatment process in the latrine, or on the ground away from children and animals. Rinse and wash the cloth thoroughly before reusing.



Wait for 20 minutes



- 4. BEFORE DRINKING:**
- **Wait 20 minutes** before drinking the water.
  - Do not drink water if it is colored or cloudy after treatment. If the floc accidentally gets into the treated water, use another cloth to filter the floc out of the treated water. The water is still good to drink.
  - Drink treated water within 24 hours after its preparation. Water that is not consumed may be used for cooking, washing, watering animals, or otherwise discarded.
  - **ALWAYS** dispense the water from the storage container into another container, such as a cup or glass for drinking.

### KEEP OUT OF REACH OF CHILDREN

#### PRECAUTIONARY STATEMENTS:

Hazards to humans and domestic animals.

#### WARNING:

Dry product causes substantial but temporary eye injury. Harmful if absorbed through skin or if swallowed. Avoid contact with skin or clothing. Do not get in eyes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Contains iron sulphate (352 mg ferric iron).

#### FIRST AID:

##### If in eyes:

- Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
- Call poison control center or doctor for treatment advice.

##### If on skin:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15 – 20 minutes.
- Call poison control center or doctor for treatment advice.

##### If swallowed:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to by a poison control center or doctor.
- Do not give anything to an unconscious person.

Have the product container or label with you when consulting a poison control center or doctor, or going for treatment. In North America you may also contact 1-866-461-4403 for emergency medical treatment information.

**STORAGE/DISPOSAL:** Store away from heat, humidity and sunlight. Dispose of empty container in trash. Dispose of floc in latrine or on the ground away from humans and animals.

Manufactured by:

**P&G**  
Procter & Gamble  
7 Tuas West Street  
Tuas District  
Singapore 637448, Singapore

#### QUESTIONS? COMMENTS?

In North America Call: 1-866-461-4403  
Visit us at: [www.PGPurifierofWater.com](http://www.PGPurifierofWater.com)

P&G is a trademark of The Procter & Gamble Company  
P&G Purifier of Water is Made in Singapore  
EPA Reg. No. 3573-90  
EPA Est. No. 3573-SGP-001



Each packet treats  
10 liters/2.5 gallons of Water

Calcium Hypochlorite...0.546%  
2.17 ppm available chlorine

NET CONTENTS: 4g (0.14 oz)

1. MIX



Sift well.  
10 liters

2. STIR



5 MINUTES 5 MINUTES  
Let water stand.  
Filtrate is not clear.  
Filtrate is not clear.  
Filtrate is not clear.  
Filtrate is separated.

3. FILTER



Use clean cloth (100% cotton  
or better) without any holes.  
Dispose of  
the filtered  
floc away  
from children  
and animals.

4. DRINK



Do not drink if  
water is yellow  
in color.  
Wait for 20  
minutes.  
Purified  
Water

**KEEP OUT OF REACH OF CHILDREN.**  
WARNING: Dry product causes substantial and temporary eye injury. Harmful to aquatic life. Avoid contact with skin or clothing. Do not get in eyes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Contains iron sulphate (352 mg ferric iron). See outer container for all precautions.

Manufactured by: P&G is a trademark of The  
Procter & Gamble Company  
P&G  
Procter & Gamble  
7 Tuas West Street, Singapore 631448  
EPA Reg. No. 3573-50  
EPA Est. No. 3573-SQP-001 92271941

Singapore P&G POW Sachet