


 Department of Agriculture
 STATE OF HAWAII
LICENSED
 PERIOD 2014-2016 LIC. NO.
8731.12

140MM ±0.3mm

Disinfecting Wipes

KILLS COLD & FLU VIRUS[^]
 Bleach-free
 Kills 99.9% of bacteria

Fresh air scent
75 Disinfecting
 Wipes

7x8in - 17.7 x 20.3 cm
 Net Weight: 1lb 5oz (595 g)
 BPR25461
 80P15100

ACTIVE INGREDIENTS	
n-Alkyl (68% C12, 32% C14)	
dimethyl ethylbenzyl ammonium chlorides.....	0.14%
n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethyl benzyl ammonium chlorides.....	0.14%
OTHER INGREDIENTS	99.72%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION See back panel for additional
 precautionary statements



160MM ±0.3mm

R角为4mm

140MM ±0.3mm

Disinfecting Wipes Multi-Surface¹ Cleaning and Disinfecting

For use on hard, non-porous non-food contact surfaces in public areas: grocery stores^{**}; health clubs; household; kitchens^{**}; nursing homes; office buildings; schools; hotels; recreational centers; restaurants^{**}; finished floors; bathroom surfaces; carts; changing tables; counters; desk/office; keyboards; kitchen surfaces; workout equipment.
****** A thorough rinse with potable water is required for surfaces in direct contact with food.

Critical Care Areas: CCU, Emergency Rooms, E.R., ICU, Neonatal Intensive Care Units (NICU), Operating Rooms, Pediatric Intensive Care Units (PICU) and Surgery.

Hospital, Healthcare, and Critical Care Use Sites: May be used on hard nonporous surfaces of: ambulance equipment surfaces; bed railings; cabinets; carts; chairs; counters; exam tables; stretchers; stools; tables; telephones; toilet seats.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

The following bacteria passed testing for both 15 second sanitization and 3 minute disinfection with 5% organic soil: *Campylobacter jejuni*; *Klebsiella pneumoniae*; *Escherichia coli* [E. coli] O157:H7; *Listeria monocytogenes*; Community Acquired Methicillin Resistant *Staphylococcus aureus* [CA-MRSA]; Methicillin Resistant *Staphylococcus aureus* [MRSA]; *Pseudomonas aeruginosa*; *Salmonella enterica* [Salmonella]; *Staphylococcus aureus* [Staph]; *Streptococcus pyogenes*. The following bacteria passed testing for 3 minute disinfection with 5% organic soil: *Acinetobacter baumannii*, Multi-Drug Resistant; ESBL Production *Escherichia coli* [E.coli]; Vancomycin Resistant *Enterococcus faecalis* [VRE].

The following viruses passed testing at a 3 minute contact time with 5% organic soil: *Avian Influenza A Virus [H5N1]; *Herpes Simplex Virus, Type 2; *Human Coronavirus; *Influenza A/Hong Kong Virus; *Respiratory Syncytial Virus [RSV]. Hospital/Medical uses: *Hepatitis B Virus [HBV]; *Hepatitis C Virus [HVC]; *HIV-1 [AIDS Virus]*. Kills Pandemic 2009 H1N1 influenza A virus.

*Effective against common cold virus caused by Coronavirus and common flu virus caused by Influenza A/Hong Kong.
*Hard nonporous surfaces only.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To Dispense Wipes: Remove lid. Find center of wipe roll, remove first wipe for use, twist corner of next wipe into a point and thread through the hole in the container lid. Pull through about one inch. Replace lid. Dispense remaining wipes as necessary by pulling out at an angle. When not in use keep lid closed to prevent moisture loss.

CLEANING AND DEODORIZING: Wipe surface with towelette until clean. Let air dry.

TO SANITIZE NONFOOD CONTACT SURFACES: Use a wipe to remove heavy soil. Unfold a clean wipe and thoroughly wet surface. Treated surface must remain visibly wet for a full fifteen [15] seconds. Use additional wipe(s) if needed to assure continuous 15 second wet contact time. Let air dry.

TO DISINFECT: Use a wipe to remove heavy soil. Unfold a clean wipe and thoroughly wet surface. Treated surface must remain visibly wet for a full three [3] minutes. Use additional wipe(s) if needed to assure continuous 3 minute wet contact time. A thorough rinse with potable water is required for surfaces in direct contact with food.

***KILLS HIV-1 [AIDS VIRUS], HEPATITIS B VIRUS [HBV] AND HEPATITIS C VIRUS [HCV] ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in three [3] minutes at room temperature (68°-77°F) or (20°-25°C) in

healthcare or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus [HBV] and Hepatitis C Virus [HCV].

***SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HEPATITIS B VIRUS AND HEPATITIS C VIRUS OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS**

Personal protection: when using this product, wear disposable protective gloves, protective gowns, face masks, or eye coverings as appropriate when handling HIV-1 (AIDS Virus), HBV or HCV infected blood or body fluids.

Cleaning procedure: All blood and other body fluids must be thoroughly cleaned from surfaces and objects before disinfection by the germicidal cloth. Open, and unfold first germicidal cloth to remove gross filth or heavy soil.

Disposal of infectious materials: Dispose of used towelette in accordance with local regulations for infectious waste disposal.

Contact time: Use second germicidal cloth to thoroughly wet surface. Allow to remain wet three [3] minutes, let air dry. Although efficacy at a 30 second contact time has been shown to be adequate against HIV-1 (AIDS VIRUS), this time is not sufficient for the other non-HIV organisms listed on this label. Therefore, a 3 minute wet contact time must be used for all listed non-HIV organisms.

PRECAUTIONARY STATEMENTS: Hazards to humans and domestic animals.

CAUTION: Causes moderate eye irritation. Avoid contact with eyes and clothing. Wash hands before eating, drinking, chewing gum, using tobacco, or using toilet.

FIRST AID: If in eye: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. For additional information in case of emergency call toll free 1-888-322-0912. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

Not a baby wipe. NOT FOR CLEANING OR SANITIZING SKIN. Do not use on natural marble, windows, unpainted wood, brass, clear plastic or colored grout.

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage and disposal.

Storage: Do not store near heat or open flame. When not in use keep center cap of lid closed to prevent moisture loss.

Towelette Disposal: Do not reuse towelette. Dispose of used towelette in trash. Do not flush in toilet.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Triple rinse and offer for recycling. If recycling is not available, put in trash collection.

EPA REG. NO.: 9480-5-86226 EPA EST. NO.: 87189-CHN-1

The Staples® brand 100% Satisfaction Guarantee:

If you're not 100% happy with this Staples® brand product, just return it anytime. It's that easy.

Manufactured for: Staples Contract & Commercial, Inc.
500 Staples Drive, Framingham, MA 01702 USA
Made in China ©2014 Staples, Inc.



80P15101
REV14A

NK

R-EN1

160MM ±0.3mm

R角为4mm


Department of Agriculture
STATE OF HAWAII
LICENSED
PERIOD 2014-2016 LIC. NO.
8731.12

140MM ±0.3mm

Disinfecting Wipes

KILLS COLD & FLU VIRUS[^]

Bleach-free

Kills 99.9% of bacteria

Lemon scent

75 Disinfecting
Wipes

7x8in - 17.7 x 20.3 cm

Net Weight: 1lb 5oz (595 g)

BPR25462
80P15200

ACTIVE INGREDIENTS

n-Alkyl (68% C12, 32% C14)
dimethyl ethylbenzyl ammonium chlorides..... 0.14%
n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)
dimethyl benzyl ammonium chlorides..... 0.14%

OTHER INGREDIENTS..... 99.72%

TOTAL..... 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION See back panel for additional
precautionary statements

 **BRIGHTON**
PROFESSIONAL™

160MM ±0.3mm

R角为4mm

140MM ±0.3mm

Disinfecting Wipes Multi-Surface¹ Cleaning and Disinfecting

For use on hard, non-porous non-food contact surfaces in public areas: grocery stores^{**}; health clubs; household; kitchens^{**}; nursing homes; office buildings; schools; hotels; recreational centers; restaurants^{**}; finished floors; bathroom surfaces; carts; changing tables; counters; desk/office; keyboards; kitchen surfaces; workout equipment.
****** A thorough rinse with potable water is required for surfaces in direct contact with food.

Critical Care Areas: CCU, Emergency Rooms, E.R., ICU, Neonatal Intensive Care Units (NICU), Operating Rooms, Pediatric Intensive Care Units (PICU) and Surgery.

Hospital, Healthcare, and Critical Care Use Sites: May be used on hard nonporous surfaces of: ambulance equipment surfaces; bed railings; cabinets; carts; chairs; counters; exam tables; stretchers; stools; tables; telephones; toilet seats.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

The following bacteria passed testing for both 15 second sanitization and 3 minute disinfection with 5% organic soil: *Campylobacter jejuni*; *Klebsiella pneumoniae*; *Escherichia coli* [E. coli] O157:H7; *Listeria monocytogenes*; Community Acquired Methicillin Resistant *Staphylococcus aureus* [CA-MRSA]; Methicillin Resistant *Staphylococcus aureus* [MRSA]; *Pseudomonas aeruginosa*; *Salmonella enterica* [Salmonella]; *Staphylococcus aureus* [Staph]; *Streptococcus pyogenes*. The following bacteria passed testing for 3 minute disinfection with 5% organic soil: *Acinetobacter baumannii*, Multi-Drug Resistant; ESBL Production *Escherichia coli* [E.coli]; Vancomycin Resistant *Enterococcus faecalis* [VRE].

The following viruses passed testing at a 3 minute contact time with 5% organic soil: *Avian Influenza A Virus [H5N1]; *Herpes Simplex Virus, Type 2; *Human Coronavirus; *Influenza A/Hong Kong Virus; *Respiratory Syncytial Virus [RSV]. Hospital/Medical uses: *Hepatitis B Virus [HBV]; *Hepatitis C Virus [HVC]; *HIV-1 [AIDS Virus]*. Kills Pandemic 2009 H1N1 influenza A virus.

*Effective against common cold virus caused by Coronavirus and common flu virus caused by Influenza A/Hong Kong.
*Hard nonporous surfaces only.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To Dispense Wipes: Remove lid. Find center of wipe roll, remove first wipe for use, twist corner of next wipe into a point and thread through the hole in the container lid. Pull through about one inch. Replace lid. Dispense remaining wipes as necessary by pulling out at an angle. When not in use keep lid closed to prevent moisture loss.

CLEANING AND DEODORIZING: Wipe surface with towelette until clean. Let air dry.

TO SANITIZE NONFOOD CONTACT SURFACES: Use a wipe to remove heavy soil. Unfold a clean wipe and thoroughly wet surface. Treated surface must remain visibly wet for a full fifteen [15] seconds. Use additional wipe(s) if needed to assure continuous 15 second wet contact time. Let air dry.

TO DISINFECT: Use a wipe to remove heavy soil. Unfold a clean wipe and thoroughly wet surface. Treated surface must remain visibly wet for a full three [3] minutes. Use additional wipe(s) if needed to assure continuous 3 minute wet contact time. A thorough rinse with potable water is required for surfaces in direct contact with food.

***KILLS HIV-1 [AIDS VIRUS], HEPATITIS B VIRUS [HBV] AND HEPATITIS C VIRUS [HCV] ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in three [3] minutes at room temperature (68°-77°F) or (20°-25°C) in

healthcare or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus [HBV] and Hepatitis C Virus [HCV].

***SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HEPATITIS B VIRUS AND HEPATITIS C VIRUS OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS**

Personal protection: when using this product, wear disposable protective gloves, protective gowns, face masks, or eye coverings as appropriate when handling HIV-1 (AIDS Virus), HBV or HCV infected blood or body fluids.

Cleaning procedure: All blood and other body fluids must be thoroughly cleaned from surfaces and objects before disinfection by the germicidal cloth. Open, and unfold first germicidal cloth to remove gross filth or heavy soil.

Disposal of infectious materials: Dispose of used towelette in accordance with local regulations for infectious waste disposal.

Contact time: Use second germicidal cloth to thoroughly wet surface. Allow to remain wet three [3] minutes, let air dry. Although efficacy at a 30 second contact time has been shown to be adequate against HIV-1 (AIDS VIRUS), this time is not sufficient for the other non-HIV organisms listed on this label. Therefore, a 3 minute wet contact time must be used for all listed non-HIV organisms.

PRECAUTIONARY STATEMENTS: Hazards to humans and domestic animals.

CAUTION: Causes moderate eye irritation. Avoid contact with eyes and clothing. Wash hands before eating, drinking, chewing gum, using tobacco, or using toilet.

FIRST AID: If in eye: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. For additional information in case of emergency call toll free 1-888-322-0912. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

Not a baby wipe. NOT FOR CLEANING OR SANITIZING SKIN. Do not use on natural marble, windows, unpainted wood, brass, clear plastic or colored grout.

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage and disposal.

Storage: Do not store near heat or open flame. When not in use keep center cap of lid closed to prevent moisture loss.

Towelette Disposal: Do not reuse towelette. Dispose of used towelette in trash. Do not flush in toilet.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Triple rinse and offer for recycling. If recycling is not available, put in trash collection.

EPA REG. NO.: 9480-5-86226 EPA EST. NO.: 87189-CHN-1

The Staples® brand 100% Satisfaction Guarantee:

If you're not 100% happy with this Staples® brand product, just return it anytime. It's that easy.

Manufactured for: Staples Contract & Commercial, Inc.
500 Staples Drive, Framingham, MA 01702 USA
Made in China ©2014 Staples, Inc.



80P15201
REV14A

160MM ±0.3mm

R角为4mm