



STATE OF HAWAII
Department of Agriculture
ACCEPTED
LICENSE NO.

8731.4

3.25"

6.4375"

NO PRINT MARGIN 1/4"

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive.

Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and protective (rubber or chemical resistant) gloves. Harmful if swallowed and/or if absorbed through the skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor or going for treatment.

For emergency information call 1-888-322-0912 (24-hours, 7 days a week).

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash.

Hepastat 256™

Disinfectant Cleaner

Concentrated

Active Ingredients:

Octyl decyl dimethyl ammonium chloride.....	6.510%
Dioctyl dimethyl ammonium chloride.....	2.604%
Didecyl dimethyl ammonium chloride.....	3.906%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride.....	8.680%

Inert Ingredients:.....78.300%
Total:.....100.000%

QUICK MIX®

KEEP OUT OF REACH OF CHILDREN

DANGER

See side panel for Precautionary Statements and First Aid

Net Contents: 1 GAL / 3.78 L

BPR4252QM-A



QUICK MIX®

NO PRINT MARGIN 1/4"

FRONT PANEL 6.4375"

SIDE PANEL 3.25"

NO PRINT MARGIN 1/4"

CUT-OFF 5.625"

19.375"

3.25"

6.4375"

Hepastat 256™

For Hospitals, Institutional and Industrial Use

Hepastat 256 is a concentrated, one-step, Hospital Use disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal* (including HIV-1, the AIDS virus and Hepatitis B Virus and Hepatitis C Virus), fungicidal, and inhibits the growth of mold and mildew, and their odors, when used as directed. Kills Pandemic 2009 H1N1 influenza A virus.

Hepastat 256 is a sanitizer for hard nonporous non-food contact surfaces according to the method for Sanitizers - Non-Food Contact Surfaces, modified in the presence of 500 ppm hard water plus 5% organic serum in 60 seconds against: Klebsiella pneumoniae and Staphylococcus aureus.

Use Hepastat 256 in: Hospitals, nursing homes, medical offices, day care centers, athletic facilities, schools, hotels and correctional facilities.

Use Hepastat 256 on washable hard, nonporous surfaces of: Floors, walls, non-critical medical equipment surfaces, stainless steel, desks, showers, sinks, tables and vinyl and plastic upholstery.

Hepastat 256 is a one-step disinfectant Bactericidal according to the current AOAAC Use-Dilution Test Method and Virucidal* according to the virucidal qualification modified in the presence of 200 ppm hard water plus 5% organic serum against:

Bacteria: Pseudomonas aeruginosa; Staphylococcus aureus; Salmonella enterica; Acinetobacter baumannii; Burkholderia cepacia; Campylobacter jejuni; Corynebacterium ammoniagenes; Enterobacter aerogenes; Enterobacter cloacae NDM-1 positive; Enterococcus faecalis; Enterococcus faecalis- Vancomycin Resistant (VRE); Escherichia coli; Escherichia coli, New Delhi Metallo-Beta Lactamase (NDM-1); ESBL Escherichia coli; Klebsiella pneumoniae; Klebsiella pneumoniae - NDM-1 positive; Legionella pneumophila; Listeria monocytogenes; Salmonella schottmuelleri; Salmonella typhi; Serratia marcescens; Shigella dysenteriae; Staphylococcus aureus - Community Associated Methicillin-Resistant [CA-MRSA] [NRS384] [USA300]; Staphylococcus aureus - Community Associated Methicillin-Resistant [CA-MRSA] [NRS123] [USA400]; Staphylococcus aureus-Methicillin-Resistant [MRSA]; Staphylococcus aureus - Multi-Drug Resistant; Staphylococcus aureus-Vancomycin Intermediate Resistant [VISA]; Streptococcus pyogenes [Strep]; Vibrio cholerae.

Viruses: *Adenovirus Type 5; *Adenovirus Type 7; *Hepatitis B Virus (HBV); *Hepatitis C Virus (HCV); *Herpes Simplex Virus Type 1; *Herpes Simplex Virus Type 2; *HIV-1 (AIDS Virus); *Human Coronavirus; *Influenza Virus Type A / Brazil; *Influenza Virus Type A / Hong Kong; *2013 Influenza A Virus (H7N9); *Norwalk Virus [Feline Calicivirus]; *Respiratory Syncytial Virus (RSV); *Rotavirus; *SARS Associated Coronavirus; *Vaccinia Virus [Pox Virus].

Fungi: Trichophyton mentagrophytes and Aspergillus niger.

BPR4252QM-A

NO PRINT MARGIN 1/4"

Dilution: Disinfection (1:256) ½ oz. per gallon of water (848 ppm active). Sanitizer (1:1024) ½ oz. per 4 gallons of water [200 ppm active quat].

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Before use in federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from the room or carefully protected.

Preparation of Use-Solution: Add ½ oz. per gallon of water (1:256). For heavy duty use, add 2 oz. per gallon of water (1:64). Use 2 oz. per gallon of water to kill Adenovirus Type 5 and type 7.

DISINFECTANT/VIRUCIDAL*/FUNGICIDAL/MOLD AND MILDEW CONTROL DIRECTIONS: Apply use-solution to hard, nonporous surfaces, thoroughly wetting surfaces with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces must remain wet for 10 minutes. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is required. For sprayer applications, use a coarse spray device. Spray 4-8 inches from the surface, rub with a brush, sponge or cloth. Do not breathe spray. Rinse all surfaces that come in contact with food such as countertops, exteriors of appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes.

For fungicidal activity, Hepastat 256 is an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities. Hepastat 256 is a one-step fungicide at ½ oz. per gallon in 200 ppm hard water and 5% serum.

For mold and mildew, At ½ oz. per gallon, Hepastat 256 will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Repeat treatment every seven days or more often if new growth appears.

EPA Registration No. 6836-78-86226
EPA Establishment No. 8155-OH-1

Manufactured for:
Staples Contract & Commercial, Inc.
500 Staples Drive, Framingham, MA 01702 USA
1-888-322-0912
Made in USA
©2014 Staples, Inc.

BACTERICIDAL STABILITY OF USE-DILUTION:The use solution of this product, when stored in a sealed container such as a spray bottle, remains effective for up to 1 year. If product becomes visibly dirty or contaminated, the use-dilution must be discarded and fresh product prepared. Always use clean, properly labeled containers when diluting this product. Bactericidal stability of the use-dilution does not apply to open containers such as buckets or pails.

This product is not to be used as a terminal sterilant / high level disinfectant on any surface or instrument that [1] is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or [2] contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

TO CLEAN AND DEODORIZE: Use ½ oz. of Hepastat 256 per gallon of water to clean and deodorize surfaces. Apply using a cloth, mop, sponge or sprayer. Wipe or allow to air dry.

NON-ACID TOILET BOWL AND URINAL DISINFECTANT/ CLEANER DIRECTIONS: Remove gross filth prior to disinfection.

From Concentrate: Add ½ oz. to the bowl and mix. Brush over exposed surfaces and under the rim, allow to stand for 10 minutes and flush.

From Use-Solution: Empty toilet bowl or urinal and apply ½ oz. per gallon use-solution to exposed surfaces and under the rim with a cloth, mop, sponge or mechanical spray. Brush or swab thoroughly, allow to stand for 10 minutes and flush.

For Heavy Duty Use: Empty toilet bowl or urinal and apply 2 oz. per gallon use-solution to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer, brush or swab thoroughly, allow to stand for 10 minutes and flush.

TO SANITIZE NON-FOOD CONTACT SURFACES: Add ½ oz. of Hepastat 256 per 4 gallons of water to sanitize hard nonporous surfaces. Treated surfaces must remain wet for 60 seconds. Wipe dry with a sponge, mop, or cloth or allow to air dry. Do not use in food preparation, food handling and food storage areas. This product is not to be used on glassware, dishware, cookware or utensils.

***KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 or Hepatitis B Virus or Hepatitis C Virus.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV OR HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal protection: Clean-up must always be done wearing protective gloves, gowns, masks and eye protection.

Cleaning procedure: Blood and other body fluids containing HIV or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of Hepastat 256.

Contact time: Leave surface wet for 1 minute (60 seconds) for HIV-1 and 10 minutes for HBV and HCV with ½ oz. per gallon use-solution. Use 2 oz. per gallon of water to kill Adenovirus Type 5 and type 7. Use a 10-minute contact time for disinfection against all other viruses, bacteria and fungi claimed.

Disposal of infectious material: Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

NO PRINT MARGIN 1/4"



BPR4252QM-A

REV14A

NO PRINT MARGIN 1/4"

SIDE PANEL 3.25"

BACK PANEL 6.4375"