

Acute Care

Pharma-DTM Surface Disinfectant

• Disinfectant • Cleaner • Mildewstat • Virucide* • Fungicide • Sanitizer (non-food contact surfaces)



TO ORDER: PDQUAT
ITEM#: PDQUAT797-00
CALL 1.888.909.7700

Pharma-Choice.com

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION.

Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, using tobacco or using the toilet.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame. Do not mix with oxidizers, anionic soaps and detergents.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

ACTIVE INGREDIENTS:

Octyl Decyl Dimethyl Ammonium Chloride.....	0.026%
Didecyl Dimethyl Ammonium Chloride.....	0.013%
Diocetyl Dimethyl Ammonium Chloride.....	0.013%
Alkyl (C14, 50%; C12, 40%; C16, 10%) dimethyl benzyl ammonium chloride.....	0.034%

INERT INGREDIENTS:

99.914%

TOTAL100.000%

KEEP OUT OF REACH OF CHILDREN CAUTION

**CUIDADO: SI NO PUEDE LEER EN INGLES,
PREGUNTE A SU SUPERVISOR SOBRE LAS
INSTRUCCIONES DE USO APROPIADAS ANTES DE
TRABAJAR CON ESTE PRODUCTO.**

**CAUTION: IF YOU CANNOT READ ENGLISH, ASK
YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE
DIRECTIONS FOR USE BEFORE WORKING WITH
THIS PRODUCT.**

EPA Est. No.: 68959-PA-01

EPA Reg. No.: 10324-85-68959

Packaged by:

Veltex Associates, Inc. www.sterile.com
15 Lee Blvd.

Malvern, PA 19355-1234 USA

Tel: 610-644-8335 Fax: 610-644-8336

Label PDQUAT797-00 Rev 06/14

K-12

This formulation is for use on hard non-porous surfaces in: Hospitals, nursing homes, medical and dental offices and clinics, healthcare facilities, physician offices, operating rooms/theaters, radiology rooms, isolation wards, quarantine areas, hospices, and medical research facilities. This product is a one step ready to use hospital-use disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal*, fungicidal, and will inhibit the growth of mold and mildew and their odors when used as directed.

This product is a disinfectant and non-food contact surface sanitizer for Cleanroom and Laboratory areas to disinfect washable, hard, non-porous non-food contact surfaces such as: Laminar-airflow equipment and BioSafety Cabinet work surfaces and exterior surfaces of the following: countertops, sinks, plumbing fixture surfaces, Incubators, Refrigerators and Centrifuge surfaces of metal, stainless steel, glass, plastic (such as polystyrene or polypropylene), Formica®, and vinyl.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or, (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product can be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

DISINFECTION IN INSTITUTIONS (Hospitals, Dental Offices, Nursing Homes, and Other Health Care Institutions): This product is bactericidal according to the AOAC Use Dilution Test method on hard inanimate surfaces modified in the presence of 5% organic serum and a 10-minute contact time against the following organisms: *Burkholderia cepacia*, *Campylobacter jejuni*, *Corynebacterium ammoniagenes*, *Enterobacter aerogenes*, *Enterobacter cloacae*, *Enterococcus faecalis*, *Enterococcus faecium* (Vancomycin resistant), *Escherichia coli*, *Escherichia coli* (Antibiotic resistant), *Escherichia coli* O157:H7, *Klebsiella pneumoniae*, *Klebsiella pneumoniae* (Antibiotic resistant), *Legionella pneumophila*, *Listeria monocytogenes*, *Pseudomonas aeruginosa*, *Pseudomonas aeruginosa* (Antibiotic resistant), *Salmonella enterica*, *Salmonella schottmuelleri*, *Salmonella typhi*, *Shigella dysenteriae*, *Shigella flexneri*, *Shigella sonnei*, *Staphylococcus aureus*, Community Acquired Methicillin Resistant *Staphylococcus aureus* (CA MRSA), *Staphylococcus aureus* (Methicillin resistant), *Staphylococcus epidermidis* (Antibiotic resistant), *Streptococcus pyogenes*

VIROCIDAL* PERFORMANCE: This product was evaluated and found to be effective with a 10-minute contact time against the following viruses on inanimate hard non-porous environmental surfaces: Herpes Simplex Type1 virus, Herpes Simplex Type2 virus, Human Coronavirus, Influenza A/Brazil Virus, Influenza A H1N1 virus, Respiratory syncytial virus, Vaccinia virus.

NON-FOOD CONTACT SANITIZING PERFORMANCE: This product is an effective sanitizer with a 5-minute contact time on hard, non-porous environmental surfaces against the following: *Enterobacter aerogenes*, *Klebsiella pneumoniae*, *Staphylococcus aureus*

FUNGICIDAL PERFORMANCE: This product is effective on hard, non-porous surfaces with a 10-minute contact time against the following organisms: *Candida albicans*, *Trichophyton mentagrophytes*.

DISINFECT/FUNGICIDAL/VIROCIDAL* DIRECTIONS: For heavily soiled areas, a preliminary cleaning is required. Apply this ready-to-use product undiluted to walls, floors and other hard, inanimate non-porous surfaces such as Crypton barrier fabric, tables, chairs, countertops, sinks, glazed tile, glazed porcelain and bed frames with a brush, cloth, mop, sponge or mechanical spray device so as to thoroughly wet surfaces. If mechanical spray device is used, spray must be coarse. Spray 6-8 inches from surface. Rub with brush, sponge, mop or cloth. Do not breathe spray. Treated surfaces must remain wet for 10 minutes and then let air dry or wipe up excess liquid. Rinse with potable water after use on surfaces that come in contact with food. Rinsing is not necessary unless floors are to be coated with finish or restorer. All food contact surfaces, such as appliances and kitchen countertops, must be rinsed with potable water. Apply product undiluted and replace if product becomes soiled.

Note: With spray applications cover or remove all food products

FOR USE AS A ONE-STEP CLEANER/DISINFECTANT:

1. Pre-clean heavily soiled areas.
 2. Apply ready-to-use solution to hard, non-porous environmental surfaces using a sponge, brush, cloth, mop or mechanical spray device.
 3. To disinfect, all surfaces must remain wet for ten minutes.
 4. Wipe surfaces and let air dry.
 5. Replace product if it becomes soiled.
- Note:** Do not use this product to clean or disinfect glassware, utensils, dishes or interior surfaces of appliances.

TO SANITIZE: Apply solution to hard, inanimate, non-porous surfaces, thoroughly wetting surfaces as required, with a brush, cloth, mop, sponge or mechanical spray device or by immersion. For heavily soiled areas, a preliminary cleaning is required. For sprayer applications, use a coarse spray device. Spray 6-8 inches from surface. Rub with brush, sponge, mop or cloth. Do not breathe spray. Let stand for 5 minutes. Then wipe. Allow to air dry. Replace product if it becomes soiled.

MOLD AND MILDWE CONTROL DIRECTIONS: This product will effectively inhibit the growth of mold and mildew *Aspergillus niger* and their odors on hard, non-porous surfaces. To control the growth of mold and mildew and their odors on hard, non-porous surfaces, apply this ready-to-use product undiluted. Thoroughly wet all treated surfaces completely. Allow surface to remain wet for ten (10) minutes. Let surface air dry. Repeat application weekly or when growth or odor reappears.

FOR USE AS A CLEANER AND/OR DEODORIZER: Apply 1 oz of ready-to-use solution to surfaces. Wipe surfaces and let air dry.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container. Do not reuse empty container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING DISPOSAL: Non-refillable container. Do not reuse this container to hold materials other than pesticides or diluted pesticides rinsate. Triple rinse (or equivalent). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Offer for recycling if available or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities. If rinsate cannot be used, follow pesticide disposal instructions. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state and federal regulations.

RESIDUE REMOVAL INSTRUCTIONS: Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

EMERGENCY PHONE:

CARECHEM24, USA 1-866-928-0789



Made in U.S.A.