



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2014-2016 LIC. NO. **8765.63**

Enforcer®

Makes up to
2
Gallons

Over Nite®

Pest Control Concentrate

For Industrial, Institutional, and Commercial Use Only.

- ▶ For Residual and Contact Control of Cockroaches, Ants, Mosquitoes, Crickets, Silverfish, Centipedes, Millipedes, Earwigs, Sowbugs, and Spiders.
- ▶ Kills on Contact & Keeps on Protecting



| | |
|---|--------|
| ACTIVE INGREDIENT: | |
| Cypermethrin* | 26.0% |
| OTHER INGREDIENTS** | 74.0% |
| Total | 100.0% |
| *Cis/trans ratio: 45/55 (4/7) 10. | |
| **Contains Xylene Range Aromatic Solvent. | |

**KEEP OUT OF REACH OF CHILDREN
WARNING**

See Back Panel For Additional Precautionary Statements.

NET CONTENTS: 1 fl oz (30 mL)

PRECAUCIÓN AL CONSUMIDOR: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. **(TO THE USER:** If you cannot read English, do not use this product until the label has been fully explained to you.)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Please read entire label before using this product.

Use Restrictions: • Do not allow adults, children or pets to enter the treated area or contact treated surfaces until sprays have dried. • Do not apply this product in a way that will contact any person, pet, either directly or through drift. Keep people and pets out of the area during application. Exit area immediately and remain outside the treated area until sprays have dried.

FOR RESIDUAL PEST CONTROL IN AND ON buildings and structures and their immediate surroundings and on modes of transport. **PERMITTED AREAS OF USE INCLUDE** industrial buildings, houses, apartment buildings, laboratories, greenhouses, and the nonfood/feed areas of stores, warehouses, vessels, railcars, trucks, trailers, schools, nurseries, day camps, lath houses, seed houses, food handling establishments, packaging and processing plants, commercial, industrial, office, institutional and storage rooms, egg processing plants, supermarkets, restaurants, bottling plants, canneries, flour and feed mills, bakeries, laboratories and hospitals. Non-food areas are areas such as garbage rooms, lavatories, entries and vestibules, offices, locker rooms, machine rooms, basements, boiler rooms, garages, mop closets and storage rooms (after canning and bottling). **IN HOSPITALS:** patients should be removed prior to treatment. Also for use in campers, mobile homes, buses, automobiles, and boxcars. Also for use in dog kennels and horse stables. **IN HORSE STABLES:** not for application if horses will be used for food. This product is intended for dilution with water for spray application. Fill sprayer with the desired volume of water and add this product. Close and shake before use in order to insure proper mixing. Shake or reagituate sprayer before use if spraying is interrupted. Make up only as required.

| PESTS | CONCENTRATION OF ACTIVE INGREDIENT | DILUTION RATE |
|---|------------------------------------|---------------------------|
| Ants, Carpenter Ants, Centipedes, Cockroaches (Maintenance) Crickets, Earwigs, Firebrats, Millipedes, Mosquitoes, Pillbugs, Silverfish, Sowbugs, Ticks..... | 0.1%..... | 1/2 fl oz per 1 gal water |
| Cockroaches (Clean-out), Fleas, Spiders..... | 0.2%..... | 1 fl oz per 1 gal water |

INDOORS

Restrictions for Indoor Uses

• Do not use water-based sprays in conduits, motor housing, junction boxes, switch boxes, or other electrical because of possible shock hazards. • During any indoor surface application, do not allow dripping or runoff to occur. • During any application to ceilings of a structure, cover surface below with plastic shielding or similar materials. • Do not apply this product in any room being used as a living, eating, or recovery area by patients, the elderly or the infirm when they are in the room. • Do not apply to classrooms when in use. • Do not apply to areas of institutions (including libraries, sport facilities, etc.) when occupants are present in the immediate treatment area. • Do not use as a space spray. Use only in well-ventilated areas. • Do not use concentrate or emulsion in fogging equipment. • Do not use in food areas of food handling establishments which includes areas for receiving, serving, storage (dry, cold, frozen, raw), packaging (canning, bottling, wrapping, boxing), preparing (cleaning, slicing, cooking, grinding), edible waste storage, enclosed processing systems (mills, dairies, edible oils, syrups), in the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. • Do not use in warehouses while raw agricultural commodities for food or feed, and/or raw or cured tobacco are being stored. • Do not use in greenhouses where crops for food or feed are grown. • Do not apply to pets. Remove birds and other pets before application. Cover any water inhabited by fish (such as aquariums and ornamental fish ponds) during treatment, and turn aquarium systems off. • Do not apply to aircraft cabins.

COCKROACHES, SPIDERS, CRICKETS, SILVERFISH AND FIREBRATS: Apply as a coarse, low pressure spray to areas where these pests hide, such as baseboards, corners, storage areas, closets, around water pipes, doors and windows, attics and eaves, behind and under refrigerators, cabinets, sinks, furnaces and stoves, the underside of shelves, drawers and similar areas. Pay particular attention to cracks and crevices. **ANTS:** To kill ants within buildings and homes, spray trails, nests and points of entry. Spray directly on ants where possible. **CARPENTER ANTS:** Make spot applications as a spray to any trails, around doors and windows, wall voids, crawl spaces and other places where ants enter premises. Where possible, treat ant nest or infested wood directly.

SOWBUGS, PILLBUGS, MILLIPEDES, EARWIGS AND CENTIPEDES: Apply around doors and windows and other places where these pests may be found or where they may enter premises. Spray baseboards, storage areas and other locations. Refer to barrier treatment directions to prevent infestation. **TO CONTROL FLEAS AND TICKS:** Apply as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor coverings where these pests may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment. Do not treat pets with this product.

OUTDOORS

Restrictions for Outdoor Uses

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses: • Treatment to soil or vegetation around structures; • Applications to lawns, turf, and other vegetation; • Applications to building foundations up to a maximum height of 3 feet; • Broadcast application to building foundations; • Do not apply this product to edible crops.

CARDONC11 • v.091411 • OverNite® is a registered trademark of Zep Inc..

EPA REG NO. 1021-2626-40849

EPA EST. NO. 40849-GA-1 (E)

Postscript is first letter of code number

on package.

Copy: 3-14

Product Code: ONC1

Sold by: **Zep Commercial Sales & Service**

a unit of Zep Inc., 1310 Seaboard Ind. Blvd.

Atlanta, GA 30318

Questions? Call 1-888-805-4357.

Monday through Friday, 9 am to 5 pm EST



All outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors and eaves) are limited to spot treatments or crack-and-crevice applications, only.

Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply when it is windy. Do not water the treated area(s) to the point of run-off or apply when raining or when rain is expected that day. Rinse application equipment over treated area only.

ANTS, CENTIPEDES, COCKROACHES, CRICKETS, FIREBRATS, MILLIPEDES, MOSQUITOES, SILVERFISH, SOWBUGS, SPIDERS: Apply as a residual spray to surfaces of buildings, porches, screens, window frames, eaves, patios, lawns, refuse dumps, garages in either hand or power sprayer. Treat other areas where these pests are found. **TO CONTROL FLEAS AND TICKS:** Apply to areas where fleas and ticks are most likely to be found, such as, but not limited to: dog houses, kennels, runways, cracks and crevices in sidewalks, paths or patios where pests may rest.

BARRIER TREATMENT: To help prevent infestation of buildings, apply to a band of soil and vegetation 6-10 feet wide around and adjacent to the building. Also, treat the building foundation to a height of 2 to 3 feet where pests are active and may find entrance. Apply as a coarse spray to thoroughly and uniformly wet the band area, using 77.5 ounces of 0.2% spray mix (155 ounces of 0.1% spray mix) per 1000 square feet.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING: Causes substantial but temporary eye injury. Causes skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles, face shield or safety glasses. Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing spray mist.

PERSONAL PROTECTIVE EQUIPMENT (PPE): Some materials that are chemical-resistant to this product are Barrier Laminate or Viton. If you want more options follow the instructions for category F or G on an EPA chemical resistance category selection chart.

Mixers, loaders, applicators and other handlers must wear the following: • Covers over short sleeved shirt and short pants. • Chemical-resistant footwear plus socks, • Goggles or face shield and • Chemical-resistant gloves made of barrier laminate or viton, section category G.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations:

Users should wash hands with plenty of soap and water before eating, drinking, chewing gum, using tobacco or using the toilet. •Users should remove clothing/PPE immediately if pesticide get inside, then wash thoroughly and put on clean clothing. • Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame. Flashpoint 140°F Min. Do not apply this diluted product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be harmed or stained by water.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. **HOT LINE NUMBER:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of medical emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained by calling 1-877-541-2016. **NOTE TO PHYSICIAN:** Contains petroleum distillate. May pose an aspiration pneumonia hazard. Inducing vomiting as first aid for this substance may result in increased risk of pneumonia or pulmonary edema caused by aspiration of the hydrocarbon solvent. Vomiting should be induced only under professional supervision.


IMPORTANT: READ BEFORE USE

Note User: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability of default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, seller shall have no liability for consequential damages.




(1)2HZB1

TOP PLY FRONT



TOP PLY BACK



BASE PLY FRONT

