



STATE OF HAWAII
Department of Agriculture

ACCEPTED

LICENSE NO. **8771.1**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS


DANGER. KEEP OUT OF REACH OF CHILDREN. CORROSIVE. Causes irreversible eye damage and skin burns. Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing spray mist. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse. **PHYSICAL OR CHEMICAL HAZARDS:** Do not mix with oxidizers, anionic soaps and detergents. Do not use or store near heat or open flame.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

For Technical Service Call: 1-800-325-3303

1625/03-25-2010/SAL020410



**One Step Disinfectant Germicidal
Detergent and Deodorant**

ACTIVE INGREDIENTS:
Didecyl dimethyl ammonium chloride2.535%
n-Alkyl (C14 50%, C12 40%, C16 10%)
dimethyl benzyl ammonium chloride.....1.690%
INERT INGREDIENTS 95.775%
TOTAL100.000%
EPA Reg No. 10324-154-1190 EPA EST. No. 1190-MD-01

**KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO**
See side panel for First Aid and Additional Precautionary Statements.

J.F. DALEY INTERNATIONAL LTD.
PECK'S PRODUCTS DIVISION
1200 Switzer Ave. • St. Louis, MO 63147 • U.S.A.
www.daleyinternational.com

INFO-TRAC: 1-800-535-5053 [24 Hour Emergency Number]
Cartridge NOT For Sale Individually. Sold in Case Quantities ONLY.
DILUTION: 1:64 (660 ppm quat) 2 ounces per gallon of water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
INSTITUTIONAL DISINFECTANT DIRECTIONS (Hospitals, Dental Offices, Nursing Homes, and other Health Care Institutions): At 2 ounces per gallon of water (1:64) (660 ppm active quat) to disinfect hard, non-porous surfaces. Apply use solution to hard, inanimate, non-porous surfaces thoroughly wetting surfaces with a brush, cloth, mop, sponge or mechanical spray device. For sprayer applications, use a coarse spray device. Spray 6-8 inches from surface. Rub with brush, sponge, mop or cloth. Do not breathe spray. Treated surfaces must remain wet for 10 minutes. Rinse or allow to air dry. Prepare a fresh solution at least daily or when use solution becomes visibly dirty.


Note: With spray applications cover or remove all food products. For heavily-soiled areas, a preliminary cleaning is required.

Refer to Insert Sheet for additional directions for use.

STORAGE AND DISPOSAL

Store in original container in areas inaccessible to children. Do not store on side. Avoid creasing or impacting of side walls. Do not reuse empty container. Wrap and discard in trash (or recycle).

NET CONTENTS: 1.0567 QUARTS (1 Liter) 2.1134 QUARTS (2 Liters)



ALTIMA 64M

ONE-STEP DISINFECTANT GERMICIDAL DETERGENT AND DEODORANT

Disinfectant, Cleaner, Mildewstat, Funicide, Virucide*, Deodorizer for Hospitals, Nursing Homes, Food Service, Commercial, Institutional, and Industrial Use. For Use in Schools, Veterinary, Restaurant, Food Handling and Process Areas. Effective in hard water up to 400 ppm hardness (Calculated as CaCO₃) in the presence of 5% serum contamination.

ACTIVE INGREDIENTS:

Didecyl Dimethyl Ammonium Chloride..... 2.535%
 n-Alkyl (C₁₄ 50%, C₁₂ 40%, C₁₆ 10%) Dimethyl Benzyl Ammonium Chloride 1.690%

INERT INGREDIENTS

..... 95.775%

TOTAL 100.000%

EPA Reg No. 10324-154-1190

EPA Est. No. 1190-MO-01

KEEP OUT OF REACH OF CHILDREN DANGER PELIGRO FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

SEE BELOW FOR ADDITIONAL PRECAUTIONARY STATEMENTS

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.
DANGER: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.

This product can be used on washable hard, non-porous surfaces such as: Countertops, sinks, exterior surfaces of appliances, microwave ovens and refrigerators. Glass, laminated surfaces, metal, stainless steel, glazed porcelain, glazed ceramic, plastic (such as polystyrene or polypropylene), sealed terrazzo, chrome and vinyl, Plexiglass®, Enamelled surfaces, tables, chairs, washable walls, floors, shower stalls, bathtubs, toilets, urinals, restroom fixtures, kennels. This product contains no phosphorus. This product is a one-step neutral disinfectant that is effective against a broad spectrum of bacteria, is virucidal* (including HIV-1, HBV and HCV), fungicidal and inhibits the growth of mold and mildew and their odors when used as directed.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DISINFECTION IN INSTITUTIONS (Hospitals, Dental Offices, Nursing Homes, and other Health Care Institutions) AND NON-MEDICAL FACILITIES (Schools, Restaurants, Food Services, Beverage, Food Processing Plants and other Non-Medical Facilities): At 2 fluid ounces per gallon of water (1:64) and a 10-minute contact time, this product is effective against the following organisms on hard non-porous inanimate surfaces: *Acinetobacter baumannii*, *Acinetobacter lwoffii*, *Bordetella bronchiseptica*, *Chlamydia psittaci*, *Citrobacter freundii*, *Enterobacter agglomerans*, *Enterobacter aerogenes*, *Enterococcus faecalis*, *Enterococcus hirae*, *Enterobacter cloacae*, *Escherichia coli* O111:H8, *Fusobacterium necrophorum*, *Klebsiella oxytoca*, *Klebsiella pneumoniae*, *Listeria monocytogenes*, *Micrococcus luteus*, *Pasteurella multocida*, *Proteus vulgaris*, *Pseudomonas aeruginosa*, *Tetracycline Resistant Pseudomonas aeruginosa*, *Pseudomonas cepacia*, *Salmonella enterica*, *Salmonella typhimurium*, *Salmonella enterica serotype pullorum*, *Salmonella typhi*, *Serratia marcescens*, *Shigella flexneri*, *Shigella sonnei*, *Staphylococcus aureus*, *Community Associated Methicillin Resistant Staphylococcus aureus (CA-MRSA)*, *Methicillin Resistant Staphylococcus aureus (MRSA)*, *Staphylococcus epidermidis*, *Staphylococcus aureus sub species aureus*, *Antibiotic resistant Staphylococcus epidermidis*, *Staphylococcus haemolyticus*, *Staphylococcus pneumoniae Penicillin Resistant*, *Streptococcus agalactiae*, *Vancomycin Resistant Enterococcus faecalis (VRE)*, *Vibrio cholera*, *Yersinia enterocolitica*, *Yersinia enterocolitica*, *Yersinia enterocolitica*.

***Virucidal Performance:** At 2 ounces per gallon (660 ppm quat active) use level, this product was evaluated in the presence of 400 ppm hard water and 5% serum with a 10 minute contact time and found to be effective against the following viruses on hard, non-porous environmental surfaces:

Avian Influenza A (H5N1) virus, *Avian Influenza A (H3N2) virus (Avian Reassortant)*, *Cytomegalovirus*, *SARS-associated Coronavirus*, *Herpes Simplex Virus Type 1*, *Herpes Simplex Virus Type 2*, *Human Coronavirus*, *Hepatitis B Virus*, *Hepatitis C Virus*, *Human Immunodeficiency Virus Type 1 (HIV-1)*, *Influenza A virus (H3N2)*, *Influenza A (H1N1) virus*, *Respiratory syncytial virus*.

Fungicidal Performance: When used as directed at a 1:64 dilution (2 fluid ounces per gallon of water) and a 10 minute contact time, this product is highly effective against the following: *Aspergillus niger*, *Candida albicans*, *Trichophyton mentagrophytes (Athlete's foot fungus)*.
FOR DISINFECTING HARD, NON-POROUS SURFACES AGAINST AVIAN INFLUENZA A (H5N1) (N3N1) (H1N1) VIRUS: For use in hospitals, hotels, motels, schools, the directions for hospital disinfection must be followed using a rate of 2 oz. per gallon of water. For use in animal housing facilities follow the animal premise directions.

INSTITUTIONAL DISINFECTANT DIRECTIONS (Hospitals, Dental Offices, Nursing Homes, and other Health Care Institutions): Add 2 ounces per gallon of water (1:64) to disinfect hard, non-porous surfaces. Apply use solution to hard, inanimate, non-porous surfaces thoroughly wetting surfaces with a brush, cloth, mop, sponge or mechanical spray device. For sprayer applications, use a coarse spray device. Spray 6-8 inches from surface. Rub with brush, sponge, mop or cloth. Do not breathe spray. Treated surfaces must remain wet for 10 minutes. Rinse or allow to air dry. Prepare a fresh solution at least daily or when use solution becomes visibly dirty.

Note: With spray applications cover or remove all food products. For heavily soiled areas, a preliminary cleaning is required. Not for use on medical devices or medical equipment surfaces. This product is a Hospital Disinfectant at 2 ounces per gallon (1:64 dilution), modified in the presence of 400 ppm hard water with a 10 minute contact time.

At 2 ounces per gallon (660 ppm active quat) and in the presence of 5% organic load this product was proven to be effective against Duck Hepatitis B Virus HBV and Bovine Viral Diarrhea Virus BVDV surrogate for human Hepatitis C virus with a contact time of 10 minutes.

***KILLS HIV, HBV AND HCV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1, HIV-1 associated with AIDS, (Duck) Hepatitis B Virus HBV and Hepatitis C Virus HCV.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. Personal Protection: Clean up must always be done wearing protective latex gloves, gowns, masks and eye protection. **Cleaning Procedure:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product. **Disposal of Infectious Materials:** Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. **Contact Time:** Leave surface wet for 10 minutes with a 2 ounce per gallon use solution.

For Use as a Cleaner/Disinfectant in Food Processing Plants:
 1. Before using this product in food processing areas, food products and packaging materials must be removed from the room or carefully protected. 2. Apply use solution of 2 oz. per gallon of water evenly over surface using a brush, cloth, mop, sponge or mechanical spray device. For sprayer applications, use a coarse spray device. Be sure to wet all surfaces thoroughly. Do not breathe spray. 3. Allow product to remain on surface for ten (10) minutes. 4. Wipe with clean cloth, sponge or paper towel. 5. For heavily soiled areas, thoroughly clean surface prior to disinfecting. 6. When disinfecting food contact surfaces used for food preparation, rinse surfaces thoroughly with potable water. This product must not be used to clean the following surfaces: utensils, glassware, dishes or interior surfaces of processing equipment.

To Disinfect Food Service Establishment Food Contact Surfaces: For countertops, exterior surfaces of appliances and tables. Before using this product food products and packaging materials must be removed from area or carefully protected. Add 2 ounces of this product to one gallon of water (660 ppm active quat). For heavily soiled areas, a pre-cleaning step is required. Apply solution with a

brush, mop, cloth, sponge or hand pump trigger sprayer so as to wet all surfaces thoroughly. For sprayer application use a coarse spray device. Allow surface to remain wet for 10 minutes. Then remove excess liquid and rinse the surface with potable water. This product is not for use on dishes, glassware or eating utensils.

Animal Premise Virucidal* Performance: At 2 ounces per gallon use level, this product was evaluated with a 10 minute contact time and found to be effective against the following viruses on hard, non-porous environmental surfaces:
Avian Infectious Bronchitis virus Beauverie IB42, *Avian Influenza A H5N1 virus*, *Avian Influenza A H3N2 virus Avian Reassortant*, *Canine Coronavirus*, *Canine Distemper virus*, *Pseudorabies virus*, *Feline Picornavirus*, *Infectious Bovine Rhinotracheitis virus*, *Swine Influenza A (H1N1)*, *Transmissible Gastroenteritis virus*, *Vaccinia virus*.

For Use in Treatment of Animal Housing Facilities:

1. Remove all animals and feeds from areas being treated, vehicles and enclosures. 2. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, stables, chutes and other facilities and fixtures occupied or traversed by animals. 3. Empty all troughs, racks and other feeding and watering appliances. 4. Thoroughly clean all surfaces with soap and detergent and rinse with water. 5. Apply 2 ounces per gallon of water to floors, walls, cages and other washable hard, non-porous environmental surfaces. For smaller surfaces, use a coarse trigger spray bottle to spray all surfaces with solution until wet. To disinfect, all surfaces must remain wet for ten (10) minutes. 6. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals as well as forks, shovels, scrapers used in removing litter and manure. 7. Ventilate buildings, cars, trucks, boats and other closed spaces. 8. Do not house animals or employ equipment until product has dried. 9. Then thoroughly scrub all treated surfaces with soap and detergent and rinse with potable water before reuse.

NON-ACID TOILET BOWL & URINAL & BATHROOM DISINFECTANT/CLEANER DIRECTIONS:

PREPARATION OF USE SOLUTION: Mix 2 ounces of product with gallon of water.
FROM USE SOLUTION: Pre-clean surface. Empty water out of toilet bowl or urinal and apply 2-4 ounces of use solution to exposed surfaces, including under the rim with a cloth, mop, sponge or mechanical spray device. For sprayer applications, use a coarse pump or trigger spray device. Allow solution to stand for 10 minutes and flush, swab all areas after spraying. Refill toilet bowl or urinal with water.

Mold and Mildew Control: To control the growth of mold and mildew and their odors on hard, nonporous surfaces, apply use solution to thoroughly wet all treated surfaces completely. Let surface air dry. Repeat application weekly or when growth or odor reappears. Use as directed at a 1:64 dilution. Allow surface to remain wet for ten (10) minutes.

To Kill Fungi: Pre-clean heavily soiled areas. Apply use solution to hard, non-porous environmental surfaces. Allow surface to remain wet for ten (10) minutes. Wipe surfaces and let air dry. Use as directed at a 1:64 dilution.

For Use as a General Cleaner and/or Disinfectant: Apply use solution to surfaces. Wipe surfaces and let air dry.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container. Do not reuse empty container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING DISPOSAL: Non-refillable container. Do not reuse this container to hold materials other than pesticides or rinsate. Triple rinse. After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Offer for recycling if available or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities. If rinsate cannot be used, follow pesticide disposal instructions. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state and federal regulations.

RESIDUE REMOVAL INSTRUCTIONS: Triple rinse container promptly after emptying. Triple rinse as follows: Fill the container 1/4 full with water and recap. Shake for 10 seconds. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS

Do not mix with oxidizers, anionic soaps and detergents. Do not use or store near heat or open flame.

1625M/03-29-2010/SAL020410



J.F. DALEY INTERNATIONAL LTD.
 PECK'S PRODUCTS DIVISION
 1200 Switzer Ave. • St. Louis, MO 63147 • U.S.A.
 www.daleyinternational.com