

VARIABLE DATA AREA

Cheristin™ for cats

Elanco.

TOPICAL APPLICATOR 6 



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2014-2016 LIC. NO.

8797.2



Cheristin™ for cats

spinetoram

A ONCE-A-MONTH TOPICAL SOLUTION FOR THE PREVENTION AND TREATMENT OF FLEA INFESTATIONS

ONLY FOR CATS AND KITTENS
EIGHT WEEKS OF AGE AND OLDER



 FAST ACTING - STARTS KILLING FLEAS IN 30 MIN

 ONCE-A-MONTH

 TOPICAL APPLICATION

KEEP OUT OF REACH OF CHILDREN
CAUTION

ACTIVE INGREDIENT
Spinetoram (CAS# 187166-40-1 & 187166-15-0) .11.2%
OTHER INGREDIENTS.....88.8%
TOTAL 100.0%

SEE BACK PANEL FOR PRECAUTIONARY STATEMENTS
READ ALL DIRECTIONS BEFORE USING THIS PRODUCT
CONTENTS 6 - 0.026 fl oz (0.77 ml) applicator

Elanco™



2D
BARCODE
AREA

Cheristin™ for cats
Elanco.

CH44590

SH086355AMC

Elanco and Cheristin are trademarks owned or licensed by Eli Lilly and Company, its subsidiaries or affiliates.

EPA Reg. No. 72642-10
EPA Est. No. 87859-IL-001

FOR USE ON CATS AND KITTENS ONLY. For external use only. Do not use on kittens less than eight (8) weeks of age or weighing less than 1.8 lb. Do not allow your cat to ingest this product. Use only a single dose on cats weighing greater than 20 lbs. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals or animals known to be sensitive to pesticides.

HAZARDS TO DOMESTIC ANIMALS
Harmful if swallowed. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Avoid contact with eyes or clothing.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION
PRECAUTIONARY STATEMENTS

Cheristin for cats starts working in 30 minutes and continues killing fleas for a full month after application. Monthly application is recommended to prevent and treat flea infestations. Cheristin for cats starts working in 30 minutes and continues killing fleas for a full month after application. Do not apply on the surface of the cat's hair coat. Place the empty applicator tube in the trash.

For prevention and treatment of fleas, part the hair on the neck at the base of the head and apply the contents of the applicator tube to a single spot on the skin of the cat. Do not apply on the surface of the cat's hair coat. Place the empty applicator tube in the trash.

It is a violation of Federal law to use this product in a manner inconsistent with the labeling.
Directions for use are included in the box. Read the entire label, directions for use and frequency of application each time before using this product.

Cheristin™ for cats

FIRST AID
IF IN EYES:
• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
• Call a poison control center or doctor for treatment advice.
IF SWALLOWED:
• Call a poison control center or doctor immediately for treatment advice. Have the product label with you when you call the poison control center or medical professional.
• Have person sip a glass of water if able to swallow.
• Do not induce vomiting unless told to by a poison control center or doctor.
• Do not give anything to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact Rocky Mountain Poison Control at 1-888-767-5023 for emergency medical treatment information.

SIDE EFFECTS:
Monitor your cat after application. Side effects may include signs of application site reactions such as application site hair loss, hair change (greasy, clumping or matting) or itching. Inflammation and itching. Other side effects such as inactivity, vomiting and inappetence have also been reported. If these or any other side effects occur, consult your veterinarian, your cat's healthcare expert. For technical assistance or to report a side effect, call Elanco at 1-888-545-5973.

Cheristin™ for cats

2D
BARCODE
AREA

Manufactured for
Elanco Animal Health
A Division of Eli Lilly and Company
Indianapolis, IN 46285

*** Variable data = lot number and expiration date ***

RECEIVED
FEB 26 2013

TOPICAL APPLICATOR 6 
Elanco.

Cheristin™ for cats

Cheristin™ for cats spinetoram

A ONCE-A-MONTH TOPICAL SOLUTION
FOR THE PREVENTION AND TREATMENT
OF FLEA INFESTATIONS

ONLY FOR CATS AND KITTENS
EIGHT WEEKS OF AGE AND OLDER

ACTIVE INGREDIENT

Spinetoram [CAS# 187166-40-1 &
187166-15-0].....11.2%

OTHER INGREDIENTS.....88.8%

TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC
ANIMALS – CAUTION**

HAZARDS TO HUMANS

Harmful if swallowed. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Avoid contact with eyes or clothing.

HAZARDS TO DOMESTIC ANIMALS

FOR USE ON CATS AND KITTENS ONLY. For external use only. Do not use on kittens less than eight (8) weeks of age or weighing less than 1.8 lb. Do not allow your cat to ingest this product. Use only a single dose on cats weighing greater than 20 lbs. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals or animals known to be sensitive to pesticides.

SIDE EFFECTS:

Monitor your cat after application. Side effects may include signs of application site reactions such as application site hair loss, hair change (greasy, clumping or matting) or redness, inflammation and itching. Other side effects such as inactivity, vomiting and inappetence have also been reported. If these or any other side effects occur, consult your veterinarian, your cat's healthcare expert. For technical assistance or to report a side effect, call Elanco at 1-888-545-5973.

FIRST AID

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
- Call a poison control center or doctor for treatment advice.

IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice. Have the product label with you when you call the poison control center or medical professional.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to by a poison control center or doctor.
- Do not give anything to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact Rocky Mountain Poison Control at 1-888-767-5023 for emergency medical treatment information.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read the entire label, directions for use and frequency of application each time before using this product. For external use on cats and kittens only.

FREQUENCY OF APPLICATION

To kill fleas and prevent reinfestations, apply to cats and kittens 8 weeks of age and older as follows:

HOW TO APPLY

1. Use only on cats and kittens 8 weeks of age and older and weighing 1.8 lbs or more. Do not use more than a single dose on cats weighing greater than 20 lbs.



7 9 6 7 2



79672



GLUE PANEL

2. Remove one applicator tube from the blister package.
3. Hold applicator tube in an upright position.
4. Press cap down until it clicks (indicating the tube has been punctured). Hold upright and remove cap. Check to be sure there is an opening at the tip of tube.
5. ~~Part the hair on the neck at the base of the head~~ until the skin is visible. Place the tip of the tube directly above the skin and squeeze the tube 2-4 times to expel the contents of the tube directly on the skin. For best results, apply at the base of the head, not between shoulder blades. Avoid getting the product in your pet's eyes or mouth. Treatment at the base of the head will minimize the opportunity for the cat to directly lick the product. Do not allow your cat to ingest this product. (There may be a small residual remaining in the tube after a full dose is expelled.)
6. Discard empty applicator tube in the trash.



Monthly application is recommended to prevent and treat flea infestations. Cheristin for cats starts working in 30 minutes and continues killing fleas for a full month after application.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage:

Store in original package in a cool dry place.

Pesticide Disposal:

Call your local solid waste agency or 1-800-CLEANUP or equivalent organization for disposal instructions. Unless otherwise instructed place in trash. Never pour unused product down the drain or on the ground.

Container Handling:

If empty: Non-refillable container. Do not reuse this container. Place in the trash, or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor

LIMITED WARRANTY AND LIMITATIONS OF LIABILITY

By using, buying or handling this product, users or buyers accept the following conditions, disclaimer of warranties and limitations of liability. The directions for use of this product are believed to be adequate and must be followed carefully. All risks of product use or handling are assumed by the user or buyer. No agent of Elanco is authorized to make, extend or modify any warranties. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW ELANCO MAKES NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. ELANCO DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. To the extent consistent with applicable law the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, is limited to the purchase price paid or replacement of the product.

Manufactured for
Elanco Animal Health
A Division of Eli Lilly and Company
Indianapolis, IN 46285

EPA Reg. No. 72642-10
EPA Est. No. 87859-IL-001

Cheristin is a trademark owned or licensed by Eli Lilly and Company, its subsidiaries or affiliates.

CA4590

PA086355AMX

Cheristin™
for cats
spinetoram 11.2%

Only for Cats and Kittens
8 weeks of age and older

0.026 fl oz
EPA Reg. No 72642-10

CAUTION
Keep Out of Reach of Children
Read Entire Label Before Use

Elanco™

2D
Data
Matrix CA4590

79905
FL086371AMA

Lot No.

Place sticker on your calendar
as a reminder to apply
Cheristin for cats only to cats
and kittens 8 weeks of age and older.



	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

Visit www.CheristinForCats.com to
sign up and receive an email
reminder from your cat when it
is time to receive Cheristin for cats.

Cheristin is a trademark owned or
licensed by Eli Lilly and Company,
its subsidiaries or affiliates.



CA4550
EP035571AMA

79909

Cheristin[™]
for cats
spinetoram 11.296
Cats and Kittens
8 weeks & older
EPA Reg. No. 72642-10

Elanco[™] CA4590
CAUTION
Keep Out of
Reach of Children
Read Entire Label
Before Use
0.026 fl oz
FR055340X 7822

100% Pure
100% Pure