

**Effective against the following pathogens:**

**Bacteria:** *Fusobacterium necrophorum*, *Klebsiella pneumoniae*, *Legionella pneumophila*, *Listeria monocytogenes*, *Acinetobacter calcoaceticus*, *Bordetella bronchiseptica*, *Chlamydia psittaci*, *Community Associated Methicillin-Resistant Staphylococcus aureus* - (CA-MRSA) (NRS384) (USA300), *Community Associated Methicillin-Resistant Staphylococcus aureus* - (CA-MRSA) (NRS123) (USA400), *Enterobacter aerogenes*, *Enterobacter cloacae*, *Enterococcus faecalis* - *Vancomycin Resistant (VRE)*, *Escherichia coli*, *Streptococcus pyogenes* (Strep), *ATCC & antibiotic-resistant strain*, *Antibiotic-resistant strain only*, **Viruses:** \*Adenovirus type 4, \*Hepatitis B Virus (HBV), \*Hepatitis C Virus (HCV), \*Herpes Simplex Virus Type 1, \*Herpes Simplex Virus Type 2, \*Human coronavirus \*HIV-1 (AIDS virus), \*Influenza A Virus/Hong Kong \*Respiratory Syncytial Virus (RSV), \*Rubella virus (German Measles), \*Vaccinia virus (Pox Virus), **Animal viruses:** \*Avian Influenza virus H5N1, \*Avian polyomavirus, \*Canine distemper virus, \*Equine Herpes Virus Type 1, \*Feline leukemia virus, \*Feline panleukopenia virus, \*Feline picornavirus, \*Infectious bovine rhinotracheitis virus, \*Infectious bronchitis virus (Avian IBV), \*Newcastle Disease virus, \*Porcine parvovirus, \*Pseudorabies virus (PRV), \*Rabies virus, \*Transmissible gastroenteritis virus (TGE), **Fungi:** *Aspergillus niger*, *Candida albicans*, *Trichophyton mentagrophytes* (Athlete's Foot Fungus, A cause of Ringworm)

Kills Pandemic 2009 H1N1 influenza A virus (formerly called swine flu). **PELIGRO: SI NO PUEDE LEER EN INGLÉS, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPRIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Dilution: 1.64 2 ounces per gallon of water (660 ppm quat). This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical devices prior to sterilization or high-level disinfection.

**DISINFECTION/CLEANING/DEODORIZING DIRECTIONS:** Remove heavy soil deposits from surface, then thoroughly wet surface with a use-solution of 2 ounces of the concentrate per gallon of water. The use-solution can be applied with a cloth, mop, sponge, or coarse spray, or by soaking. For sprayer applications, use a coarse spray device. Spray 6-8 inches from the surface, rub with a brush, cloth or sponge. Do not breathe spray. Let solution remain on surface for a minimum of 10 minutes. Rinse or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. Food contact surfaces must be thoroughly rinsed with potable water. This product must not be used to clean the following food contact surfaces: utensils, glassware, and dishes.

**For Human Coronavirus:** treated surfaces must remain wet for 1 minute. Wipe dry with a clean cloth, sponge or mop or allow to air dry. **For Influenza Virus Type A,** treated surfaces must remain wet for 2 minutes. Wipe dry with a clean cloth, sponge or mop or allow to air dry.

Prepare a fresh use-solution daily or more often if the solution becomes visibly dirty or diluted. **Toilet Bowls:** Swab bowl with brush to remove heavy soil prior to cleaning or disinfecting. Clean by applying use-solution around the bowl and up under the rim. Stubborn stains may require brushing. To disinfect, first pre-clean to remove heavy soil, then remove or expel over the inner trap the residual bowl water. Pour in three ounces of the diluted solution. Swab the bowl completely using a scrub brush or mop, making sure to get under rim. Let stand for 10 minutes or overnight, then flush.

**FUNGICIDAL DIRECTIONS:** For use in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities follow disinfection directions.

**MILDEWSTATIC INSTRUCTIONS:** Will effectively control the growth of mold and mildew, plus the odors caused by them when applied to hard, non-porous surfaces such as walls, floors, and table tops. Apply use-solution of 2 ounces per gallon of water with a cloth, mop, sponge, or coarse spray. Make sure to wet all surfaces completely. Let air dry. Repeat application weekly or when growth reappears.

**\*KILLS HIV-1 (AIDS VIRUS) AND HBV (HEPATITIS B VIRUS) AND HCV (HEPATITIS C VIRUS) ON PRECLEANED, ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids, and in which the surfaces/objects likely to be soiled with blood/body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV). **SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OR HBV OR HCV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS**

**Personal Protection:** Disposable protective gloves, gowns, face masks, and eye coverings, as appropriate, must be worn during all cleaning of blood/body fluids and during decontamination procedures. **Cleaning Procedures:** Blood/body fluids must be thoroughly cleaned from surfaces/objects before application of disinfectant. **Contact Time:** HIV-1 (AIDS virus) is inactivated after a contact time of 4 minutes at 25°C (77°F) (room temperature). HBV and HCV are inactivated after a 10 minute contact time. Use a 10 minute contact time for other viruses, fungi, and bacteria listed.


**Disposal of Infectious Materials:** Blood/body fluids must be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal. **VETERINARY PRACTICE/ANIMAL CARE/ANIMAL LABORATORY/ZOOS/PET SHOP/KENNELS DISINFECTION DIRECTIONS:** **For Cleaning and Disinfecting Hard Nonporous Surfaces:** Equipment used for animal food or water, utensils, instruments, cages, kennels, stables, catteries, etc. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use-solution of 2 oz. of *Multi-Purpose Neutral pH Germicidal Detergent* per gallon of water for a period of 10 minutes. Immerse all animal handling and restraining equipment as well as forks, shovels and scrapers used to remove litter and manure. Wipe or allow to air dry. Ventilate buildings and other closed spaces. Thoroughly scrub all treated surfaces that come into contact with food, including equipment used for feeding or watering, with soap or detergent and rinse with potable water before reuse. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

**For Heavy Duty Cleaning and/or Odor Control:** When greater cleaning is desired, use 4-8 oz. of *Multi-Purpose Neutral pH Germicidal Detergent* per gallon of water. Heavily soiled areas may require repeated cleaning before treatment.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. **Pesticide Storage:** Open dumping is prohibited. Store in original container in areas inaccessible to children. **Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Fill container 1/4 full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.

EPA Reg. No. 47371-131-541  
EPA Est. 1677-IL-2 (J), 1677-TX-1 (D), 1677-GA-1 (M), 1677-MN-1 (P), 1677-CA-1 (S), 1677-CA-2 (R), 303-IN-1 (L), 1677-WV-1 (V), 58046-TX-2 (X).  
The superscript refers to the first letter of the date code.



- Disinfectant • Pseudomonacidal • Staphylocidal • Salmonellacidal
- Bactericidal • Fungicidal • Mildewstatic • Virucidal

**ACTIVE INGREDIENTS:**

Didecyl dimethyl ammonium chloride .....	2.54%
n-Alkyl (C <sub>14</sub> 50%, C <sub>12</sub> 40%, C <sub>16</sub> 10%)	
dimethyl benzyl ammonium chloride .....	1.69%
<b>INERT INGREDIENTS:</b> .....	<b>95.77%</b>
<b>TOTAL</b> .....	<b>100.00%</b>

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

Product No. **8000066**  
Net Contents: 1 U.S. gal/3.78 L

**pure FORCE™**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**DANGER: CORROSIVE.** Causes irreversible eye damage. Do not get in eyes or clothing. Wear protective eyewear (goggles, face shield, or safety glasses). Avoid contact with the skin. Harmful if inhaled. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

**FIRST AID**

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.  
**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.  
**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.  
**FOR EMERGENCY MEDICAL INFORMATION IN USA OR CANADA, CALL: 1-800-328-0026**  
**FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE, CALL: 1-651-222-5352 (IN THE USA).**

A multi-purpose, neutral pH, germicidal detergent and deodorant effective in hard water up to 200 ppm (calculated as CaCO<sub>3</sub>) in the presence of a moderate amount of soil (5% organic serum) according to the AOAC Use-dilution Test. Disinfects, cleans, and deodorizes in one labor-saving step.

For use in hospitals, nursing homes, colleges, universities, commercial and industrial institutions, office buildings, veterinary clinics, animal life science laboratories, zoos, federally inspected meat and poultry establishments, equine farms, tack shops, pet shops, airports, kennels, hotels, motels, poultry farms, turkey farms, dairy farms, hog farms, breeding establishments, grooming establishments, and funeral homes.

Disinfects, cleans, and deodorizes the following hard, nonporous, inanimate surfaces: floors, walls, non-medical metal surfaces, non-medical stainless steel surfaces, glazed porcelain, plastic surfaces (such as polypropylene, polystyrene, acrylic, etc.).

For use in federally inspected meat and poultry plants, as a disinfectant agent for use in all departments. Food products and packaging materials must be removed from the room or carefully protected. Use product in accordance with its label. All surfaces must be thoroughly rinsed with potable water.

**For questions or comments, call 1-866-444-7450.**

Distributed by:  
PureForce  
370 Wabasha Street North  
St. Paul, MN 55102  
© 2012 Ecolab USA Inc.  
All Rights Reserved  
Made in U.S.A.  
749423/7101/0912



FILE NAME	DIELINE # / SIZE	CONTAINER COLOR	COLORS (#)	NOTES
749423/71	570705	N/A	PMS 172	DIE LINES DO NOT PRINT 1 GALLON SLEEVE
PACKAGING SUBSTRATE (LABEL TYPE)			BLACK	
POLYSLEEVE WITH WHITE BACKUP				

**LICENSED**

PERIOD 2014-2016 LIC. NO. **8798.9**

**LICENSED**

PERIOD 2011-2013 LIC. NO.