

CAL CARE™ PROFESSIONAL CLEANING SYSTEM ACRYLISAFE Antibacterial Tanning Bed Cleaner is a one-step disinfectant-cleaner, that is effective against a broad spectrum of bacteria. It is virucidal* (including HIV-1), fungicidal and inhibits the growth of mold and mildew and their odors, when used as directed. It is an effective one-step sanitizer-cleaner for use on non-food contact surfaces. When used as directed, it will deodorize surfaces in toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors. It is an effective fungicide against *Trichophyton mentagrophytes* (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities.

This product is recommended for use in hospitals, medical and dental offices, nursing homes, public rest rooms, institutions, schools, colleges, athletic facilities, food processing plants, food storage areas, kitchens, restaurants and bars, tanning salons, massage parlors, spas, airports, boats, ships, cruise lines, transportation terminals, hotels and motels. This product contains no phosphorus. It is a no-rinse, neutral pH disinfectant-cleaner that disinfects, cleans and deodorizes in one labor saving step. It can be used with mop and bucket, trigger sprayers, sponge or by soaking. Use this product to pre-clean heavy soil deposits prior to disinfection. Use it on the multi-touch surfaces responsible for cross-contamination. Use it on conductive flooring. Use on washable hard nonporous surfaces: such as walls, floors, countertops, stovetops, sinks, appliance and refrigerator exteriors, cabinets, tables, chairs, desks, telephones, door knobs, garbage cans, shower stalls, tubs and glazed tiles, wash basins, hard nonporous surfaces of barber shop, tanning hair salon, spa surfaces, instruments, and other hard nonporous surfaces of metal, stainless steel, glazed porcelain, glazed ceramic, sealed stone, plastic, enameled surfaces, vinyl and plastic furniture. Use of this product on surfaces that may contact food, must be followed by a potable water rinse.

Effective against Vancomycin Resistant *Enterococcus faecalis* (VRE) at 0.33 fl. oz. per 42 fl. oz. of water.

This product is a hospital-use disinfectant at 0.33 fl. oz. per 42 fl. oz. of water (or equivalent dilution) modified in the presence of 250 ppm hard water and at 0.33 fl. oz. per 32 fl. oz. of water [or equivalent dilution], modified in the presence of 400 ppm hard water. It is bactericidal according to the AOAC Use-Dilution Test Method, virucidal* according to the Virucidal Qualification on hard inanimate surfaces, fungicidal according to the AOAC Fungicidal Test, and modified in the presence of 5% organic serum against: *Staphylococcus aureus* (Vancomycin Intermediate Resistant -VISA), *Staphylococcus epidermidis*, *Staphylococcus aureus* (Methicillin Resistant-MRSA), *Proteus vulgaris*, *Staphylococcus aureus*, *Salmonella typhi*, *Salmonella typhimurium*, *Pseudomonas aeruginosa*, *Salmonella schottmuelleri*, *Streptococcus pyogenes*, *Salmonella enterica*, *Brevibacterium ammonilagenes*, *Serratia marcescens*, *Chlamydia psittaci*, *Enterobacter cloacae*, *Enterobacter aerogenes*, *Shigella flexneri*, *Shigella dysenteriae*, *Shigella sonnei*, *Escherichia coli* (Methicillin Resistant), *Klebsiella pneumoniae*, *Enterococcus faecalis*, *Enterococcus faecalis* (Methicillin Resistant), *Klebsiella pneumoniae* (Methicillin Resistant), *Aspergillus niger*, *Candida albicans*, *Trichophyton mentagrophytes*, *HBV Hepatitis B Virus, *HIV-1 (AIDS Virus), *Rubella, *Herpes simplex Type 1, *Vaccinia, *Influenza A/PR, *Herpes simplex Type 2.

This product is a sanitizer for hard non-porous non-food contact surfaces at 1 ounce per gallon of water against: *Enterobacter aerogenes*, *Staphylococcus aureus*.

DIRECTION FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is not for use on medical device surfaces.

Preparation of use solution: For water hardness up to 400 ppm, add 0.33 fl. oz. per 32 fl. oz. of water to disinfect hard non-porous surfaces.

Disinfection/Virucidal* Directions: For heavily soiled areas, a preliminary cleaning is required. Apply use-solution to hard, inanimate, non-porous surfaces, thoroughly wetting surfaces with a cloth, mop, sponge or sprayer. Treated surfaces must remain wet for 10 minutes. Allow surface to air dry. Prepare a fresh solution daily or when use solution becomes diluted or soiled. For sprayer applications, use a coarse spray device. Spray 6-8 inches from surface. Do not breathe spray mist. For food contact surfaces such as counters, tables and appliances, thoroughly rinse surfaces with potable water. Do not use on dishes, glasses and utensils.

Mold and Mildew Directions: Add 0.33 fl. oz. per 42 fl. oz. of water to control the growth of mold and mildew and their odors on hard, non-porous surfaces. Thoroughly wet all surfaces completely. Let air dry. Repeat application weekly or when growth or odor reappears.

Sanitizing Non-Food Contact Surface Directions: Add 0.33 fl. oz. per 32 fl. oz. of water to sanitize hard, non-porous environmental surfaces. Treated surfaces must remain wet for 60 seconds.

To Sanitize Barber Shop [Tanning][Hair] Salon, [Spa] Surfaces, Instruments, Equipment and Tools: Immerse pre-cleaned salon [barber] instruments, tools or protective equipment [such as combs, brushes, rollers, razors, scissors, blades, manicure instruments] in a use-solution of 0.33 fl. oz. per 32 fl. oz. (9.83 ml per 950 ml) of water [or equivalent dilution] for at least 60 seconds. Rinse thoroughly and dry before use. Prepare a fresh solution daily or more often if the use solution becomes visibly diluted, cloudy or soiled. Note: Plastics may remain immersed until ready to use. Stainless steel shears and instruments must be removed after 10 minutes, rinsed dried and kept in a clean, non-contaminated receptacle. Prolonged soaking may cause damage to metal instruments.

*KILLS HIV AND HBV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV ON SURFACES/OBJECTS SOILED WITH BLOOD/ BODY FLUIDS.

Personal Protection: Clean-up should always be done wearing protective latex gloves, gowns, masks and eye protection. **Cleaning Procedure:** Blood and other body fluids containing HIV or HBV must be thoroughly cleaned from surfaces and objects before application of this disinfectant. **Contact Time:** For HIV: Use 1 oz. of concentrate per gallon of water. Leave surface wet for 2 minutes. **For HBV:** Use 1 1/3 oz. of concentrate per gallon of water. Leave surface wet for 10 minutes. For disinfection against all other bacteria and fungi claimed: Use a 10 minute contact time. **Disposal of Contaminated Material:** Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste material.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER. Keep out of reach of children. Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, protective clothing and rubber gloves. Harmful if swallowed and/or absorbed through the skin. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash clothing before reuse.

STORAGE AND DISPOSAL

Store in an area inaccessible to children. Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Otherwise, wrap empty container in plastic bag and discard in trash.

Manufactured For:

011310-02

Cal Tan, LLC • 6270 Corporate Drive • Indianapolis, IN 46278



ACRYLISAFE™
ANTIBACTERIAL Tanning Bed Cleaner
One Step Disinfectant

ACTIVE INGREDIENT:
Didecyl dimethyl ammonium chloride..... 7.68%
OTHER INGREDIENTS 92.32%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If on skin or clothing:** Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage.

EPA REG. NO. 8155-23-74642
EPA EST. NO. 8155-OH-1
Net Contents: 6- 0.33 Fl. Oz. (9.83 ml) Cartridges




Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2015-2017** LIC. NO.

8801.1



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2012-2014** LIC. NO.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2009-2011** LIC. NO.