

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
KEEP OUT OF REACH OF CHILDREN



HIGHLY CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE. CAUSES BURNS TO SKIN. IRRITATING TO NOSE AND THROAT. MAY BE FATAL IF SWALLOWED. WILL BURN WITH THE EVOLUTION OF CHLORINE AND EQUALLY TOXIC GASES.
Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing dust or fumes. Wash thoroughly with soap and water after hand-handling. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT. WILL BURN WITH THE EVOLUTION OF CHLORINE AND EQUALLY TOXIC GASES CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE-CONTAINING GASES. DE-COMPOSES AT 460 TO 480 DEG. F WITH LIBERATION OF HARMFUL GASES. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. **IN CASE OF FIRE**, if possible, isolate container in open air or well-ventilated area. Flood with large volume of water. **IN CASE OF CONTAMINATION OR DECOMPOSITION**, do not reseal container.

41746

MEDICAL EMERGENCY:
CALL 1-800-262-8200

To Reorder, Call 877-7-SWISHER

SWISHER HYGIENE

4725 Piedmont Row Drive
Suite 400
Charlotte, NC 28210



LICENSED

8811.17

PERIOD 2015-2017 LIC. NO.



PORTION CONTROL BAR SANITIZER

SWISHER HYGIENE

ACTIVE INGREDIENTS:
Sodium dichloro-s-triazinetriene dihydrate 6%
INERT INGREDIENTS 94%
TOTAL 100%
Provides 3.3% available chlorine

KEEP OUT OF REACH OF CHILDREN



FIRST AID STATEMENT

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for further treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Portion Control Bar Sanitizer has been cleared under the Federal Food, Drug and Cosmetic Act for use on food contact surfaces (178.1010(b)(2)). See side panel for DIRECTIONS FOR USE.

EPA REG. NO. 10634-27-72802

EPA EST. 10634-MA-01

Net Contents 50 - 1.25oz packets

Portion Control Bar Sanitizer can be used in dairies, hospitals, breweries, restaurants and food processing plants. It is particularly effective on surfaces which contact food. It is recommended for use on hard (non-porous) surfaces or on dishes, glasses, food processing equipment or utensils including dairy and brewery equipment or utensils that need a strong sanitizer treatment. This material is very effective on table tops, tanks, vats, floors, walls, dishes, glasses, metallic utensils and milkshake and soft serve machines. **Directions for Use:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Clean object to be sanitized with 1 to 2 ounces Portion Control Bar Sanitizer per 2-1/2 gallons of water and rinse well with potable water. It may be necessary to remove gross filth and heavy soil from surface by a pre-scrape, pre-flush and where necessary, a pre-soak treatment. Dissolve 1 oz. of Portion Control Bar Sanitizer per 2-1/2 gallons of water to give a solution containing 100 ppm available chlorine. Apply the sanitizing solution to the surface to be sanitized by immersion or flooding, to wet all surfaces thoroughly. Let stand at least one minute. Drain and air dry. The same solution may be used in the feed tanks of immersion type machines providing at least one minute contact time to sanitize dishes, glasses, food processing equipment and utensils. The sanitizing solution should be used promptly after mixing. It should be prepared daily or more if it becomes dilute or soiled. If the solution is allowed to stand and/or continued use shows the level of chlorine has not of 100 ppm available chlorine. For mechanical operations, the prepared and spent use solutions may not be reused for sanitizing but may be used for other purposes such as cleaning.

WISCONSIN STATE DIVISION OF HEALTH

DIRECTIONS FOR EATING ESTABLISHMENTS

- Scrape and pre-wash utensils and glasses whenever possible.
- Wash with a good detergent or compatible cleaner.
- Rinse with potable water.
- Sanitize in a solution of 1 ounce of this product per 2-1/2 gallons water. (100 ppm active chlorine.) Immerse all utensils for at least two minutes or for contact time specified by governing sanitary code.
- Place sanitized utensils on a rack or drain board to air-dry.

NOTE: A clean potable water rinse following sanitization is not permitted under Section HFS 196.13 of the Wisconsin Administrative Code.

STORAGE AND DISPOSAL: Offer for recycling, if available. **STORAGE:** Retie polyethylene liner after each use and keep container tightly closed. Store in a dry place. Do not allow water to get into container. Keep container off wet floors. Do not contaminate water, food, or feed by storage or disposal. **PESTICIDE DISPOSAL:** Wastes of this pesticide may cause irreversible eye damage and burns to skin and may be dangerous. Dispose of equipment wash water and sanitizer wastes in a manner to avoid contamination of water resources. Improper disposal of excess pesticide spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office of guidance. **CONTAINER DISPOSAL:** Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities.

4.75 inch

10.5 inch

2.437 inch

4.875 inch

2.437 inch

0.375"

MEDICAL EMERGENCY:

CALL 1-800-262-8200

To Reorder, Call 877-7-SWISHER

SWISHER HYGIENE

4725 Piedmont Row Drive

Suite 400

Charlotte, NC 28210

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

KEEP OUT OF REACH OF CHILDREN



41746



8 13651101456 8

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

KEEP OUT OF REACH OF CHILDREN



PORTION CONTROL BAR SANITIZER

SWISHER HYGIENE

ACTIVE INGREDIENTS:	
Sodium dichloro-s-triazinetriene dihydrate	6%
INERT INGREDIENTS	94%
TOTAL	100%
Provides 3.3% available chlorine	

KEEP OUT OF REACH OF CHILDREN



FIRST AID STATEMENT

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice, **IF SWALLOWED:** Call a poison control center or doctor immediately for further treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person, **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice, **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Portion Control Bar Sanitizer has been cleared under the Federal Food, Drug and Cosmetic Act for use on food contact surfaces (178.1010(b)(2)). See side panel for DIRECTIONS FOR USE.

EPA REG. NO. 10634-27-72802

EPA EST. 10634-MA-01

Net Contents: 1.25 ounce

0.625" Seal Area

Portion Control Bar Sanitizer can be used in dairies, hospitals, breweries, restaurants and food processing plants. It is particularly effective on surfaces which contact food. It is recommended for use on hard (non-porous) surfaces or on dishes, glasses, food processing equipment or utensils including dairy and brewery equipment or utensils that need a strong sanitizer treatment. This material is very effective on table tops, tanks, vats, floors, walls, dishes, glasses, metallic utensils and milkshake and soft serve machines.

HIGHLY CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE. CAUSES BURNS TO SKIN. IRRITATING TO NOSE AND THROAT. MAY BE FATAL IF SWALLOWED. WILL BURN WITH THE EVOLUTION OF CHLORINE AND EQUALLY TOXIC GASES. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing dust or fumes. Wash thoroughly with soap and water after hand-handling. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT. WILL BURN WITH THE EVOLUTION OF CHLORINE AND EQUALLY TOXIC GASES. CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE-CONTAINING GASES. DECOMPOSES AT 460 TO 480 DEG. F. WITH LIBERATION OF HARMFUL GASES. Mix only with water. Use clear dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may cause a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. IN CASE OF FIRE: If possible, isolate container in open air or well-ventilated area. Flood with large volume of water. IN CASE OF CONTAMINATION OR DECOMPOSITION, do not reuse container.

0.375" Seal Area