

LICENSED

PERIOD 2015-2017 LIC. NO.

8816.12

# FIRST SHIELD Trio® For Dogs

## For dogs and puppies 5-10 lbs., over 8 weeks of age

Repels and kills for one month

- Fleas
- Ticks
- Mosquitoes
- Mites (excluding mange mites)
- Biting & Sand Flies
- Biting & Sucking Lice

ACTIVE INGREDIENTS:

Dinotefuran.....	4.95%
Pyriproxyfen.....	0.44%
Permethrin.....	36.08%
OTHER INGREDIENTS.....	58.53%
TOTAL.....	100.00%

KEEP OUT OF REACH OF CHILDREN  
**WARNING**

See package insert for directions for use,  
precautionary statements and first aid.

- Convenient (easy to apply) topical treatment
- Remains effective after bathing and swimming
- Kills fleas that may cause flea allergy dermatitis
- Repels and kills ticks that may transmit Lyme disease, Rocky Mountain Spotted fever, babesiosis, ehrlichiosis, hepatozoonosis, and anaplasmosis
- Prevents development of adult and immature flea life stages for 30 days



Net Contents: 0.108 fl. oz  
4 doses  
each 0.027 fl. oz (0.8 mL)



FOR DOGS AND PUPPIES 5-10 LBS.,  
OVER 8 WEEKS OF AGE

FIRST SHIELD Trio® For Dogs

FIRST SHIELD Trio® For Dogs

FOR DOGS AND PUPPIES 5-10 LBS.,  
OVER 8 WEEKS OF AGE



For Dogs & Puppies – Use only on dogs weighing 5-10 lbs and 8 weeks or older

 DO NOT USE ON CATS

# FIRST SHIELD Trio® For Dogs

FOR DOGS AND PUPPIES 5-10 LBS.,  
OVER 8 WEEKS OF AGE



- 6-way protection, repels and kills fleas, ticks, mosquitoes, lice, biting & sand flies, and mites (excluding mange mites).
- Repels and kills Brown dog ticks, American dog ticks, Deer ticks, Gulf Coast ticks, and Lone Star ticks for one month.
- Repels and kills mosquitoes that may transmit vector-borne disease.
- Repels and kills biting & sand flies, which may inflict irritating bites.

**FOR ADDITIONAL INFORMATION, CONTACT US AT 1-877-872-3744**

**READ ENTIRE LABEL BEFORE EACH USE  
USE ONLY ON DOGS OR PUPPIES OVER 8 WEEKS OLD**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS**

**WARNING:** Causes substantial but temporary eye injury. Harmful if swallowed or absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco products, or using the toilet.

**HAZARD TO DOMESTIC ANIMALS**

Do not use this product on debilitated, aged, medicated, pregnant or nursing dogs or dogs known to be sensitive to pesticide products without first consulting a veterinarian.

**SIDE EFFECTS:** Monitor your dog after application. Individual sensitivity, such as slight transitory redness, erythema, itching -pruritus- or other signs of discomfort at the site of application, may occur after using ANY pesticide product for dogs. If signs of sensitivity occur, bathe your dog with mild soap or shampoo and rinse with large amounts of water. If signs of individual animal sensitivity occur and persist, contact your veterinarian. Gastrointestinal signs such as vomiting or diarrhea have also been reported, if these signs occur, consult your veterinarian or call 1-877-872-3744. Have the product container or label with you when calling your veterinarian for advice.



**DO NOT USE ON CATS—MAY BE FATAL**

Due to their unique physiology and inability to metabolize certain compounds this product must not be used on cats. Keep cats away from treated dogs for 24 hours. If applied to cat, or ingested by a cat that actively grooms a recently treated dog, contact your veterinarian immediately.

**For external use on dogs only. Do not use this product on cats.**

<p><b>FIRST AID</b></p>	<p><b>If in eyes:</b> Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.</p>	<p><b>If swallowed:</b> Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.</p>	<p><b>If on skin or clothing:</b> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. If skin appears irritated after rinsing, call a poison control center, doctor, or 1-877-872-3744 or after 6 pm EST call 1-888-426-4435 immediately for treatment advice.</p>
-------------------------	---	--	---

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may contact 1-877-872-3744 weekdays between 9am and 6 pm EST or 1-888-426-4435 for emergency medical treatment information.

SATISFACTION  
*Guaranteed*  
or your money back.

Manufactured for  
and Distribution By:  
Schuyler LLC  
8000 NE Tillamook Street  
Portland, Oregon 97213-0998



Recyclable Package



# FIRST SHIELD Trio<sup>®</sup>

for DOGS & PUPPIES

- For dogs and puppies 5 to 10 lbs over 8 weeks of age
- For dogs and puppies 11 to 20 lbs, over 8 weeks of age
- For dogs and puppies 21 to 55 lbs, over 8 weeks of age
- For dogs 56 to 95 lbs
- For dogs over 95 lbs

- 6 way protection, repels and kills fleas, ticks, mosquitoes, lice, biting & sand flies and mites (excluding mange mites)
- Kills 4 species of ticks (*Rhipicephalus* spp, *Dermacentor variabilis*, *Ixodes* spp, *Amblyomma* spp), 3 types of mosquitoes (*Culex* spp, *Ochlerotatus* spp, *Aedes* spp), and all stages of fleas for one month
- Repels and kills ticks that may transmit Lyme disease, Rocky Mountain Spotted fever, babesiosis, ehrlichiosis, bartonellosis, hepatozoonosis, and anaplasmosis
- Easy, spot-on topical application
- Remains effective after bathing and swimming
- Satisfaction guaranteed or your money back
- Available from licensed veterinarians

Using the patented applicator FirstShield Trio is specially designed to spread over the dog's body providing effective control of fleas, ticks and mosquitoes for 30 days.

**ACTIVE INGREDIENTS:**

Dinotefuran.....	4.95%
Pyriproxyfen.....	0.44%
Permethrin.....	36.08%
<b>OTHER INGREDIENTS.....</b>	<b>58.53%</b>
<b>TOTAL.....</b>	<b>100.00%</b>



## KEEP OUT OF REACH OF CHILDREN WARNING:

See directions for use, precautionary statements, first aid and ingredients.

### READ ENTIRE LABEL BEFORE EACH USE

For additional information, contact us at 1-877-872-3744 or [contact.us@CEVA.com](mailto:contact.us@CEVA.com)

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS

**WARNING:** Causes substantial, but temporary eye injury, Harmful if swallowed or absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco products, or using the toilet.

#### HAZARDS TO DOMESTIC ANIMALS

Do not use this product on debilitated, aged, medicated, pregnant or nursing dogs or dogs known to be sensitive to pesticide products without first consulting a veterinarian.

**For external use on dogs only. Do not use this product on cats.**

### FIRST AID

<b>If in eyes:</b>	Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center, or doctor for treatment advice.
<b>If swallowed:</b>	Call a poison control center, or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.
<b>If on skin or clothing:</b>	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. If skin appears irritated after rinsing call a poison control center, doctor, or 1-877-872-3744 or after 6 pm EST call 1-888-426-4435 immediately for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may contact 1-877-872-3744 weekdays between 9am and 6pm EST or 1-888-426-4435 for emergency medical treatment information.	

**SIDE EFFECTS:** Monitor your dog after application. Individual sensitivity, such as slight transitory redness, erythema, itching -pruritus- or other signs of discomfort at the site of application, may occur after using ANY pesticide product for dogs. If signs of sensitivity occur, bathe your dog with mild soap or shampoo and rinse with large amounts of water. If signs of individual animal sensitivity occur and persist, contact your veterinarian. Gastrointestinal signs such as vomiting or diarrhea have also been reported, if these signs occur, consult your veterinarian or call us at 1-877-872-3744. Have the product container or label with you when calling your veterinarian for advice.



**DO NOT USE ON CATS – MAY BE FATAL.** Due to their unique physiology and inability to metabolize certain compounds this product must not be used on cats. Keep cats away from treated dogs for 24 hours. If applied to cat, or ingested by a cat that actively grooms a recently treated dog, contact your veterinarian immediately.



## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. [Precaución al consumidor: si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.] (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you.)]


### HOW TO APPLY:

1. **USE RESTRICTIONS: USE ONLY ON DOGS.** Do not use on cats or other animals. Do not have contact or allow children to have contact with treated areas until treatment is completely dry.
2. Remove applicator tube from package.
3. The dog should be standing or in a comfortable position for easy application.

4. Holding the applicator tube upright, pointing away from face, place thumb and index finger around the applicator tip under the large disk. With other hand, grasp the stem of applicator tip above smaller disk. Press down firmly on the small disk until both disks meet, piercing the seal. See illustration.



5. Using the applicator tip, part the hair at the base of the tail and begin applying the product onto the skin in a continuous line from the base of the tail along the center of the back all the way up to the shoulder blades, as shown in the diagram, squeezing the applicator tube until it's empty. Avoid superficial application to the dog's hair.



Do not get the product in the dog's eyes or mouth.

6. Discard empty applicator tube as outlined in the Storage and Disposal section.
7. Repeat every month or as recommended by your veterinarian.
8. For optimal treatment, control and prevention of adult and immature flea stages, ticks, mosquitoes, lice, mites (excluding mange mites), biting flies, and sand flies year-round treatment is recommended.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store in a cool, dry place. Protect from freezing. KEEP OUT OF REACH OF CHILDREN.

**Pesticide Disposal and Container Handling:** Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

**If partially filled,** call your local solid waste agency for disposal instructions. Never place unused products down any indoor or outdoor drain.

## LIMITED WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that the material conforms to the chemical parameters of the US EPA registration and the label. To the extent consistent with applicable law, seller makes no warranty, express or implied, other than indicated on the label. Buyer and user assume all risk of use and handling of this material. To the extent consistent with applicable law, any damages arising from use of this product or a breach of this warranty shall be limited to direct damages and shall not include consequential or incidental damages such as loss of profit or values.

Volume varies with size of animal for which package is intended and number of applicators per package. Product may be packaged in 1, 4 or 36 applicators per package. Total volume will correspond to number of applicators.



EPA Reg. No. 83399-6-85581  
EPA Est. No. 68669-NC-1

Manufactured for  
and Distribution By:

**Schuyler, LLC**

8000 NE Tillamook Street  
Portland, Oregon 97213-0998

SATISFACTION  
*Guaranteed*

or Schuyler, LLC will  
supply replacement product  
or your money back.