DOMESTIX™

Department of Agriculture
STATE OF HAWAII

8862.2

LICENSED

PERIOD 2015-2017 LIC. NO.

SPRAY DISINFECTANT



ACTIVE INGREDIENTS:
n-Alkyl (60% C_{14}, 30% C_{16}, 5% C_{12}, 5% C_{18}) ethyl dimethyl benzyl ammonium chloride 0.05%
n-Alkyl (68% C_{12}, 32% C_{14}) dimethyl ethylbenzyl ammonium chlorides 0.05%
Ethyl Alcohol 37.00%
OTHER INGREDIENTS* 62.90%
*CONTAINS SODIUM NITRITE Total . . . 100.00%

EPA Reg. No. 67603-4 - 8465
EPA Est. No. 10900-OH-1 or 33915-MI-1
*Refer to bottom of container for production facility

SCENT

- Antibacterial
- Eliminates odors
- Prevents mold and mildew
- Kills household germs

KEEP OUT OF REACH OF CHILDREN

WARNING

See back panel for additional Precautionary and First Aid Statements.

12 oz./340 g Net Wt.

Spray Disinfectant:
For use only on hard, non-porous environmental surfaces. Prevents mold and mildew on environmental surfaces in your home and in public places. Disinfects and deodorizes surfaces through effective bacterial and fungicidal activity. Kills Staphylococcus aureus (Staph), Streptococcus hemolyticus (Strep), Pseudomonas aeruginosa, Methicillin-Resistant Staphylococcus aureus (MRSA), Mycobacterium bovis (BCG), Salmonella enterica, Trichophyton mentagrophytes (athlete's foot fungus), Vancomycin-Resistant Enterococcus faecalis (VRE), Influenza A Virus, Influenza B Virus, Swine Influenza A Virus Strain (H1N1) and Influenza A Virus Strain Hong Kong on pre-cleaned, hard, non-porous environmental surfaces.

Sprayed on Surfaces: Deodorizes by disinfecting. Germicidal activity kills most odor-producing organisms. Controls unpleasant odors. Pleasantly scented. For use in hospital rooms, sick rooms, doctors' examining rooms, kitchens, nursery and bathrooms.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Shake Well Before Using

To Clean: Prior to disinfection, thoroughly pre-clean all surfaces to be treated by removing all gross filth and heavy soil.

To Disinfect: Hold can upright and spray from a distance of 6 to 8 inches until area for treatment is thoroughly moistened. Allow surfaces to remain wet for 10 minutes before wiping.

To Sanitize: Spray surface until entire area is thoroughly wet. Allow to remain wet for 5 minutes before wiping.

For Control of Mold and Mildew on Hard, Non-Porous Environmental Surfaces: Spray surfaces until thoroughly moistened. Allow to air dry. Repeat application in 7 days.

For Control of Trichophyton mentagrophytes (Athlete's Foot Fungus) in areas such as bathrooms, locker rooms, floors, benches, shower stalls or other non-porous environmental surfaces commonly contacted by bare feet: Spray surface until thoroughly moistened. Allow surfaces to remain wet for 10 minutes. Allow to air dry.

For Use on: Walls, floors, bedframes, bedpans, urinals, fixtures, containers, toilet seats, diaper pails, telephones, trash cans, and sickrooms. Due to the possibility of electric shock when used on telephones, avoid excess spraying of telephone. Note: Disinfected food contact surfaces must be rinsed with potable water after cleaning and/or disinfection and before reuse.

DISTRIBUTED BY TOPCO ASSOCIATES LLC
7711 GROSS POINT ROAD, SKOKIE, IL 60077
©TOPCO CSG711

Questions? 1-888-423-0139

PRODUCT OF U.S.A. • 17361 CSG(999)

Precautions

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

FIRST AID:

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a Poison Control Center or doctor for treatment advice. **If Swallowed:** Immediately call a poison control center or doctor for treatment advice. Have person sip glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person. Have the product container or label with you when calling a poison control center or doctor or going for treatment. **Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

WARNING: Causes substantial, but temporary eye injury. Do not get in eyes or on clothing. Wear safety glasses or face shield. Thoroughly wash hands after using and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use on polished wood, painted surfaces, leather, rayon fabrics, acrylic plastics or furniture.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. **Pesticide Storage:** Store upright in a cool dry place away from heat or open flame. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Disposal:** Non-refillable container: do not reuse or refill this container. Do not puncture or incinerate! If empty: Place in trash or offer for recycling if available. [This container may be recycled in the few but growing number of communities where (steel) aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label. Do not Puncture! If recycling is not available, discard container in trash.] If partly filled: Call your local solid waste agency for disposal instructions.

CONTAINS NO CFCs OR OTHER OZONE DEPLETING SUBSTANCES
NO CFCs
FEDERAL REGULATIONS PROHIBIT CFC PROPELLANTS IN AEROSOLS

PLEASE RECYCLE WHEN EMPTY
STEEL

0 11225 09871 0

LMTOPC01200

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2012-2014 LIC. NO.

RECEIVED
OCT 17 2011