For use ONLY on cats & kittens over 1.5 lbs and over 8 weeks of age

FIPRONIL FLEA & TICK SQUEEZE ON FOR CATS & KITTENS

PAWS PREMIUM

For use ONLY on cats & kittens over 1.5 lbs

and over 8 weeks of age

3 MONTH SUPPLY

Contains fipronil, an active ingredient used in FRONTLINE® brand products*

FIPRONIL FLEA & TICK SQUEEZE ON FOR CATS & KITTENS

- Kills fleas, ticks & chewing lice
- Fast acting, long lasting
- Waterproof

Department of Agriculture STATE OF HAWAII

LICENSED

PERIOD 2014-2016 LIC. NO. 8862.8

ACTIVE INGREDIENT:
Fipronil.....9.70%
OTHER INGREDIENT:.....90.30%
TOTAL 100.00%

*This product is not manufactured or distributed by Merial, the makers of FRONTLINE® brand products. FRONTLINE® is a registered trademark of Merial.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Contents: 0.051 fl oz (1.5 mL)
Three 0.017 fl oz (0.50 mL) applicators

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove tube from the pack until ready to use. Store in a cool (below 77°F/25°C) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.
CONTAINER DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

DO NOT PRINT CODING AREA

EPA No. 2517-137-6165

0 36800 39468 1

PAWS PREMIUM

FIPRONIL FLEA & TICK SQUEEZE ON FOR CATS & KITTENS

READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON CATS AND KITTENS OVER 8 WEEKS OF AGE

This product provides three way protection that kills fleas, ticks, and chewing lice. Kills deer ticks that may transmit Lyme disease. Kills brown dog ticks, American dog ticks, and lone star ticks. Prevents flea reinfestation for 4 weeks.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS. For external use on cats only. Individual sensitivities, while rare, may occur after using any pesticide product on cats. Certain medications can interact with pesticides. Do not treat your cat with more than one pesticide product at a time. Over dosing your cat can result in serious illness and even death. Consult a veterinarian before using on medicated, debilitated, or aged cats. Can be used on breeding, pregnant, or lactating cats. Consult a veterinarian before using on cats with known organ dysfunction.

FIRST AID

If swallowed:	Call a poison control center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin:	Wash with plenty of soap and water. Get medical attention if irritation persists.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-416-7330 for emergency medical treatment information.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT ALLOW CHILDREN TO APPLY PRODUCT. TO PREVENT HARM TO YOU AND YOUR CAT READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. Do not use on rabbits or animals other than cats. Do not allow your cat to ingest this product. Do not use on kittens under 8 weeks of age. Do not apply to cats weighing less than 1.5 lbs. Do not double-dose cats. Use entire contents of tube on each cat. Do not split one tube between two cats. Separate the treated cat from all other cats and dogs for 24 hours after treatment has been applied.

Side Effects: Monitor your cat after application. Some cats may experience temporary skin irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your cat with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-877-416-7330. If your cat has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your cat and continue to monitor your cat for the next 24 hours.

How to open: Remove product tubes from the package. Separate one tube from the others. Hold the tube with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to apply: While holding the cat with one hand, use the other hand to apply the solution. Invert the tube and use the narrow end to part the cat's hair. Apply contents of one tube of this product as a spot between the shoulder blades. Hold the cat for a few seconds to give the solution time to be absorbed into the cat's coat. When finished, wrap the tube in paper and put into the trash. Only one applicator per treatment is needed.

FREQUENCY OF APPLICATION

Use monthly for complete control of flea, tick, and chewing lice infestations.This product kills adult fleas for up to six weeks. Apply monthly if your cat is at high risk for flea reinfestation. Apply monthly to control ticks and chewing lice. This product remains effective, even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for 4 weeks.

If you have questions or comments about this product, please write: Consumer Response, P.O. Box 540224, Omaha, NE 68154-0224.
Distributed by: Topco Associates, LLC, 150 Northwest Point Blvd., Elk Grove Village, IL 60007 EPA Reg. No. 2517-137-6165 , EPA Est. No. 2517-NE-02
In Case of Emergency, call: 1-877-416-7330, Non-Emergency, call: 1-888-814-4738 (4PET) SER1013
RRRC P06810 9