

	PSS World Medical, Inc. 4345 Southpoint Blvd. Jacksonville, FL 32216	PSS World Medical Brands Artwork Specifications		Doc. # BM-T-001	Rev. 03	
				Approver: Meghan Little		
				Effective Date: 05-03-2013		
Approval Process Requirements Soft Proofs: Please email artworks before creating printing plates to ensure all content is correct. Provide documentation if any additional changes were made. Press Proofs: Required for printing quality purposes. Please send a physical print proof, per artwork, through mail. <i>This is required only to New Suppliers, unless communicated otherwise.</i> Production Samples*: Require one complete box unit per reader number, pulled from a run, no less than one week prior to the scheduled ship date. Please Note: If either proofs or production samples were supplied with errors, changes will be made at no additional costs to PSSWM. <i>*Products that are individually sealed and placed inside of the package, using artworks provided.</i>	Internal	Drawn By		Kevin Wisser		
	Information	File Name		#155_Each_Front		
		Product Description		Germicidal Solution 24 oz		
		Scale, Dimensions		1:1; 3.6397 x 5.086 in.		
	PMS Colors	Artwork		PMS 3295 Green		
		Text		PMS 3295 Green		
		Logo		PMS 3295 Green		
	Revisions	Revision		B		
		Description of Change		Compliance with EPA regulations		
		Date		05-28-13		



Department of Agriculture
STATE OF HAWAII



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2012-2014** LIC. NO.

PERIOD **2015-2017** LIC. NO.

8873.1



GERMICIDAL SOLUTION

Cleaner, Disinfectant & Deodorizer

Bactericidal, Tuberculocidal, Fungicidal and Virucidal

Active Ingredients:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈)	
dimethyl benzyl ammonium chloride	0.154%
n-Alkyl (68% C ₁₂ , 32% C ₁₄)	
dimethyl ethylbenzyl ammonium chloride	0.154%
Isopropanol	21.000%
Other Ingredients.....	78.692%
Total.....	100.000%

Keep Out Of Reach Of Children

CAUTION

See back panel for First Aid and additional Precautionary Statements.

Net Contents: 1.5 pint (24 fl oz/710 mL)

Reorder # 155


EPA Reg. No. 1130-15-70576 EPA Est. 1130-IL-1

PSS155-820588-0613

5.086 inches Height

3.6397 inches

	PSS World Medical, Inc. 4345 Southpoint Blvd. Jacksonville, FL 32216	PSS World Medical Brands Artwork Specifications		Doc. # BM-T-001	Rev. 03	
				Approver: Meghan Little		
				Effective Date: 05-03-2013		
Approval Process Requirements Soft Proofs: Please email artworks before creating printing plates to ensure all content is correct. Provide documentation if any additional changes were made. Press Proofs: Required for printing quality purposes. Please send a physical print proof per artwork, through mail. <i>This is required only to New Suppliers, unless communicated otherwise.</i> Production Samples*: Require one complete box unit per reorder number, pulled from a run, no less than one week prior to the scheduled ship date. Please Note: If either proofs or production samples were supplied with errors, changes will be made at no additional costs to PSSWM. <small>*Products that are individually sealed and placed inside of the package, using artworks provided.</small>	Internal	Drawn By		Kevin Wisser		
	Information	File Name		#155_Each_Back		
		Product Description		Germicidal Solution 24 oz		
		Scale, Dimensions		1:1; 3.6397 x 5.086 in.		
	PMS Colors	Artwork		PMS 3295 Green		
		Text		PMS 3295 Green		
		Logo		PMS 3295 Green		
	Revisions	Revision		B		
		Description of Change		Compliance with EPA regulations		
		Date		05-29-13		



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Regimen® Germicidal Solution is a general purpose cleaner, deodorizer and disinfectant to be used where control of cross-contamination hazards is of prime importance. Regimen® Germicidal Solution provides a way to effectively clean and disinfect hard, non-porous environmental surfaces. Regimen® Germicidal Solution aids in the reduction of cross-contamination hazards. Easy to use; no mixing or diluting except for ultrasonic cleaning. Ready-to-use.

Use Regimen® Germicidal Solution on all hard, non-porous environmental surfaces/articles including: Chrome, Formica® Brand, glass, painted surfaces, plastics (such as polycarbonate, polyvinylchloride, polypropylene and polystyrene), Plexiglas®, glazed porcelain and stainless steel. Use Regimen® Germicidal Solution to clean, deodorize and disinfect such items as: ambulance equipment/surfaces, counters/countertops, CPR training mannequins, dental chairs/countertops, instruments/implements/OR surfaces, exercise equipment/benches/mats, hardhats, headphones, laboratory equipment/surfaces, medical instruments/implements, nail care implements, OR lights/tables, respiratory therapy equipment, respirators/face pieces, tanning beds, telephones and veterinary care surfaces/instruments/implements.

This product has demonstrated effectiveness against Influenza Strain A2/HK virus* and Avian Influenza A Virus* and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 (formerly called "swine flu").

Advisory Statements: Do not use on dishes, glasses or utensils. For food contact surfaces rinse with clean potable water after using this product. Do Not Use for Personal Hygiene. Not recommended for mirrors, polished wood, or bare wood. Unplug small electrical appliances before cleaning/disinfecting with this product.

Cleaning, Precleaning and Deodorizing
 Prior to disinfection, preclean all surfaces with Regimen® Germicidal Solution, making sure to remove all gross filth and heavy soil. Apply solution to surface and allow surface to remain wet for 30 seconds prior to wiping with a paper towel or clean towel/sponge.

Comments or Questions about Regimen Products?
 800-777-4908
 Manufactured for: PSS World Medical, Inc.,
 4345 Southpoint Blvd., Jacksonville, FL 32216
 Made in the U.S.A.
 PSS155-820598-0613



BACK OF TOP PLY

Ultrasonic Cleaning: Thoroughly pre-rinse instruments under running water to remove visible gross debris. Using 1 ounce of Regimen® Germicidal Solution per liter of water in ultrasonic unit, immerse instruments into solution and activate ultrasonic unit for 5 minutes (or longer if necessary). Remove and rinse instruments. Follow with appropriate cleaning and disinfection process. Change solution as needed when it becomes diluted or visibly soiled.

To Disinfect Hard, Nonporous Surfaces/Articles: To disinfect *Acinetobacter baumannii*, *Aspergillus niger*, Avian Influenza A Virus, *Candida albicans*, Canine Parvovirus, *Escherichia coli* O157:H7, Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Herpes Simplex Virus Type 2, HIV-1 (AIDS Virus), Influenza Strain A2/HK Virus, *Mycobacterium bovis* BCG, Pandemic 2009 H1N1 Influenza A Virus*, Polio I Virus, *Pseudomonas aeruginosa*, Rhinovirus, Rotavirus Strain WA, *Salmonella enterica*, *Staphylococcus aureus*, Methicillin-resistant *Staphylococcus aureus* (MRSA), *Trichophyton mentagrophytes* and Vancomycin-resistant *Enterococcus faecalis* (VRE): Using Regimen® Germicidal Solution as is (do not dilute), apply solution to thoroughly wet the precleaned surfaces. Allow to remain wet for 6 minutes prior to wiping or allow surfaces to air dry. For disinfection of Avian Influenza A, use this product only for surfaces that are not conducive to treatment by immersion or excess liquid. **Note:** Disinfected food contact surfaces must be rinsed with potable water after cleaning and/or disinfection and before reuse. After disinfection, critical and semi-critical devices must undergo appropriate terminal sterilization/high-level disinfection.

Special Instructions for Cleaning and Decontamination Against HBV, HCV and HIV-1 (AIDS Virus) for Surfaces or Objects Soiled with Blood or Body Fluids
 Kills HBV, HCV and HIV-1 (AIDS Virus) on precleaned environmental surfaces or objects, previously soiled with blood or body fluids at room temperature (20-25°C) in health care, settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HBV, HCV and the human immunodeficiency virus Type 1 (HIV-1) associated with AIDS.

Personal Protection: When using the germicidal solution, wear disposable latex gloves, protective gown, face mask and eye coverings, as appropriate, when handling HBV, HCV and HIV-1 infected blood or body fluids. **Cleaning Procedure:** All blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of the germicidal solution. **Contact Time:** Thoroughly wet surface. Allow surface to remain wet for 6 minutes prior to wiping or allow surface to air dry.

Disposal of Infectious Materials: Dispose of used solution in accordance with local regulations for infectious waste disposal.

BOTTOM PLY

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

STORAGE AND DISPOSAL
 Do not contaminate water, food or feed by storage or disposal.
Pesticide Storage: Store in original container in a cool, well-ventilated (preferably locked) area inaccessible to children and pets. **Pesticide Disposal:** Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility. **Container Disposal:** Non-refillable container; do not reuse or refill this container. To avoid wastes, use all material in this container by application according to label directions. When empty, fill the container about 10 percent full of water. Agitate vigorously and dispose of contents on site or at an approved waste disposal facility. Offer the container for recycling, if available; otherwise dispose of container in trash.

First Aid
If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. **If on Skin or Clothing:** Take off contaminated clothing. Immediately rinse skin with plenty of water for 15-20 minutes. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
 Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-535-5053 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
CAUTION: Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid breathing vapors and contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove contaminated clothing and wash clothing before reuse.
Physical or Chemical Hazards
 Do not use or store near heat or open flame.

ADHESIVE DEADENER

PRIMER and RELEASE COAT

	PSS World Medical, Inc. 4345 Southpoint Blvd. Jacksonville, FL 32216	PSS World Medical Brands Artwork Specifications		Doc. # BM-T-001	Rev. 03
				Approver: Meghan Little	
				Effective Date: 05-03-2013	
Approval Process Requirements Soft Proofs: Please email artworks before creating printing plates to ensure all content is correct. Provide documentation if any additional changes were made. Press Proofs: Required for printing quality purposes. Please send a physical print proof, per artwork, through mail. <i>This is required only to New Suppliers, unless communicated otherwise.</i> Production Samples: Require one complete box unit per reorder number, pulled from a run, no less than one week prior to the scheduled ship date. Please Note: If either proof or production samples were supplied with errors, changes will be made at no additional costs to PSSWM. <i>*Products that are individually sealed and placed inside of the package, using artworks provided.</i>	Internal	Drawn By		Kevin Wisser	
	Information	File Name		#152_Each	
		Product Description		Germicidal Solution	
		Scale, Dimensions		1:1; 18.5 x 5 in.	
	PMS Colors	Artwork		PMS 3295 Green	
		Text		PMS 3295 Green	
		Logo		PMS 3295 Green	
	Revisions	Revision		D	
		Description of Change		EPA Compliance	
		Date		05-29-13	

0.25
18.5 inches Width
0.25

0.25
5 inches Height
0.25



LICENSED
PERIOD 2015-2017 LIC. NO. **8873.1**
PERIOD 2012-2014 LIC. NO. **8873.1**



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Regimen® Germicidal Solution is a general purpose cleaner, deodorizer and disinfectant to be used where control of cross-contamination hazards is of prime importance. Regimen® Germicidal Solution provides a way to effectively clean and disinfect hard, non-porous environmental surfaces. Regimen® Germicidal Solution aids in the reduction of cross-contamination hazards. Easy to use; no mixing or diluting except for ultrasonic cleaning. Ready-to-use.

Use Regimen® Germicidal Solution on all hard, non-porous environmental surfaces/articles including: Chrome, Formica® Brand, glass, painted surfaces, plastics (such as polycarbonate, polyvinylchloride, polypropylene and polystyrene), Plexiglas®, glazed porcelain, stainless steel and vinyl.

Use Regimen® Germicidal Solution to clean, deodorize and disinfect such items as: ambulance equipment/surfaces, counters/countertops, CPR training mannequins, dental chairs/countertops/instruments/implements/OR surfaces, exercise equipment/benches/mats, hardhats, headphones, laboratory equipment/surfaces, medical instruments/implements, nail care implements, OR lights/tables, respiratory therapy equipment, respirators/facepieces, tanning beds, telephones and veterinary care surfaces/instruments/implements.

This product has demonstrated effectiveness against Influenza Strain A2/HK virus* and Avian Influenza A Virus* and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 (formerly called "swine flu").

Advisory Statements: Do not use on dishes, glasses or utensils. For food contact surfaces rinse with clean potable water after using this product. Do Not Use for Personal Hygiene. Not recommended for mirrors, polished wood, or bare wood. Unplug small electrical appliances before cleaning/disinfecting with this product.

Cleaning, Pre-cleaning and Deodorizing: Prior to disinfection, pre-clean all surfaces with Regimen® Germicidal Solution, making sure to remove all gross filth and heavy soil. Apply solution to surface and allow surface to remain wet for 30 seconds prior to wiping with a paper towel or clean towel/sponge. **Ultrasonic Cleaning:** Thoroughly pre-rinse instruments under running water to remove visible gross debris. Using 1 ounce of Regimen® Germicidal Solution per liter of water in ultrasonic unit, immerse instruments into solution and activate ultrasonic unit for 5 minutes (or longer if necessary). Remove and rinse instruments. Follow with appropriate cleaning and disinfection process. Change solution as needed when it becomes diluted or visibly soiled. **To Disinfect Hard, Nonporous Surfaces/Articles:** To Disinfect *Acinetobacter baumannii*, *Aspergillus niger*, *Avian Influenza A Virus*, *Candida albicans*, *Canine Parvovirus*, *Escherichia coli* O157:H7, *Hepatitis B Virus (HBV)*, *Hepatitis C Virus (HCV)*, *Herpes Simplex Virus Type 2*, *HIV-1 (AIDS Virus)*, *Influenza Strain A2/HK Virus*, *Mycobacterium bovis* BCG, *Pandemic 2009 H1N1 Influenza A Virus**, *Polio 1 Virus*, *Pseudomonas aeruginosa*, *Rhinovirus*, *Rotavirus Strain WA*, *Salmonella enterica*, *Staphylococcus aureus*, *Methicillin-resistant Staphylococcus aureus (MRSA)*, *Trichophyton mentagrophytes* and *Vancomycin-resistant Enterococcus faecalis (VRE)*: Using Regimen® Germicidal Solution as is (do not dilute), apply solution to thoroughly wet the pre-cleaned surfaces. Allow to remain wet for 6 minutes prior to wiping or allow surfaces to air dry. For disinfection of Avian Influenza A, use this product only for surfaces that are not conducive to treatment by immersion or excess liquid. **Note:** Disinfected food contact surfaces must be rinsed with potable water after cleaning and/or disinfection and before reuse. After disinfection, critical and semi-critical devices must undergo appropriate terminal sterilization/high-level disinfection.

Special Instructions for Cleaning and Decontamination Against HBV, HCV and HIV-1 (AIDS Virus) for Surfaces or Objects Soiled with Blood or Body Fluids

Kills HBV, HCV and HIV-1 (AIDS Virus) on pre-cleaned environmental surfaces or objects previously soiled with blood or body fluids at room temperature (20-25°C) in health care settings or other settings in which there is an expected likelihood of soiling of inanimate

surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HBV, HCV and the human immunodeficiency virus Type 1 (HIV-1) associated with AIDS. **Personal Protection:** When using the germicidal solution, wear disposable latex gloves, protective gown, face mask and eye coverings, as appropriate, when handling HBV, HCV and HIV-1 infected blood or body fluids. **Cleaning Procedure:** All blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of the germicidal solution. **Contact Time:** Thoroughly wet surface. Allow surface to remain wet for 6 minutes prior to wiping or allow surface to air dry. **Disposal of Infectious Materials:** Dispose of used solution in accordance with local regulations for infectious waste disposal.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container in a cool, well-ventilated, (preferably locked) area inaccessible to children and pets. **Pesticide Disposal:** Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility. **Container Disposal:** Non-refillable container; do not reuse or refill this container. To avoid wastes, use all material in this container by application according to label directions. When empty, fill the container about 10 percent full of water. Agitate vigorously and dispose of contents on site or at an approved waste disposal facility. Offer the container for recycling, if available; otherwise dispose of container in trash.

First Aid

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. **If on Skin or Clothing:** Take off contaminated clothing. Immediately rinse skin with plenty of water for 15-20 minutes. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-535-5053 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid breathing vapors and contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove contaminated clothing and wash clothing before reuse.

Physical or Chemical Hazards: Do not use or store near heat or open flame.

Comments or Questions about Regimen Products? 800-777-4908
Manufactured for PSS World Medical, Inc.
4345 Southpoint Blvd., Jacksonville, FL 32216
Made in the U.S.A.
S5PS-80138H-0613

GERMICIDAL SOLUTION

Cleaner, Disinfectant & Deodorizer
Bactericidal, Tuberculocidal, Fungicidal and Virucidal


Active Ingredients:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈)	
dimethyl benzyl ammonium chloride	0.154%
n-Alkyl (68% C ₁₂ , 32% C ₁₄)	
dimethyl ethylbenzyl ammonium chloride.....	0.154%
Isopropanol.....	21.000%
Other Ingredients.....	78.692%
Total.....	100.000%

Keep Out Of Reach Of Children

CAUTION
See side panel for First Aid and additional Precautionary Statements.

Net Contents: 1 Gallon (3.78 Liters)
Reorder # 152
EPA Reg. No. 1130-15-70576 EPA Est. 1130-IL-1



FOR POSITION ONLY
+M3-401523