

PETBALANCE
TRIPLE GUARD™
FOR CATS

PETBALANCE

PETBALANCE
TRIPLE GUARD™
FOR CATS

READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE

USE ONLY ON CATS & KITTENS OVER 1.5 LBS. AND 8 WEEKS AND OLDER.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FREQUENCY OF APPLICATION

Monthly application of Pet Balance Triple Guard for Cats controls flea, tick and chewing lice infestations. You can reapply Pet Balance Triple Guard for Cats once every 30 days.

FLEAS: Pet Balance Triple Guard for Cats kills adult fleas for up to six weeks. If your cat becomes reinfested with fleas, or if your cat is in situations where reinfestation may occur, you may apply Pet Balance Triple Guard for Cats every 30 days.

TICKS: Pet Balance Triple Guard for Cats kills ticks for at least one month. Apply Pet Balance Triple Guard for Cats every 30 days to control ticks (larva, nymph and adult) that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, and anaplasmosis.

CHEWING LICE: Pet Balance Triple Guard for Cats kills chewing lice for at least one month. Apply Pet Balance Triple Guard for Cats every 30 days to control chewing lice.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE. Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE

Keep this product in its tightly closed original container when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

CONTAINER DISPOSAL

Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2014-2016 LIC. NO.

8878.6

3 MONTH SUPPLY
APPLICATORS

QUICK-ACTING • LONG-LASTING • WATERPROOF

3 MONTH SUPPLY
APPLICATORS

3 MONTH SUPPLY
APPLICATORS

3 MONTH SUPPLY
APPLICATORS

PETBALANCE

TRIPLE GUARD™
FOR CATS

READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE

DIRECTIONS FOR USE

It is a violation of Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product.

TO PREVENT HARM TO YOU AND YOUR CAT, READ THE ENTIRE LABEL AND DIRECTIONS ON PACKAGE AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS OR ON DOGS OR ON OTHER ANIMALS.

Pet Balance Triple Guard for Cats can be used on cats including breeding, pregnant and lactating queens, and on kittens that weigh over 1.5 lbs. and are older than 8 weeks. Pet Balance Triple Guard for Cats controls fleas, ticks, chewing lice and keeps on working even after cats are shampooed, rinsed with water, or if cats are outdoors and exposed to the sun or rain.

SIDE EFFECTS

After applying Pet Balance Triple Guard for Cats, check your cat for

side-effects such as redness from skin irritation, scratching or other signs of discomfort. In some cases, vomiting or diarrhea have been reported from grooming after treatment. If you observe these signs or symptoms in your treated cat, contact your veterinarian. You may also contact SAFETYCALL INTERNATIONAL at 1-855-844-4375 (independent veterinarians and pharmacists on staff 24 hours/7 days per week). For Customer Service call 1-888-314-8588.

TO KILL FLEAS, TICKS AND CHEWING LICE APPLY PET BALANCE TRIPLE GUARD FOR CATS AS FOLLOWS:

Remove and Open Package
See package insert for opening instructions
Open Applicator and Apply Pet Balance Triple Guard for Cats
Hold upright with foil side away from you and snap applicator tip back to open. Find a spot between the cat's shoulder blades and part hair. Place the open end of the applicator just above the skin and squeeze. Apply the entire contents of the applicator in a single spot directly onto the cat's skin. Avoid applying on top of the hair coat. Do not touch treated area until dry.



Manufactured For: TruProdigy
500 East Shore Drive Suite 130,
Eagle, Idaho 83616
EPA Reg. No. 88966-1
EPA Est. No. 74720-DEU-1
Made in Germany

**KEEP OUT OF REACH OF CHILDREN
CAUTION**



8 18145 01175 7



PETBALANCE

TRIPLE GUARD™
FOR CATS

FOR MONTHLY CONTROL OF FLEAS, TICKS AND CHEWING LICE

KILLS FLEAS, TICKS* and CHEWING LICE
*Including Brown dog ticks, American dog ticks and deer ticks that may transmit Lyme disease.

ACTIVE INGREDIENT	
Fipronil.....	9.7 %
OTHER INGREDIENTS.....	90.3 %
TOTAL.....	100.0 %

FOR USE ONLY ON CATS AND KITTENS OVER 1.5 LBS.
AND 8 WEEKS AND OLDER

WATERPROOF • QUICK-ACTING • LONG-LASTING

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See label insert for First Aid & Precautionary Statements.

Net Contents: 0.051 fl oz (1.5mL)/(3 tubes containing 0.017 fl oz each)

3 MONTH SUPPLY
APPLICATORS


PETBALANCE
TRIPLE GUARD™
FOR CATS

PETBALANCE
TRIPLEGUARD™
FOR CATS

ONLY FOR CATS AND KITTENS
9.7% FIPRONIL
0.017 fl. oz (0.5 mL)
EPA Reg. No. 88966-1

KEEP OUT OF REACH OF CHILDREN

CAUTION • see full label for additional instructions
and precautions before using




PETBALANCE
TRIPLEGUARD™
FOR CATS

ONLY FOR CATS AND KITTENS
9.7% FIPRONIL
0.017 fl. oz (0.5 mL)
EPA Reg. No. 88966-1

KEEP OUT OF REACH OF CHILDREN

CAUTION • see full label for additional instructions
and precautions before using




PETBALANCE
TRIPLEGUARD™
FOR CATS

ONLY FOR CATS AND KITTENS
9.7% FIPRONIL
0.017 fl. oz (0.5 mL)
EPA Reg. No. 88966-1

KEEP OUT OF REACH OF CHILDREN

CAUTION • see full label for additional instructions
and precautions before using



PETBALANCE
TRIPLEGUARD™
FOR CATS

ONLY FOR CATS AND KITTENS
9.7% FIPRONIL 0.017 fl. oz (0.5 mL) | EPA Reg. No. 88966-1
See full label for additional instructions
and precautions before using
KEEP OUT OF REACH OF CHILDREN
CAUTION

PETBALANCE

TRIPLE GUARDTM FOR CATS

Use these stickers to remind you when to apply and to purchase Pet Balance Triple Guard for Cats.

The first time you treat your cat, peel off the sticker and place on your calendar that day. To remind you when the next application is due, place the other two stickers on your calendar 1 and 2 months after the first application.



Reminder: It's time to repurchase Pet Balance Triple Guard for Cats!

TRIPLE GUARD™ FOR CATS

FOR MONTHLY CONTROL OF FLEAS, TICKS and CHEWING LICE

For use **ONLY** on CATS & KITTENS over 1.5 lbs. and 8 weeks and older

ACTIVE INGREDIENT:

Fipronil:	9.7%
OTHER INGREDIENTS:	90.3%
TOTAL:	100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

DIRECTIONS FOR USE
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR CAT, READ THE ENTIRE LABEL AND DIRECTIONS ON PACKAGE AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON DOGS OR OTHER ANIMALS.**

Pet Balance Triple Guard for Cats is for use on cats including breeding, pregnant and lactating queens, and on kittens that weigh over 1.5 lbs and are older than 8 weeks.

Pet Balance Triple Guard for Cats keeps on working even after cats are shampooed, rinsed with water, or if cats are outdoors and exposed to the sun or rain.

FREQUENCY OF APPLICATION
Monthly application of Pet Balance Triple Guard for Cats controls flea, tick and chewing lice infestations. You can reapply Pet Balance Triple Guard for Cats once every 30 days.

Fleas: Pet Balance Triple Guard for Cats kills adult fleas for up to six weeks. If your cat becomes reinfested with fleas, or if your cat is in situations where reinfestation may occur, you may apply Pet Balance Triple Guard for Cats every 30 days.

Ticks: Pet Balance Triple Guard for Cats kills ticks for at least one month. Apply Pet Balance Triple Guard for Cats every 30 days to control ticks (larva, nymph and adult) that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, and anaplasmosis.

Chewing Lice: Pet Balance Triple Guard for Cats kills chewing lice for at least one month. Apply Pet Balance Triple Guard for Cats every 30 days to control chewing lice.

Use Pet Balance Triple Guard for Cats on cats including breeding, pregnant and lactating queens, and on kittens weighing over 1.5 lbs. and 8 weeks or older. A one-spot application is convenient and easy for effective treatment of fleas, ticks and chewing lice. Apply Pet Balance Triple Guard for Cats when your cat is dry. Pet Balance Triple Guard for Cats is applied at a single point on the surface of the skin between the cat's shoulders and rapidly covers the entire cat by localizing in the hair, on the surface of the skin and in the sebaceous glands. Soon after coming into contact with a treated cat, fleas, ticks and chewing lice are killed.

To kill fleas, ticks and chewing lice apply Pet Balance Triple Guard for Cats as follows:
REMOVE AND OPEN PACKAGE

1. Cut along scissor cut line to separate unit
2. Turn unit over and cut corner at bulb end
3. From cut corner, peel backing completely off from bottom to top
4. Remove the applicator

OPEN APPLICATOR
Hold upright with foil side away from you and snap applicator tip back to open.

APPLY PET BALANCE TRIPLE GUARD FOR CATS
Find a spot between the cat's shoulder blades and part hair. Place the open end of the applicator just above the skin and squeeze. Apply the entire contents of the applicator in a single spot directly onto the cat's skin. Avoid applying on top of the hair coat. Do not touch treated area until dry.



FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), you may call 1-855-844-4375, twenty-four (24) hours per day, seven (7) days per week.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

HAZARDS TO HUMANS
CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

HAZARDS TO DOMESTIC ANIMALS
CAUTION. FOR EXTERNAL USE ON CATS ONLY. Do not use on kittens under 1.5 lbs. or under 8 weeks of age. Individual sensitivities, while rare, may occur after using **ANY** pesticide product. Cats may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. It is advisable to consult a veterinarian before using this product with **ANY** other pesticide product or drug.

SIDE EFFECTS
After applying Pet Balance Triple Guard for Cats, check your cat for side-effects such as redness from skin irritation, scratching or other signs of discomfort. In some cases, vomiting or diarrhea have been reported from grooming after treatment. If you observe these signs or symptoms in your treated cat, contact your veterinarian. You may also contact SAFETYCALL INTERNATIONAL at 1-855-844-4375 (independent veterinarians and pharmacists on staff 24 hours/7 days per week). For Customer Service call 1-888-314-8588.

PHYSICAL OR CHEMICAL HAZARDS
COMBUSTIBLE. Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE
Keep this product in it's tightly closed original container when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

CONTAINER DISPOSAL
Nonrefillable container. Do not reuse or refill this container.
If empty: Place in trash or offer for recycling if available.
If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITATION OF WARRANTY AND LIABILITY
IMPORTANT: READ BEFORE USE. Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If these terms and conditions are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, injury, and other unintended consequences may result because of such factors as manner of use or application (including misuse), the presence of other materials, weather conditions, and other unknown factors, all of which are beyond the control of Tru Prodigy. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, Tru Prodigy makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, neither Tru Prodigy, the manufacturer, nor the Seller shall be liable for any indirect, special, incidental or consequential damages resulting from the use, handling, application, storage, or disposal of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use, handling, application, or storage of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid.