

FIRST AID

If swallowed: Call a poison control center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-866-307-9795 for emergency medical treatment information.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
DO NOT ALLOW CHILDREN TO APPLY PRODUCT. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. FOR EXTERNAL USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.
 Do not use on puppies under 8 weeks of age. Use entire contents of tube on each dog. Do not split one tube between dogs. Do not use multiple tubes on one dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Consult a veterinarian before using this product on debilitated, aged, or medicated dogs. Can be used on breeding, pregnant, or lactating dogs. Consult a veterinarian before using on dogs with known organ dysfunction. Dogs may experience some temporary irritation at the site of product application. Certain medications can interact with pesticides. Sensitivities may occur after using ANY pesticide product on dogs. If signs of sensitivity occur bathe your dog with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.
How to open: Remove product tubes from the package. Separate one tube from the others. Hold the tube with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.
How to apply: Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin, as directed below. Do not apply more often than once every 4 weeks.

For Dogs Weighing 89-132 lbs.: Apply one tube (4.02 mL)(0.136 fl oz) as a spot on the dog's back between the shoulder blades.

FREQUENCY OF APPLICATION

Use Flea4X™ for Dogs monthly for complete control of flea, tick, and chewing lice infestations. Studies show that Flea4X™ for Dogs kills adult fleas for up to three months. Apply monthly if your dog is at high risk for flea reinfestation. Apply monthly to control ticks and chewing lice. Flea4X™ for Dogs remains effective even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for 30 days.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove tube from the pack until ready to use. Store in a cool (below 77° F [25° C]) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

CONTAINER DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

www.1800petmeds.com
1-800-PetMeds
 America's Largest Pet Pharmacy



KEEP OUT OF REACH OF CHILDREN
CAUTION
 See Back Label Panel For Additional Precautionary Statements
NET CONTENTS: 3-0.136 fl oz (4.02 mL) applicators
 TOTAL 100.0%
 OTHER INGREDIENT: 9.7%
 ACTIVE INGREDIENT: 90.3%
 Fipronil



Flea4X
 for Dogs
 For use ONLY on Apply to puppies dogs & puppies over 8 weeks of age
89-132 lbs.

4-WAY Action to:
 Kill Fleas Ticks Chewing Lice
 Control Mites that may cause sarcoptic mange
 • Fast Acting • Long-lasting • Waterproof



Flea4X
 for Dogs

1-800-PetMeds
 America's Largest Pet Pharmacy

89-132 lbs.
 For use ONLY on Apply to puppies dogs & puppies over 8 weeks of age

Contains Fipronil, the active ingredient in Frontline® Top Spot for Dogs*
 *Flea4X for Dogs is not manufactured by Merial. Frontline® Top Spot is a registered trademark of Merial.

1-800-PetMeds
 America's Largest Pet Pharmacy

Flea4X
 for Dogs
 For use ONLY on dogs & puppies Apply to puppies over 8 weeks of age
89-132 lbs.

Flea4X
 for Dogs



In Case of Emergency, call:
 1-866-307-9795
 Non-Emergency, call:
 1-800-738-6337

Distributed by: PETMED EXPRESS, INC.®
 1441 SW 29th Ave
 Pompano Beach, FL 33069
 EPA Reg. No. 2517-136-88832
 EPA Est. No. 2517-NE-02*
 Superscript is the first letter in the lot code.

P000397 ARRI

DO NOT PRINT UNCOATED AREA

www.1800petmeds.com
1-800-PetMeds
 America's Largest Pet Pharmacy

KILLS:

- Fleas
- Deer ticks
- Brown dog ticks
- American dog ticks
- Lone star ticks
- Chewing Lice
- Controls mites that may cause sarcoptic mange

Prevents Infestation of listed pests for 4 weeks

How to Open:

1. Remove product tubes from the package.
2. Separate one tube from the others. Hold the tube with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to Apply:

1. Invert tube over dog and use open end to part dog's hair.
2. Squeeze tube firmly to apply all of the solution to the dog's skin as a spot on the dog's back between the shoulder blades.




Flea4X
 for Dogs

For use ONLY on dogs & puppies Apply to puppies over 8 weeks of age
89-132 lbs.

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS AND PUPPIES OVER 8 WEEKS OF AGE.
 Flea4X™ for Dogs provides 4-way protection that kills fleas, ticks, and chewing lice. Controls mites that may cause sarcoptic mange. Kills deer ticks that may transmit Lyme disease. Kills brown dog ticks, American dog ticks, and lone star ticks. Prevents flea reinfestation for 4 weeks.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
HAZARDS TO DOMESTIC ANIMALS. For external use only. Do not use on puppies under 8 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. Some dogs may experience temporary startle effects when any product is applied. Dogs may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated, or aged dogs. Call 1-866-307-9795 for 24-hour assistance.



Department of Agriculture
 STATE OF HAWAII
LICENSED
 PERIOD 2015-2017 LIC. NO. 8879.4 Disc.

Department of Agriculture
 STATE OF HAWAII
LICENSED
 PERIOD 2012-2014 LIC. NO.

KNOCKOUTS

DUPLICATED LINES