



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2012-2014** LIC. NO.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2015-2017** LIC. NO.

8901.1



SUPPLEMENTAL LABELING

CIRKIL RTU

EPA Reg. No. 88760-1

IMPORTANT:

This labeling must be in possession of the user at the time of application.

Read the label affixed to the container for **CIRKIL RTU** before applying. Carefully follow all precautionary statements and applicable use directions.

Use of **CIRKIL RTU** according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for **CIRKIL RTU**.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use **CIRKIL RTU** to control bed bugs, cellar spiders[†], smoky brown cockroaches[†], house crickets[†], firebrats[†], silverfish[†], moisture ants[†], ravida field ants[†], pavement ants[†], bean aphids[†], pea aphids[†], and green bottle flies[†].

[†] Not registered for use in California.

Application Rates and Treatment Schedule:

- Spray until treated surfaces are moist. Use approximately one ounce of **CIRKIL RTU** per 1.5 to 6 sq.ft. of surface area depending on material treated.
- For optimal results, allow 4 hours for product to dry before re-entry.
- For all labeled insects, and for bed bugs adults, nymphs and eggs, re-apply every 1 to 2 weeks or as needed.
- For ongoing control of bed bug eggs only, re-apply every 2 to 3 weeks or as needed.

Always read and follow label directions when using CIRKIL RTU.

To learn more visit www.terramera.com or call 1-800-597-9509.

RT-120530GL01-SL1

Manufactured by Terramera, Inc.
Buena Park Station
Buena Park, CA 90622-6449
1-800-597-9509

CIRKIL and Terramera are trademarks of Terramera, Inc.





CIRKIL RTU Container Label - Front Panel **LICENSED**

PERIOD **2015-2017** LIC. NO.

8901.1



LICENSED

PERIOD **2012-2014** LIC. NO.



Controls, Manages and Prevents Bed Bug Infestations
Kills Bed Bug Adults, Nymphs and Their Eggs

- ✓ Plant Based Botanical Insecticide
- ✓ Continues Killing and Preventing Egg Hatch for Weeks after Treatment *
- ✓ Effective Against Pyrethroid Resistant Strains
- ✓ All Ingredients are Generally Recognized As Safe (GRAS)
- ✓ Works Quickly *

** When used as directed*

Active Ingredient:
 Cold Pressed Neem Oil5.5%
 Other Ingredients 94.5%
 Total100.0%

KEEP OUT OF REACH OF CHILDREN
CAUTION

READ ALL DIRECTIONS BEFORE USING THIS PRODUCT
 If you do not understand the label, find someone to explain it to you in detail.
(Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.)

Route of Entry	First Aid
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything to an unconscious person.

Have the product container or label with you when calling a poison control center, doctor, or going for treatment. For emergency information concerning this product, call the National Pesticides Information Center (NPIC) at 1-800-858-7378 seven days a week, 7:30 am to 3:30 pm Pacific Time (NPIC Web site: www.npic.orst.edu)

See back panel for **Precautionary Statements, Directions for Use, Storage and Disposal, and Conditions of Sale and Warranty.** RT-120530GL01

Manufactured by Terramera, Inc.
 Buena Park Station
 Buena Park, CA 90622-6449
 1-800-597-9509

EPA Registration No. 88760-1
 EPA Est. No. 11399-CA-001
Made in the USA Patents-Pending
 Net Contents: 32 oz.



CIRKIL RTU Container Label - Back Panel (Fold-Out Label)

Back Panel - TOP OUTSIDE

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

PHYSICAL AND CHEMICAL HAZARDS

Flammable. Keep away from heat and open flame. Do not spray around open flame or heat sources or in electrical sockets. Any goods or equipment that use power must be unplugged before being treated. Check to ensure any electrical equipment is completely dry before reconnecting to a power source.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label. Use strictly in accordance with precautionary statements and directions, and with applicable state and Federal regulations.

General Information:

CIRKIL™ RTU is a Ready-to-Use liquid insecticide and ovicide for indoor use containing 5.5% pure cold-pressed neem oil. CIRKIL™ RTU provides effective knockdown, residual and preventative control of bed bugs, including pyrethroid-resistant bed bugs, and their eggs. CIRKIL™ RTU kills bed bugs and eggs and helps manage the spread of pesticide resistance. Use CIRKIL™ RTU to control bed bugs and cellar spiders¹.

For Bed Bug Control:

CIRKIL™ RTU is a ready to use product. Do not dilute. Shake well prior to use. Use for spot treatments, or for treatments to small and defined areas where a need for rapid dry time or concern about water damage prevents use of CIRKIL™ CX (e.g. artwork, picture frames, keyboards, luggage, etc). Spray until moist. Allow to dry completely. For optimal performance, close doors and windows and turn off air circulation (e.g. heaters and air conditioners), and keep site of application undisturbed for at least 4 hours after treatment if possible. After 4 hours, return to normal ventilation and allow reentry into treated area. Do not spray around open flame or heat sources or in electrical sockets. Ensure any equipment requiring power is unplugged before being treated, and allowed to dry thoroughly before re-use. For crack and crevice applications, use a straw tip or pin tip nozzle.

Use CIRKIL™ RTU on a variety of indoor surfaces, fabrics and materials, painted and unpainted wood, under beds, box springs, bed frames, headboards, mattresses, linens, under and behind night stands, closets, dressers, curtains, blinds, under and behind wall hangings, carpets, rugs, upholstery, wall and window treatments, suitcases, seams, points where carpets and wall meet, moldings, and anywhere bed bugs may harbor or their eggs may be found. Spraying all surfaces, especially tufts, folds, seams, edges, cracks and crevices, will help minimize further infestation.

See inside for additional Directions for Use, Storage and Disposal, and Conditions for Sale and Warranty.

¹ Cellar spider use not registered in California

Back Panel - TOP INSIDE

DIRECTIONS FOR USE (continued)

CIRKIL™ RTU may cause damage or discolor certain surfaces and materials, including papers and soft plastics such as plexiglass, plastic varnishes, some flooring and finishes, frames, photographs, artwork, wallpaper and consumer electronics. Make small inconspicuous spot treatments to test all surfaces and fabrics for colorfastness, discoloration or damage before use.

Use CIRKIL™ RTU in indoor areas including residential homes, multi-dwelling units, apartments, dormitories, hospitals, nursing homes, prisons, temporary shelters, aircraft, buses, marine vessels, airports, offices, theaters, hotels, motels, restaurants, lounges, arenas, retail stores, conference centers and other indoor spaces.

CIRKIL™ RTU works as a direct or indirect treatment (when wet or dried as a residue on treated surfaces).

For Direct Treatment: Apply CIRKIL™ RTU to kill bed bugs or eggs by spraying directly. **For Indirect Residual Treatment:** Apply CIRKIL™ RTU to surfaces and fabrics to kill or prevent bed bug infestations.

Application Rates and Treatment Schedule:

- Spray until treated surfaces are moist. Use approximately one ounce of CIRKIL™ RTU per 1.5 to 6 sq.ft. of surface area depending on material treated.
- For optimal results, allow 4 hours for product to dry before re-entry.
- For ongoing control of bed bug adults, nymphs and eggs, re-apply every 1 to 2 weeks or as needed.
- For ongoing control of bed bug eggs only, re-apply every 2 to 3 weeks or as needed.

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by pesticide storage or disposal. Open dumping is prohibited. Do not reuse container.

PESTICIDE STORAGE: Do not store this product above 104°F or below 20°F for extended periods of time. Keep containers tightly closed when not in use. Keep containers tightly closed and in original containers when not in use. Do not store exposed to ultraviolet light (sunlight) or moisture.

PESTICIDAL DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Triple rinse containers small enough to shake (capacity ≤ 5 gallons) as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Back Panel - BASE

CONDITIONS OF SALE AND WARRANTY

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

To the extent consistent with applicable law, TERRAMERA, INC., TERRAMERA, LLC and any current or future parent companies, subsidiaries or affiliates (collectively referred to herein as "Terramera") and the Seller offer this product, and the Buyer and User accept it, subject to the following **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of Terramera. By using or buying this product, the User or Buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The Directions For Use of this product reflects the opinion of experts based on experimental use and tests. The directions are believed to be adequate and must be followed carefully. Attempts have been made to eliminate or draw attention to the risks associated with the use of this product; however, it is impossible to eliminate all risks inherently associated with the use, handling and transport of this product. Damage to products, materials, treated surfaces or fabrics, ineffectiveness or other unintended consequences may result because of factors such as environmental conditions, the presence of other materials, the manner of use or application, the use of the product in a manner inconsistent with its labeling, or other unknown reasons, all of which are beyond the control of Terramera. All such risks shall be assumed by the User or Buyer and User and Buyer agree to hold Terramera and Seller harmless for any claims relating to such factors. Terramera does not agree to be an insurer of these risks beyond what is expressly warranted by this label.

Terramera warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions For Use when used in accordance with the directions under normal conditions of use, subject to the inherent risks referred to above.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, Terramera or the Seller make no other warranties, guarantees or representations of any kind, either express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Terramera or the Seller is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, the exclusive remedy of the User or Buyer and the exclusive liability of Terramera for any and all losses, injuries or damages resulting from the use handling or transport of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid for the product, or at Terramera's or the Seller's election, the replacement of product. To the extent consistent with applicable law, Terramera and the Seller disclaim any liability for special, consequential, incidental, or indirect damages resulting from the use, transport, or handling of this product.

RT-120530GL01

