

**DIRECTIONS FOR USE (Continued)**

**NON-FOOD CONTACT SANITIZING PERFORMANCE:** At ½ ounce per 1 gallon use-level (660 ppm active) (or equivalent use dilution), this product is an effective one-step sanitizer and a 3-minute contact time against the following on hard non-porous surfaces: Klebsiella pneumoniae, Staphylococcus aureus

**FUNGICIDAL PERFORMANCE:** When used as directed at a 1:256 dilution, ½ fluid ounce per gallon of water, (or equivalent use dilution) and a 10-minute contact time, this product is highly effective against the following on hard non-porous surfaces: Aspergillus niger, Candida albicans, Trichophyton mentagrophytes - Athlete's foot fungus - a cause of Ringworm.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or, (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product can be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

**\*KILLS HIV, HBV AND HCV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) associated with AIDS, Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION**

**AGAINST HIV-1, HBV AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.**

**Personal Protection:** Clean up must always be done wearing protective latex gloves, gowns, masks and eye protection. **Cleaning Procedure:** Blood and other body fluids containing HIV-1, HBV and HCV must be thoroughly cleaned from hard nonporous surfaces and objects before application of this product.

**Disposal of Infectious Materials:** Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

**Contact Time:** Leave hard nonporous surfaces wet for 10 minutes with a ½ fluid ounce per gallon use solution (or equivalent use dilution).

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER. KEEP OUT OF REACH OF CHILDREN.** Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

**ENVIRONMENTAL HAZARD:** This product is toxic to fish.

**PHYSICAL OR CHEMICAL HAZARDS:** Do not mix with oxidizers, anionic soaps and detergents. Do not use or store near heat or open flame.

**First Aid:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal. **CONTAINER DISPOSAL/PESTICIDE STORAGE:** Non-refillable container. Store only in original container. Do not reuse empty container. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously and dispose of rinsate. Repeat two more times. Wrap container and put in trash or offer for recycling if available.

**RESIDUE REMOVAL INSTRUCTIONS:** Triple rinse container promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

**Multi-Task™ System**

**256  
Century Q  
256**

**One Step Disinfectant  
Germicidal Detergent**

Disinfectant, Cleaner, Mildewstat, Fungicide, Virucide\*, for Hospitals, Nursing Homes, Commercial, Institutional, and Industrial Use.

Non-Dulling to Floor Finishes.

Effective in hard water up to 400 ppm hardness (Calculated as CaCO3) in the presence of 5% serum contamination.

**ACTIVE INGREDIENTS:**

Didecyl Dimethyl Ammonium Chloride.....10.14%  
n-Alkyl (C14 50%, C12 40%,

C16 10%) dimethyl benzyl ammonium chloride.....6.76%

**INERT INGREDIENTS: ..... 83.10%**

**TOTAL.....100.00%**

E.P.A. Reg. No. 10324-141-5449

E.P.A. Est. No. 5449-MN-1

**KEEP OUT OF REACH  
OF CHILDREN**

**DANGER PELIGRO**

See side panel for additional precautionary statements and first aid statements.

**Multi-Clean™**

600 Cardigan Road Shoreview, MN 55126  
Phone 651-481-1900

**Net Contents: 2 liters (68 Fl. oz)**

See Enclosed Master Label for Additional Directions For Use and a Complete List of Bacteria and Viruses This Product is Effective Against.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Before using this product, food products and packaging materials must be removed from the room or carefully protected.

**DISINFECTION PERFORMANCE IN INSTITUTIONS (Hospitals, Dental Offices, Nursing Homes, and Other Health Care Institutions) AND NON-MEDICAL FACILITIES (Households, Schools, Restaurants, Food Services, Dairies, Farms, Beverage and Food Processing Plants and Other Non-Medical Facilities):** At ½ fluid ounce per 1 gallon of water use level (1:256) (or equivalent use dilution) and with a 10-minute contact time, this product is effective in 400 ppm hard water against the following organisms on hard non-porous surfaces: Acinetobacter baumannii, Acinetobacter lwoffii, Bordetella bronchiseptica, Chlamydia psittaci, Enterobacter agglomerans, Enterobacter aerogenes, Escherichia coli, Escherichia coli O111:H8 Extended Spectrum B-Lactamase-ESBL Escherichia coli, Tetracycline Resistant Escherichia coli, Enterococcus faecalis, Enterococcus hirae, Fusobacterium necrophorum, Klebsiella oxytoca, Klebsiella pneumoniae, Listeria monocytogenes, Micrococcus luteus, Pasturella multocida, Proteus vulgaris, Pseudomonas aeruginosa, Tetracycline Resistant Pseudomonas aeruginosa, Pseudomonas cepacia, Salmonella enterica, Salmonella enterica serotype pullorum, Salmonella typhi, Salmonella typhimurium, Serratia marcescens, Shigella flexneri, Shigella sonnei, Staphylococcus aureus, Staphylococcus aureus sub species aureus, Community Associated Methicillin Resistant Staphylococcus aureus CA-MRSA Genotype USA300, Methicillin Resistant Staphylococcus aureus-MRSA, Staphylococcus epidermidis, Streptococcus agalactiae, Staphylococcus haemolyticus, Streptococcus pneumoniae Penicillin Resistant, Streptococcus pyogenes, Streptococcus mutans, Vancomycin Resistant Enterococcus faecalis-VRE, Vancomycin Intermediate Resistant Staphylococcus aureus-VISA, Vibrio cholerae, Yersinia enterocolitica.

**VIRUCIDAL\* PERFORMANCE:** At ½ ounce per 1 gallon of water use level (or equivalent use dilution) (660 ppm active), this product was evaluated in the presence of 400 ppm hard water and 5% serum with a 10-minute contact time and found to be effective against the following viruses on hard, non-porous surfaces: Avian Influenza A H3N2 virus - Avian Reassortant, Avian Influenza A H5N1 virus, Cytomegalovirus, SARS-associated Coronavirus, Hepatitis B Virus, Hepatitis C Virus, Herpes Simplex Virus Type 1, Herpes Simplex Virus Type 2, Human Coronavirus, Human Immunodeficiency Virus type 1 - HIV 1, Influenza A virus, Influenza A H1N1 virus, Respiratory syncytial virus.

**PREPARATION OF DISINFECTION/FUNGICIDAL/VIRUCIDAL\* USE SOLUTION:** For heavily soiled areas, a preliminary cleaning is required. Add ½-ounce of this product to 1 gallon of water (1:256) to disinfect hard non-porous surfaces. Apply use solution using a brush, cloth, mop, sponge, auto scrubber, mechanical spray device or by immersion so as to thoroughly wet surfaces. For sprayer applications, spray 6-8 inches from surface. Do not breathe spray. Rub with brush, cloth, or sponge. Change cloth, sponge or towels frequently to avoid redeposition of soil. Treated surfaces must remain wet for 10 minutes. Allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. Rinse all treated surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Prepare a fresh solution at least daily or when use solution becomes visibly dirty.

**MOLD AND MILDEW CONTROL:** To control the growth of mold and mildew and their odors on hard, non-porous surfaces, apply use solution of 1:256 dilution, ½ ounce, per 1 gallon of water (or equivalent use dilution). Apply by cloth, sponge, mop, brush, auto scrubber or mechanical spray device to thoroughly wet all treated surfaces completely. Allow surface to remain wet for 10 minutes. Allow solution to dry on surface and repeat treatment every seven days or when new growth appears. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solution becomes visibly dirty.

**ANIMAL PREMISE VIRUCIDAL\* PERFORMANCE:** At a ½ ounce per gallon of water use level, (660 ppm quat active) (or equivalent use dilution) this product was evaluated in the presence of 5% serum and with a 10-minute contact time and found to be effective against the following viruses on hard, non-porous environmental surfaces: Avian Infectious Bronchitis virus Beaudette IB42, Avian Influenza A H5N1 virus, Avian Influenza A H3N2 virus Avian Reassortant, Canine Coronavirus, Canine Distemper virus, Feline Piroplasmis, Infectious Bovine Rhinotracheitis virus, Pseudorabies virus, Swine Influenza A H1N1 virus, Transmissible Gastroenteritis virus, Vaccinia virus.

Prior to use of this product, cover or remove all food and packaging material before disinfection and remove all animals and feeds from areas to be treated, animal transportation vehicles and enclosures. Remove all litter, droppings and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other surfaces of facilities and fixtures occupied or traversed by poultry or other animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean surfaces with soap or detergent and rinse with water.



**8904.2  
Disc.**

See other panel for continued DIRECTIONS FOR USE

8/17/2012