



For Use Only on  
**MEDIUM DOGS/PUPPIES**  
**15-30 LBS**  
 & 12 Weeks of Age or Older

3 Month Supply



Department of Agriculture  
 STATE OF HAWAII

Flea & Tick Spot On®  
**FOR DOGS**

**LICENSED**

PERIOD **2014-2016** LIC. NO.

**8910.30**

**REUSABLE APPLICATOR**

- Helps Keep Liquid Off Hands
- Helps Part Hair



- Kills:**
- Adult Fleas
  - Adult Ticks
  - Flea Eggs
  - Tick Nymphs
  - Flea Larvae
  - Tick Larvae

**Kills & Repels:** Mosquitoes

**ACTIVE INGREDIENTS:**

Etofenprox.....	50.00%
Piperonyl Butoxide*.....	9.10%
N-octyl bicycloheptene dicarboximide (MGK 264).....	0.91%
Pyriproxyfen (Nylar®).....	0.45%
(S)-Methoprene.....	0.23%
<b>OTHER INGREDIENTS:</b> .....	<b>39.31%</b>
<b>TOTAL</b> .....	<b>100.00%</b>

\* (butyl carbonyl) (6-propylpiperonyl) ether and related compounds  
 \*\* (S)-Methoprene

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

with  
**\*\*INFEST STOP™**

See Back Panel for Additional  
 Precautionary Statements

ITEM: 100515535  
 RM#: 300515059 • Art: 201309  
 EPA Reg. No. 2724-829-89459  
 EPA Est. No. 2724-TX-1



**NET CONTENTS:**

0.222 fl oz total (Three 0.074 fl oz/2.2 ml tubes)



## Flea & Tick Spot On® FOR DOGS REUSABLE APPLICATOR

READ ENTIRE LABEL BEFORE EACH USE.  
**IMPORTANT - USE ONLY ON DOGS OR ON PUPPIES  
12 WEEKS OF AGE OR OLDER.**

**Side Effects:** Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call 800-234-2269.

**DO NOT USE ON CATS**  
Keep cats away from treated dogs/puppies for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

**USE RESTRICTIONS:** Do not use more than one tube per dog/puppy and do not treat more than once per month. Do not allow your dog/puppy to ingest this product. (Do not bathe your dog 48 hours prior to application.)

Adams™ Plus Flea & Tick Spot On® for Dogs works by application directly to the dog's/puppy's skin, not to the hair. When applying, use the Smart Shield® Applicator device tip to push aside dog's/puppy's hair to allow direct application to the skin.

Adams™ Plus Flea & Tick Spot On® for Dogs provides a unique Smart Shield® Applicator device that allows dog/puppy owners to treat their dogs/puppies more securely, and dispose of liquid tubes with less mess.

**Note:** Each package contains sufficient tubes for 3 applications.

To apply the Adams™ Plus Flea & Tick Spot On® for Dogs treatment, use one disposable liquid tube with the Smart Shield® Applicator device.

### FOR MEDIUM SIZE DOGS/PUPPIES (15-30 LBS)



**1. OPEN:** Use finger scoop to lift open blue door.




**2. LOAD:** To Load, place tube white side up into the open Smart Shield® Applicator with front of tube placed under tab on door. Ensure that tube fits securely in the Smart Shield® Applicator.



**3. CLOSE:** Gently close the blue door and the tube will snap open.



**4. APPLY:** The dog/puppy should be standing for easy application. To apply, use the front edge of the Smart Shield® Applicator to part hair and get next to dog's/puppy's skin. Press circle on blue door once at each of 2 to 3 evenly placed spots between the shoulder and the base of the tail. Do not apply an excessive amount of the solution at any one spot that could cause some of the solution to run off the side of the dog/puppy. Do not spread the product by hand over the dog/puppy. Although the dog's/puppy's skin and hair oils will distribute the application over the entire dog/puppy, brushing the dog/puppy 12-24 hours after treatment will help to distribute the material over the skin.



**5. DISPOSE:** When finished, hold the Smart Shield® Applicator device over trash. To dispose of empty tube, open blue door and drop empty tube into trash or offer for recycling if available. Close the Smart Shield® Applicator device door and store in original package.

**TREATMENT SCHEDULE:** Dosage: 1 tube every 30 days per dog/puppy

Name	1st Treatment	2nd Treatment 30 Days From 1st	3rd Treatment 30 Days From 2nd

Reminder: 1 purchased Adams™ Plus Flea & Tick Spot On® for Dogs from: \_\_\_\_\_

NOTES:

### PRECAUTIONARY STATEMENTS CAUTION HAZARDS TO HUMANS

Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

### HAZARDS TO DOMESTIC ANIMALS DO NOT USE ON OTHER ANIMALS.

Do not use on dogs or puppies less than 12 weeks old or weighing less than 5 lbs. Do not use this product on debilitated, aged, medicated, pregnant or nursing animals or on animals known to be sensitive to pesticide products without first consulting a veterinarian. Sensitivity, such as slight transitory redness of the skin at the site of application, may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap, rinse with large amounts of water, and consult a veterinarian immediately.

#### FIRST AID

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**HOT LINE NUMBER:** Have the product container or label with you when calling a poison control center, doctor or veterinarian, or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 800-234-2269.

### DIRECTIONS FOR USE WITH Smart Shield® APPLICATOR

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read and follow all directions and precautions on this product label.

Tip parts hair to help get down to the skin

Ergonomically contoured for easy handling

Will not drip after opening

Closing applicator door automatically opens tube



Adams™ Plus Flea & Tick Spot On® for Dogs is most effective when used as part of a total flea and tick management program. Use other Adams™ Plus products registered for residential area control of these pests in conjunction with this treatment. Monthly treatments are required for optimal control and prevention of fleas.

The successive feeding activity of fleas on dogs/puppies may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs/puppies with Adams™ Plus Flea & Tick Spot On® for Dogs rapidly kills fleas and may reduce the incidence of this condition.

#### STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and pets.

**CONTAINER DISPOSAL:** Do not reuse empty tube. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**WARRANTY AND CONDITIONS OF SALE:** Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability for default, breach, or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

In case of emergency or for product information, call 800-234-2269 or contact your veterinarian if your pet is experiencing an adverse event.

Manufactured for: **Central Garden & Pet Company.**  
1501 East Woodfield Road 200W  
Schaumburg, Illinois 60173  
www.adamspetcare.com

©2013 Central Garden & Pet Company  
Smart Shield and Infest Stop are trademarks of Farnam Companies, Inc. Spot On is a registered trademark of Wellmark International. MGK 264 and Nylar are registered trademarks of McLaughlin Gormley King Company. All other trademarks are the property of their respective owners. Applicator patent pending.

ITEM: 100515535


RM#: 300515060 • Art: 201309





Flea & Tick Spot On®  
**FOR DOGS**  
 REFILL PACK

For Use Only on  
 MEDIUM DOGS/PUPPIES  
**15-30 LBS**  
 & 12 Weeks of Age or Older  
 3 Month Supply



For Use Only on  
 MEDIUM DOGS/PUPPIES  
**15-30 LBS**  
 & 12 Weeks of Age or Older  
 3 Month Supply

For Use Only on  
 MEDIUM DOGS/PUPPIES  
**15-30 LBS**  
 & 12 Weeks of Age or Older  
 3 Month Supply

Flea & Tick Spot On®  
**FOR DOGS**  
 REFILL PACK

Flea & Tick Spot On®  
**FOR DOGS** *Optional Applicator Sold Separately*  
**REFILL PACK**

Flea & Tick Spot On®  
**FOR DOGS**  
 REFILL PACK

- Kills:**
- Adult Fleas
  - Adult Ticks
  - Flea Eggs
  - Tick Nymphs
  - Flea Larvae
  - Tick Larvae

**Kills & Repels:** Mosquitoes

*with*  
**\*\* INFEST STOP**

See Back Panel for Additional  
 Precautionary Statements  
 EPA Reg. No. 2724-829-89459  
 EPA Est. No. 2724-TX-1



**NET CONTENTS:**  
 0.222 fl oz total  
 (Three 0.074 fl oz/2.2 ml tubes)

**ACTIVE INGREDIENTS:**

Etofenprox.....	50.00%
Piperonyl Butoxide*.....	9.10%
N-octyl bicycloheptene dicarboximide (MGK 264®).....	0.91%
Pyriproxyfen (Nylar®).....	0.45%
(S)-Methoprene.....	0.23%
<b>OTHER INGREDIENTS:</b> .....	39.31%
<b>TOTAL</b> .....	100.00%

\* (butyl carbityl) (6-propylpiperonyl) ether and related compounds  
 \*\* (S)-Methoprene

**KEEP OUT OF REACH OF CHILDREN  
 CAUTION**

For Use Only on  
 MEDIUM DOGS/PUPPIES  
**15-30 LBS**  
 & 12 Weeks of Age or Older  
 3 Month Supply





Flea & Tick Spot On®  
**FOR DOGS**  
REFILL PACK

**READ ENTIRE LABEL BEFORE EACH USE.**  
**IMPORTANT - USE ONLY ON DOGS OR ON PUPPIES 12 WEEKS OF AGE OR OLDER.**

**Side Effects:** Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call 800-234-2269.

**DO NOT USE ON CATS**  
Keep cats away from treated dogs/puppies for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

**PRECAUTIONARY STATEMENTS**  
**CAUTION**  
**HAZARDS TO HUMANS**

Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

**HAZARDS TO DOMESTIC ANIMALS**  
**DO NOT USE ON OTHER ANIMALS**

Do not use on dogs or puppies less than 12 weeks old or weighing less than 5 lbs. Do not use this product on debilitated, aged, medicated, pregnant or nursing animals or on animals known to be sensitive to pesticide products without first consulting a veterinarian. Sensitivity such as slight transitory redness of the skin at the site of application, may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap, rinse with large amounts of water, and consult a veterinarian immediately.

**FIRST AID**

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**HOT LINE NUMBER:** Have the product container or label with you when calling a poison control center, doctor or veterinarian, or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 800-234-2269.

ITEM: 100515539 • RM#: 300515082 • Art: 201309  
Manufactured for: Central Garden & Pet Company  
1501 East Woodfield Road 200W  
Schaumburg, Illinois 60173  
www.adamspetcare.com



**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read and follow all directions and precautions on this product label. To apply the Adams™ Plus Flea & Tick Spot On® for Dogs treatment with the Smart Shield® Applicator, use one disposable liquid tube for each application with the Smart Shield® Applicator device.

Remove one refill tube from the package and insert into opened Smart Shield® Applicator device. Make application according to label directions supplied with the Smart Shield® applicator device. If you need directions for application, please call 800-234-2269.

However, if you choose to apply directly to dog/puppy without using the Smart Shield® Applicator device, read and follow the Directions for Use For Direct Application to Dog/Puppy on this package.

**DIRECTIONS FOR USE FOR DIRECT APPLICATION TO DOG/PUPPY**

**USE RESTRICTIONS:** Do not use more than one tube per dog/puppy and do not treat more than once per month. Do not allow your dog/puppy to ingest this product. (Do not bathe your dog 48 hours prior to application.)

Adams™ Plus Flea & Tick Spot On® for Dogs works by application directly to the dog's/puppy's skin, not to the hair. When applying, manually push aside dog's/puppy's hair to allow direct application to the skin.

**Note:** Each package contains sufficient tubes for 3 applications.

To apply the Adams™ Plus Flea & Tick Spot On® for Dogs treatment, use one disposable liquid tube for each application.

**FOR MEDIUM SIZE DOGS/PUPPIES (15-30 LBS)**



1. Bend at perforation and tear off first tube.



2. Hold tube upright and snap tip back, away from face and body.



3. The dog/puppy should be standing for easy application. Apply Adams™ Plus Flea & Tick Spot On® for Dogs evenly to two to three spots on the top of the back from the shoulder to the base of the tail. At each spot, part the hair until the skin is visible. Place the tip of the tube on the skin and gently squeeze to expel a portion of the solution on the skin. Do not apply an excessive amount of the solution at any one spot that could cause some of the solution to run off the side of the dog/puppy.

4. Do not spread Adams™ Plus Flea & Tick Spot On® for Dogs by hand over the dog/puppy. Although the dog's/puppy's skin and hair oils will distribute the application over the entire dog/puppy, brushing the dog/puppy 12-24 hours after application will help to distribute the material over the skin.

5. Discard empty tube as described in Storage and Disposal

Adams™ Plus Flea & Tick Spot On® for Dogs is most effective when used as part of a total flea and tick management program. Use other Adams™ Plus products registered for residential area control of these pests in conjunction with this treatment. Monthly treatments are required for optimal control and prevention of fleas.

The successive feeding activity of fleas on dogs/puppies may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs/puppies with Adams™ Plus Flea & Tick Spot On® for Dogs rapidly kills fleas and may reduce the incidence of this condition.

**STORAGE AND DISPOSAL**

**PESTICIDE STORAGE:** Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and pets.

**CONTAINER DISPOSAL:** Do not reuse empty tube. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**TREATMENT SCHEDULE:** Dosage: 1 tube every 30 days per dog/puppy

Name	1st Treatment	2nd Treatment 30 Days From 1st	3rd Treatment 30 Days From 2nd

Reminder: I purchased Adams™ Plus Flea & Tick Spot On® for Dogs from: \_\_\_\_\_

NOTES:

**WARRANTY AND CONDITIONS OF SALE:**

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability for default, breach, or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

In case of emergency or for product information, call 800-234-2269 or contact your veterinarian if your pet is experiencing an adverse event.

©2013 Central Garden & Pet Company  
Smart Shield and Infest Stop are trademarks of Farnam Companies, Inc. Spot On is a registered trademark of Wellmark International. MGK 264 and Nylar are registered trademarks of McLaughlin Gormley King Company. All other trademarks are the property of their respective owners. Applicator patent pending.



0 39079 02157 9

Comer: CENTRAL LIFE SCIENCES

: 4929

on matching sample: 10/26/12

ption: ADAMS


Caliper Thickness: 0.016

Today's Date: 10/26/12

PF

Packa

Prop



DOG THERMOFORM