STATE OF HAWAII
Department of Agriculture
ACCEPTED
LICENSE NO.

8910.7

Fläche zeigt Lackaussparung
13808483

BARRICADE™ SPOT ON® FOR DOGS

80821
schwarz
blau
rot

158

Batch No.

BARRICADE™ SPOT ON® FOR DOGS

FOR EXTRA LARGE DOGS & PUPPIES
Use only on dogs weighing
89-132 LBS
and 8 weeks or older

Three 0.136 fl. oz. pipettes

BARRICADE™ SPOT ON® FOR DOGS

by the makers of bio SPOT ACTIVE CARE

Barricade™ Spot On® for Dogs contains the active ingredient fipronil that effectively targets fleas, ticks, and chewing lice. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long-lasting activity.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Do not allow children to apply product.** To prevent injury to you and your dog, read entire label and directions on the package insert before each use. Follow all directions and Precautionary Statements carefully. This product must only be used on dogs. Do not use on rabbits or on other animals.

To kill fleas and all stages of **brown dog ticks, American dog ticks, lone star ticks,** and **deer ticks** (which may carry Lyme disease) and chewing lice, apply this product to dogs and puppies (8 weeks or older) as follows.

To remove and open pipette:
See label insert for opening instructions.

INSTRUCTIONS FOR APPLYING PRODUCT

To apply Barricade™ Spot On® for Dogs:

Place pipette tip through dog's hair to the skin level between the shoulder blades. Squeeze pipette, applying entire contents in a single spot to the dog's skin. Avoid superficial application to the dog's hair. Allow area to dry before touching treated area. Only one pipette per treatment is needed. Barricade™ Spot On® for Dogs can also be used for the treatment and control of flea, tick, and chewing lice infestations on breeding, pregnant, and lactating bitches. Barricade™ Spot On® for Dogs aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

FREQUENCY OF APPLICATION

When used monthly, Barricade™ Spot On® for Dogs completely controls flea, tick, and chewing lice infestations. Research demonstrates that Barricade™ Spot On® for Dogs kills adult fleas for up to three months. Although Barricade™ Spot On® for Dogs can control fleas for up to three months, if there is a high risk of re-infestation or if the dog has fleas which may cause flea allergy dermatitis, a once monthly application may be needed. Barricade™ Spot On® for Dogs kills ticks for at least one month. A once monthly application is recommended where tick control is needed. A once monthly application is recommended where chewing lice are present. Barricade™ Spot On® for Dogs remains effective even after bathing, water immersion, or exposure to sunlight. Do not reapply Barricade™ Spot On® for Dogs for 30 days.

DO NOT USE ON CATS
DO NOT USE ON CATS
Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

Side effects. Monitor your dog after application. Side effects may include skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call 1-800-234-2269.

Barricade and Bio Spot Active Care are trademarks of Farnam companies, Inc. Spot On is a registered trademark of Wellmark International. Frontline and Top Spot are registered trademarks of Merial Limited. ©2012 Central Garden & Pet Company

100513010
RM# 99.0001173.00
EPA Reg. No. 88052-8-89459
EPA Est. No. 74720-DEU-01

Manufactured for:
Central Garden & Pet Company
1501 E. Woodfield Rd., 200W
Schaumburg, IL 60173

0 39079 02142 5

MADE IN GERMANY

80821

BARRICADE™ SPOT ON® FOR DOGS

by the makers of bio SPOT ACTIVE CARE

FOR
EXTRA LARGE DOGS & PUPPIES
Use only on dogs weighing
89-132 LBS
and 8 weeks or older

KILLS:
- Brown Dog Ticks
- Deer Ticks
- Lone Star Ticks
- American Dog Ticks
- Fleas
- Lice
- Waterproof

LIFT HERE TO OPEN

Contains the active ingredient used in
FRONTLINE®
TOP SPOT® FOR DOGS*

ACTIVE INGREDIENT:	
Fipronil	9.7%
OTHER INGREDIENTS:	90.3%
TOTAL	100.0%

3 DOSES

* Barricade™ Spot On® for Dogs is **NOT** manufactured or distributed by Merial Limited.

NET CONTENTS: 0.408 fl. oz. total
Three 0.136 fl. oz. (4.02 mL) pipettes

DO NOT USE ON CATS

KEEP OUT OF REACH OF CHILDREN
CAUTION
See back panel and insert for additional Precautionary and First Aid Statements.

Dateiname: 10027489_000_01
ABH-Masse:147.5 x 16.5 x 111
Klocke Verpackungs-Service GmbH

Edelmann
Stanzvorlage

BARRICADE™
SPOT ON® FOR DOGS

by the makers of bio SPOT ACTIVE CARE™

BARRICADE™ SPOT ON® FOR DOGS 8 weeks or older

EPA Reg. No. 88052-8-89459
EPA Est. No. 74720-DEU-01

ACTIVE INGREDIENT:

Fipronil	9.7%
OTHER INGREDIENTS:	90.3%
TOTAL:	100.0%

Kills fleas and all stages of brown dog ticks, American dog ticks, lone star ticks, and deer ticks (which may carry Lyme disease) and chewing lice.

KEEP OUT OF REACH OF CHILDREN

CAUTION

BARRICADE™ SPOT ON® FOR DOGS contains the active ingredient, fipronil, that effectively targets fleas, ticks, and chewing lice. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long-lasting activity.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Do not allow children to apply product.** To prevent injury to you and your dog, read entire label and directions on the package insert before each use. Follow all directions and Precautionary Statements carefully. This product must only be used on dogs. Do not use on rabbits or on other animals.

Precaucion al consumidor: Si usted no puede leer inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you.)

To kill fleas and all stages of **brown dog ticks, American dog ticks, lone star ticks**, and **deer ticks** (which may carry Lyme disease) and chewing lice, apply this product to dogs and puppies (8 weeks or older) as follows. **To remove and open applicator pipette, see reverse side.**

TO APPLY BARRICADE™ SPOT ON® FOR DOGS

Place pipette tip through dog's hair to the skin level between the shoulder blades. Squeeze pipette, applying entire contents in a single spot to the dog's skin. Avoid superficial application to the dog's hair. Allow area to dry before touching treated area. Only one pipette per treatment is needed.

BARRICADE™ SPOT ON® FOR DOGS can also be used for the treatment and control of flea, tick, and chewing lice infestations on breeding, pregnant, and lactating bitches. BARRICADE™ SPOT ON® FOR DOGS aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

FREQUENCY OF APPLICATION

When used monthly, BARRICADE™ SPOT ON® FOR DOGS completely controls flea, tick, and chewing lice infestations. Research demonstrates that BARRICADE™ SPOT ON® FOR DOGS kills adult fleas for up to three months. Although BARRICADE™ SPOT ON® FOR DOGS can control fleas for up to three months, if there is a high risk of re-infestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed. BARRICADE™ SPOT ON® FOR DOGS kills ticks for at least one month. A once monthly application is recommended where tick control is needed. A once monthly application is recommended where chewing lice are present. BARRICADE™ SPOT ON® FOR DOGS remains effective even after bathing, water immersion, or exposure to sunlight. Avoid contact with treated area until dry. Do not reapply BARRICADE™ SPOT ON® FOR DOGS for 30 days.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

HOTLINE NUMBER: Have the product container or label with you when calling a poison control center, doctor or going for treatment. Call 1-800-234-2269 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Causes moderate eye irritation. Harmful if swallowed. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

HAZARDS TO DOMESTIC ANIMALS

For external use only. Do not use on puppies under 8 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. Dogs may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged dogs. Call 1-800-234-2269 for assistance.

Side effects. Monitor your dog after application. Side effects may include skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call 1-800-234-2269.

DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

QUESTIONS OR COMMENTS ABOUT THIS PRODUCT
Call 1-800-234-2269.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE. Store unused product in original container only, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled, call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL. Nonrefillable container. Do not reuse this container. If empty: Place in trash or offer for recycling if available.

HOW SUPPLIED

BARRICADE™ SPOT ON® FOR DOGS is available in convenient sizes for small dogs and puppies 8 weeks or older and up to 22 lbs., medium dogs 23-44 lbs., large dogs 45-88 lbs., and extra-large dogs 89-132 lbs.

up to 22 lbs.	Contains 3 - 0.023 fl. oz. (0.67 mL) pipettes
23-44 lbs.	Contains 3 - 0.045 fl. oz. (1.34 mL) pipettes
45-88 lbs.	Contains 3 - 0.091 fl. oz. (2.68 mL) pipettes
89-132 lbs.	Contains 3 - 0.136 fl. oz. (4.02 mL) pipettes

WARRANTY

To the extent consistent with applicable law, Central Garden & Pet Company and/or seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use resulting from the handling of this product. Seller shall return the purchase price or at the election of the seller replace the product.

Manufactured for:
Central Garden & Pet Company
1501 East Woodfield Road 200W
Schaumburg, Illinois 60173

Barricade and Bio Spot Active Care are trademarks of Farnam Companies, Inc. Spot On is a registered trademark of Wellmark International.
©2012 Central Garden & Pet Company

99.0001196.00

MADE IN GERMANY

To remove and open pipette:

80825

1 Cut along scissor cut line to separate unit



2 Turn unit over and cut corner at bulb end

3 From cut corner, peel backing completely off from bottom to top

4 Remove the applicator