

ADAMS[™]

for **CATS**
Flea & Tick Spot On[®]

For Use Only on **CATS AND KITTENS**
12 weeks of age or older and
OVER 2.5 LBS
BUT UNDER 5 LBS
3 Month Supply

ADAMS[™]

for **CATS**
Flea & Tick Spot On[®]



For Use Only on **CATS AND KITTENS**
12 weeks of age or older and
OVER 2.5 LBS
BUT UNDER 5 LBS
3 Month Supply

with
INFEST STOP[™]
*(S)-Methoprene

FREE
APPLICATOR



STATE OF HAWAII
Department of Agriculture
ACCEPTED
LICENSE NO.

8910.94

KILLS:

-  fleas
-  deer ticks
-  flea eggs
-  flea larvae
-  mosquitoes

ACTIVE INGREDIENTS:

(S)-Methoprene (CAS # 65733-16-6) 4.05%
Etofenprox (CAS # 80844-07-1) 45.00%
OTHER INGREDIENTS: 50.95%
TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION

See Back Panel for Additional Precautionary Statements

Net Contents: 0.09 fl oz total
(Three 0.030 fl oz/0.88 cc tubes)

Starts killing fleas
within 15 minutes

Kills and repels
mosquitoes

Kills Deer Ticks

For Use Only on **CATS AND KITTENS**
12 weeks of age or older and
OVER 2.5 LBS
BUT UNDER 5 LBS
3 Month Supply

ADAMS[™] for **CATS**
Flea & Tick Spot On[®]



EPA Reg. No. 89459-4
EPA Est. No. 2724-TX-1
Item: 100524926 • 15-10355 • RM: 300519719
Manufactured for:
Central Garden & Pet Company
1501 East Woodfield Road 200W, Schaumburg, Illinois 60173
www.adamsfleacontrol.com
Applicator U.S. Patent #D725,485, other patents pending.
©2012, 2015 Central Garden & Pet Company.
Central Garden & Pet and Central Garden & Pet with design are trademarks of Central Garden & Pet Company. Spot On is a registered trademark of Wellmark International. Infest Stop and Smart Shield are trademarks of Farnam Companies, Inc. All other trademarks are the property of their respective owners.

ADAMS™

for CATS Flea & Tick Spot On®

CENTRAL
Garden © 1991

READ ENTIRE LABEL BEFORE USE

USE ONLY ON CATS OR KITTENS 12 WEEKS OF AGE AND OLDER AND OVER 2.5 LBS AND UNDER 5 LBS. DO NOT APPLY TO CATS WEIGHING LESS THAN 2.5 LBS. DO NOT ALLOW CHILDREN TO APPLY PRODUCT.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read and follow all directions and precautions on this product label.

USE RESTRICTIONS: This product contains 3 monthly dosages, each 0.030 fl oz. Do not apply more than once every month. Do not use more than one tube per cat. Do not use on kittens less than 12 weeks old. Do not get this product in your cat's eyes or mouth. Do not allow your cat to ingest this product. Do not apply to cats weighing less than 2.5 lbs.

Adams™ for Cats Flea & Tick Spot On® works by application directly to the cat's/kitten's skin, not to the hair. When applying, use applicator device tip to push aside cat's/kitten's hair to allow direct application to the skin. Do not get this product in cat's/kitten's eyes or mouth.

Use only on cats and kittens 12 weeks of age and older.

To apply the treatment, use one disposable liquid tube for each application with the applicator device. Do not use more than one vial per cat.

1. OPEN Use finger scoop to lift open red door.



2. LOAD To load, place tube WHITE SIDE UP under the red tabs.



3. CLOSE Close the red door and the tube will snap open.



4. APPLY The cat/kitten should be standing for easy application. To apply, use tip to part hair and get next to cat's/kitten's skin at the base of the skull. Press square on red door and squeeze out the entire contents of the tube onto the cat's/kitten's skin.



Do not spread this product by hand over the cat/kitten. Do not bathe the cat/kitten within the first 24 hours after product has been applied. Households with more than one cat/kitten should prevent cats/kittens from grooming each other until solution has dried.

5. DISPOSE To dispose of empty tube, open red door and drop empty tube into trash or offer for recycling if available. Close applicator device door and store in original package.



6. RETREAT AFTER 30 DAYS Do not reapply product for 30 days. Do not treat more than once per month.

Note: Each package contains sufficient tubes for 3 applications.

STORAGE AND DISPOSAL: **Storage:** Store in a cool, dry (preferably locked) area away from children and animals. Do not store unused tubes separately from their packaging. **Liquid Tube Disposal:** If empty: Do not reuse empty tube. Place in trash or offer for recycling if available. If **partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS – CAUTION

HAZARDS TO HUMANS: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash your hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Repeated exposure to etofenprox can cause skin irritation.

HAZARDS TO DOMESTIC ANIMALS: For External Use on Cats Only. **Do not use on kittens weighing less than 2.5 pounds. Do not use on kittens less than 12 weeks old.** This product is veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Due to the bitter taste of the product, oral exposure could result in salivation. Be careful not to get any product in the cat's mouth during application. For multiple cat households, prevent the cats from grooming each other until the product has dried. If the salivation continues or other clinical signs are noted, please call 800-234-2269.

FIRST AID: If in eyes: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 800-234-2269, 24 hours/day, 7 days/week.

SIDE EFFECTS: Monitor your cat after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call 800-234-2269.

WARRANTY AND CONDITIONS OF SALE:

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach, or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

In case of emergency or for product information, call 800-234-2269 or contact your veterinarian if your cat/kitten is experiencing an adverse event.

The Smart Shield® Applicator is specially designed to make applying flea and tick control easier, more precise – and neater – than ever before. You simply insert the appropriate tube for your cat/kitten into the applicator, close it and squeeze to apply. The applicator's ergonomic, contoured shape makes it easy to grip and a built-in tip helps to spread the cat's/kitten's hair to allow the liquid to more readily reach the skin. The tube is sealed inside, so you can be confident that the liquid goes onto your cat/kitten – and not your hand.

Adams™ for Cats Flea & Tick Spot On® provides relief from flea infestations for up to 30 days by killing adult fleas and flea eggs on your cat or kitten.

This product is most effective when used as part of a total flea and tick management program. Use other Adams™ products registered for residential area control of these pests in conjunction with this treatment. Monthly treatments are required for optimal control and prevention of fleas.

The successive feeding activity of fleas on cats may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of cats with this product rapidly kills fleas and may reduce the incidence of this condition.

ADAMS™


for **CATS**
Flea & Tick Spot On®

For Use Only on CATS AND KITTENS
12 weeks of age or older and
OVER 2.5 LBS
BUT UNDER 5 LBS
3 Month Supply

TREATMENT SCHEDULE: Dosage: Apply 1 tube every 30 days per cat/kitten

First Treatment Date	Second Treatment Date (30 Days From 1st)	Third Treatment Date (30 Days From 2nd)
Cat/Kitten's Name	Reminder: I purchased Adams™ for Cats Flea & Tick Spot On® from:	





ADAMS™ for Cats
Flea & Tick Spot On®

(S)-Methoprene 4.05% Etofenprox 45%

KEEP OUT OF REACH OF CHILDREN - CAUTION

READ DIRECTIONS BEFORE USING

EPA Reg. No. 89459-4 Net Contents: 0.030 fl oz

For use only on Cats/Kittens
over 2.5 lbs but under 5 lbs
& 12 weeks of age or older

15-10389 • RM: 99.0002610.00

Batch/Lot No.