Fläche zeigt Lackaussparung
13308482

Vetri-Science® LABORATORIES

FLEA+TICK DEFENSE for Dogs

81061

Contains Fipronil the active ingredient used in Frontline® Top Spot for Dogs®*

For Dogs and Puppies - 89-132 lbs. and 8 weeks or older

Vetri-Science®
LABORATORIES

FLEA+TICK DEFENSE
for Dogs

Kills Fleas, Ticks & Lice

FLEA+TICK DEFENSE for Dogs contains the active ingredient fipronil that effectively targets fleas, ticks, and chewing lice. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long-lasting activity.

KILLS FLEAS, TICKS, LICE

DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

3

Contains three applicators (3 Doses)

FLEAS
- Kills adult fleas before they lay eggs
- Controls flea re-infestation for up to one month (4 weeks)
- Controls fleas which may cause flea allergy dermatitis

TICKS
- Kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, and babesiosis

LICE
- Rapidly eliminates infestations with chewing lice

MITES
- Aids in control of sarcoptic mange infestations

090050D.003

FLEA+TICK DEFENSE for Dogs

Vetri-Science® LABORATORIES

Contains Fipronil the active ingredient used in Frontline® Top Spot for Dogs®*

For Dogs and Puppies - 89-132 lbs. and 8 weeks or older

- Fast-acting, long-lasting
- Kills fleas
- Kills ticks
- Kills chewing lice
- Waterproof

ACTIVE INGREDIENT
Fipronil 9.7%
OTHER INGREDIENTS 90.3%
TOTAL 100.0%

FOR DOGS & PUPPIES – Use ONLY on dogs weighing 89 to 132 lbs. and 8 weeks or older

SEE LABEL INSERT FOR PRECAUTIONARY AND FIRST AID STATEMENTS.

KEEP OUT OF REACH OF CHILDREN

CAUTION

Contains: Three 0.136 fl. oz. Applicators
NET CONTENTS: 0.408 fl. oz.

3

Vetri-Science® LABORATORIES

FLEA+TICK DEFENSE for Dogs

81061

Contains Fipronil the active ingredient used in Frontline® Top Spot for Dogs®*

For Dogs and Puppies - 89-132 lbs. and 8 weeks or older

Vetri-Science®
LABORATORIES

FLEA+TICK DEFENSE
for Dogs

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
Do not allow children to apply product. To prevent injury to you and your dog, read entire label and directions on the package insert before each use. Follow all directions and precautionary statements carefully. This product must only be used on dogs. Do not use on rabbits or on other animals.

To remove and open applicator: See label insert for opening instructions.

To kill fleas and all stages of brown dog ticks, American dog ticks, lone star ticks, and **deer ticks** (which may carry Lyme disease) and chewing lice, apply this product to dogs and puppies (8 weeks or older) as follows.

INSTRUCTIONS FOR APPLYING PRODUCT

TO APPLY: Place applicator tip through dog's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the dog's skin. Avoid superficial application to the dog's hair. Allow area to dry before touching treated area. Only one applicator per treatment is needed.

FREQUENCY OF APPLICATION: When used monthly, **FLEA+TICK DEFENSE for Dogs** completely controls flea, tick, and chewing lice infestations. Research demonstrates that **FLEA+TICK DEFENSE for Dogs** kills adult fleas for up to 3 months. Although **FLEA+TICK DEFENSE for Dogs** can control fleas for up to three months, if there is a high risk of re-infestation or if the dog has fleas which may cause flea allergy dermatitis, a once monthly application may be needed. **FLEA+TICK DEFENSE for Dogs** kills ticks for at least one month.

A once monthly application is recommended where tick control is needed.

A once monthly application is recommended where chewing lice are present. **FLEA+TICK DEFENSE for Dogs** remains effective even after bathing, water immersion, or exposure to sunlight.

Do not reapply **FLEA+TICK DEFENSE for Dogs** for 30 days.

209

81061
schwarz
blau
rot

FLEA+TICK DEFENSE for Dogs can be used for the treatment and control of flea, tick, and chewing lice infestations on breeding, pregnant, and lactating bitches. **FLEA+TICK DEFENSE for Dogs** aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for elimination of mites.

SIDE EFFECTS.
Monitor your dog after application. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or the ASPCA Animal Poison Control Center at 1-888-426-4435 or us at 1-855-258-3582.

Questions about this product call: 1-855-258-3582

Manufactured for: Sitaon Animal Health, Inc. 16821 SE McGillivray Blvd., Suite 112, Vancouver WA 98683

Visit us online at www.VetriScience.com

STATE OF HAWAII
Department of Agriculture
ACCEPTED
LICENSE NO. 8921.4

Contains three applicators

3

EPA REG. No. 88052-8-88967
EPA EST. No. 74720-DEU-01
MADE IN GERMANY

FLEA+TICK DEFENSE for Dogs

Vetri-Science®
LABORATORIES

For Dogs and Puppies - 89-132 lbs. and 8 weeks or older

Contains three applicators

3

Lot #

0 26664 00053 8

Vetri-Science® LABORATORIES

FLEA+TICK DEFENSE for Dogs

only for Dogs & Puppies 8 weeks or older

EPA Reg. No. 88052-8-88967
EPA Est. No. 74720-DEU-01

ACTIVE INGREDIENT:
Fipronil……..9.7%
OTHER INGREDIENTS:……90.3%
TOTAL:……..100.0%

Kills fleas and all stages of brown dog ticks, American dog ticks, lone star ticks, deer ticks (which may carry Lyme disease), and chewing lice.

KEEP OUT OF REACH OF CHILDREN

CAUTION

FLEA + TICK DEFENSE for Dogs contains the active ingredient fipronil that effectively targets fleas, ticks, and chewing lice. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long-lasting activity.

DIRECTIONS FOR USE
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Do not allow children to apply product.** To prevent injury to you and your dog, read entire label and directions on the package insert before each use. Follow all directions and precautionary statements carefully. This product must only be used on dogs. Do not use on rabbits or on other animals.

Precaucion al consumidor: Si usted no puede leer inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you).

To kill fleas and all stages of **brown dog ticks, American dog ticks, lone star ticks**, **deer ticks** (which may carry Lyme disease) and chewing lice, apply this product to dogs and puppies (8 weeks or older) as follows.

To remove and open applicator see reverse side.

To apply FLEA + TICK DEFENSE for Dogs: Place applicator tip through dog's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the dog's skin. Avoid superficial application to the dog's hair. Allow area to dry before touching treated area. Only one applicator per treatment is needed.

FLEA + TICK DEFENSE for Dogs can also be used for the treatment and control of flea, tick, and chewing lice infestations on breeding, pregnant, and lactating bitches. FLEA + TICK DEFENSE for Dogs aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

FREQUENCY OF APPLICATION
When used monthly, FLEA + TICK DEFENSE for Dogs completely controls flea, tick, and chewing lice infestations. Research demonstrates that FLEA + TICKS DEFENSE for Dogs kills adult fleas for up to three months. Although FLEA + TICK DEFENSE for Dogs can control fleas for up to three months, if there is a high risk of re-infestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed. FLEA + TICK DEFENSE for Dogs kills ticks for at least one month. A once monthly application is recommended where tick control is needed. A once monthly application is recommended where chewing lice are present. FLEA + TICK DEFENSE for Dogs remains effective even after bathing, water immersion, or exposure to sunlight. Avoid contact with treated area until dry. Do not reapply FLEA + TICK DEFENSE for Dogs for 30 days.

DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

SIDE EFFECTS:
Monitor your dog after application. Side effects may include skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or us at 1-855-258-3582.

FIRST AID
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
HOTLINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact us at 1-855-258-3582 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS

CAUTION. Causes moderate eye irritation. Harmful if swallowed. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

HAZARDS TO DOMESTIC ANIMALS
For external use only. Do not use on puppies under 8 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. Dogs may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated, or aged dogs. Call 1-855-258-3582 for 24-hour assistance.
QUESTIONS OR COMMENTS ABOUT THIS PRODUCT? Call 1-855-258-3582

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.
PESTICIDE STORAGE: Store unused product in original container only, out of reach of children and animals.
PESTICIDE DISPOSAL: If partly filled, call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.
CONTAINER DISPOSAL: Non-refillable container. Do not reuse this container. If empty: Place in trash or offer for recycling if available.

HOW SUPPLIED
FLEA + TICK DEFENSE for Dogs is available in convenient sizes for small dogs and puppies, 8 weeks or older and up to 22 lbs., medium dogs 23-44 lbs., large dogs 45-88 lbs., and extra-large dogs 89-132 lbs.

up to 22 lbs.	Contains 3 - 0.023 fl. oz. (0.67 mL) applicators	**45-88 lbs.**	Contains 3 - 0.091 fl. oz. (2.68 mL) applicators
23-44 lbs.	Contains 3 - 0.045 fl. oz. (1.34 mL) applicators	**89-132 lbs.**	Contains 3 - 0.136 fl. oz. (4.02 mL) applicators

WARRANTY
To the extent consistent with applicable law, Stason Animal Health, Inc, Inc. and/or seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use resulting from the handling of this product. Seller shall return the purchase price or, at the election of the seller, replace the product.

Manufactured for:
Stason Animal Health, Inc.
16821 SE McGillivray Blvd., Suite 112
Vancouver, WA 98683

MADE IN GERMANY
FLEA + TICK DEFENSE for Dogs is a registered trademark of Stason Animal Health, Inc.

Kunde:
Klocke

Produktbezeichnung:
Ceva Sante Animale

Artikelnummer:
81064

Format offen:
154x210mm

Format gefalzt:

Druckfarben:
Schwarz

Korrekturabzug 3
erstellt von:

Freigabe erteilt

Datum Unterschrift

D.O.G. GMBH DIGITAL-OFFSET GASS
Kleyerstraße 9
64295 Darmstadt
Telefon: 06151-8757-0
Telefax: 06151-8757-55
e-Mail: info@dog-darmstadt.de

flea+tickdog_210x154v9.indd 2
12/21/12 4:15:59 PM

81064

To remove and open applicator:

1 Cut along scissor cut line to separate unit



2 Turn unit over and cut corner at bulb end

3 From cut corner, peel backing completely off from bottom to top

4 Remove the applicator




Read directions before use.
EPA REG. No. 88052-8-88967
FLEA + TICK
DEFENSE FOR DOGS
0.136 fl. oz. Fipronil 9.7%
CAUTION
Use ONLY on dogs
weighing 89-132 lbs. and
8 weeks or older
DO NOT USE ON CATS
KEEP OUT OF REACH
OF CHILDREN

FLEA + TICK DEFENSE for Dogs

KEEP OUT OF REACH OF CHILDREN

CAUTION
Read directions before use.

Use only on dogs weighing 89-132 lbs. and 8 weeks or older

DO NOT USE ON CATS
Fipronil 9.7%

EPA REG.
No. 88052-8-88967
0.136 fl. oz.

FLEA + TICK DEFENSE for Dogs

KEEP OUT OF REACH OF CHILDREN

CAUTION
Read directions before use.

Use only on dogs weighing 89-132 lbs. and 8 weeks or older

DO NOT USE ON CATS
Fipronil 9.7%

EPA REG.
No. 88052-8-88967
0.136 fl. oz.

FLEA + TICK DEFENSE for Dogs

KEEP OUT OF REACH OF CHILDREN

CAUTION
Read directions before use.

Use only on dogs weighing 89-132 lbs. and 8 weeks or older

DO NOT USE ON CATS
Fipronil 9.7%

EPA REG.
No. 88052-8-88967
0.136 fl. oz.