

Fläche zeigt Lackausparnung
13808482

STATE OF HAWAII
Department of Agriculture



ACCEPTED
LICENSE NO. **8921.5**

Use only on cats
and kittens
8 weeks or older



Contains
three
applicators

Lot #

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. To prevent injury to you and your pet, read entire label and directions on the package insert before each use. Follow all directions and precautionary statements carefully. This product must only be used on cats. Do not use on rabbits or on other animals.

To remove and open applicator: See label insert for opening instructions.

To kill fleas and all stages of brown dog ticks, American dog ticks, lone star ticks, and deer ticks (which may carry Lyme disease) and chewing lice, apply this product to cats and kittens (8 weeks or older) as follows.

INSTRUCTIONS FOR APPLYING PRODUCT

TO APPLY: Place applicator tip through animal's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the animal's skin. Avoid superficial application to the animal's hair. Allow area to dry before touching treated area. Only one applicator per treatment is needed.


FREQUENCY OF APPLICATION: When used monthly, FLEA+TICK DEFENSE for Cats completely controls flea, tick, and chewing lice infestations. Research demonstrates that FLEA+TICK DEFENSE for Cats kills adult fleas for up to 6 weeks. Although FLEA+TICK DEFENSE for Cats can control fleas for up to six weeks, if there is a high risk of re-infestation or if the cat has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FLEA+TICK DEFENSE for Cats kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FLEA+TICK DEFENSE for Cats remains effective even after bathing, water immersion, or exposure to sunlight. Avoid contact with treated area until dry. Do not reapply FLEA+TICK DEFENSE for Cats for 30 days.

SIDE EFFECTS.

Monitor your cat after application. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported as a result of grooming after treatment. If these or other side effects occur, consult your veterinarian or the ASPCA Animal Poison Control Center at 1-888-426-4435 or us at 1-855-258-3582.

FLEA+TICK DEFENSE for Cats can also be used for the treatment and control of flea, tick, and chewing lice infestations on breeding, pregnant, and lactating queens.



EPA REG. No. 88052-9-88967
EPA EST. No. 74770-DEU-01
MADE IN GERMANY



Contains
three
applicators

Questions about this product call: 1-855-258-3582

Manufactured for: Stason Animal Health, Inc. 16821 SE McGillivray Blvd., Suite 112, Vancouver WA 98683

Visit us online at www.VetriScience.com

090100.003

Contains three applicators
(3 Doses)



KILLS FLEAS, TICKS, LICE

FLEA+TICK DEFENSE for Cats contains the active ingredient fipronil that effectively targets fleas, ticks, and chewing lice. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long-lasting activity.

Kills Fleas, Ticks & Lice

- FLEAS**
- Kills adult fleas before they lay eggs
 - Controls and prevents re-infestation
 - Kills fleas that may cause anemia
 - Protects for one month
 - Controls fleas which may cause flea allergy dermatitis
- TICKS**
- Kills ticks that may transmit Lyme disease, ehrlichiosis, and babesiosis
- LICE**
- Rapidly eliminates infestations with chewing lice

FLEA+TICK DEFENSE
for Cats



81057

Vetri-Science® LABORATORIES **FLEA+TICK DEFENSE**
for Cats

Use only on cats
and kittens
8 weeks or older

Contains Fipronil the active ingredient used in Frontline® Top Spot for Cats®*



FLEA+TICK DEFENSE
for Cats



- Fast-acting, long-lasting
- Kills fleas
- Kills ticks
- Kills chewing lice
- Waterproof

Use
ONLY on Cats
and Kittens
8 weeks
or older

ACTIVE INGREDIENT	
Fipronil.....	9.7%
OTHER INGREDIENTS.....	90.3%
TOTAL.....	100.0%

SEE LABEL INSERT FOR
PRECAUTIONARY AND
FIRST AID STATEMENTS.

Contains: Three 0.017 fl. oz. Applicators
NET CONTENTS: 0.051 fl. oz.

KEEP OUT OF REACH OF CHILDREN
CAUTION

* FLEA+TICK DEFENSE for Cats is not manufactured by or distributed by Merial. Frontline and Frontline Top Spot for Cats are registered trademarks of Merial.

AZ 27359/1

ABH-Masse: 147.5 x 16.5 x 111

Klocke Verpackungs-Service GmbH

Edelmann

Stanzvorlage

 **Vetri-Science**[®] **FLEA+TICK DEFENSE**
LABORATORIES

for Cats
only for Cats & Kittens 8 weeks or older

EPA Reg. No. 88052-9-88967
EPA Est. No. 74720-DEU-01

ACTIVE INGREDIENT:

Fipronil.....9.7%
OTHER INGREDIENTS:.....90.3%
TOTAL:.....100.0%

Kills fleas and all stages of brown dog ticks, American dog ticks, lone star ticks, and deer ticks (which may carry Lyme disease) and chewing lice.

KEEP OUT OF REACH OF CHILDREN CAUTION

FLEA + TICK DEFENSE for Cats contains the active ingredient fipronil that effectively targets fleas, ticks, and chewing lice. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long-lasting activity.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Do not allow children to apply product.** To prevent injury to you and your cat, read entire label and directions on the package insert before each use. Follow all directions and precautionary statements carefully. This product must only be used on cats. Do not use on rabbits or on other animals.

Precaucion al consumidor: Si usted no puede leer inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you.)

To kill fleas and all stages of **brown dog ticks, American dog ticks, lone star ticks, and deer ticks** (which may carry Lyme disease) and chewing lice, apply this product to cats and kittens (8 weeks or older) as follows.

To remove and open applicator see reverse side.

To apply FLEA + TICK DEFENSE for Cats: Place applicator tip through cat's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the cat's skin. Avoid superficial application to the cat's hair. Allow area to dry before touching treated area. Only one applicator per treatment is needed.

FLEA + TICK DEFENSE FOR CATS can also be used for the treatment and control of flea, tick, and chewing lice infestations on breeding, pregnant, and lactating queens.

FREQUENCY OF APPLICATION

When used monthly, FLEA + TICK DEFENSE for Cats completely controls flea, tick and chewing lice infestations. Research demonstrates that FLEA + TICK DEFENSE for Cats kills adult fleas for up to six weeks. Although FLEA + TICK DEFENSE for Cats can control fleas for up to six weeks, if there is a high risk of re-infestation or if the cat has fleas which may cause flea allergy dermatitis, a once monthly application may be needed. FLEA + TICK DEFENSE for Cats kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FLEA + TICK DEFENSE for Cats remains effective even after bathing, water immersion, or exposure to sunlight. Avoid contact with treated area until dry. Do not reapply FLEA + TICK DEFENSE for Cats for 30 days.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

HOTLINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact us at 1-855-258-3582 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION. Causes moderate eye irritation. Harmful if swallowed. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

HAZARDS TO DOMESTIC ANIMALS

For external use only. Do not use on kittens under 8 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. Pets may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. If your pet has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-855-258-3582 for 24-hour assistance.

Side Effects. Monitor your cat after application. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported as a result of grooming after treatment. If these or other side effects occur, consult your veterinarian or us at 1-855-258-3582.

QUESTIONS OR COMMENTS ABOUT THIS PRODUCT? Call 1-855-258-3582

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store unused product in original container only, out of reach of children and animals.

PESTICIDE DISPOSAL: If partly filled, call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse this container. If empty: Place in trash or offer for recycling if available.

HOW SUPPLIED

For easy and convenient treatment, FLEA + TICK DEFENSE for Cats is available in one convenient size.

Contains 3 - 0.017 fl. oz. (0.50 ml) applicators

WARRANTY

To the extent consistent with applicable law, Stason Animal Health, Inc, Inc. and/or seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use resulting from the handling of this product. Seller shall return the purchase price or, at the election of the seller, replace the product.

Manufactured for:
Stason Animal Health, Inc.
16821 SE McGillivray Blvd., Suite 112
Vancouver, WA 98683

MADE IN GERMANY
FLEA + TICK DEFENSE for Cats is a registered trademark of Stason Animal Health, Inc.

Kunde:
Klocke

Produktbezeichnung:
Ceva Sante Animale

Artikelnummer:
81062

Format offen:
1.54x210mm

Format gefalzt:

Druckfarben:
Schwarz

Korrekturabzug 3
erstellt von:

Freigabe erteilt

Datum Unterschrift



D.O.G. GMBH DIGITAL-OFFSET GASS
Kleyerstraße 9
64295 Darmstadt
Telefon: 061 51-87 57-0
Telefax: 061 51-87 57-55
e-Mail: info@dog-darmstadt.de




To remove and open applicator:

1 Cut along scissor cut line to separate unit




2 Turn unit over and cut corner at bulb end



3 From cut corner, peel backing completely off from bottom to top



4 Remove the applicator



Read directions before use.
EPA REG. No. 88052-9-88967

**FLEA + TICK
DEFENSE FOR CATS**

0.017 fl. oz. Fipronil 9.7%

CAUTION

ONLY for cats and kittens
8 weeks or older

KEEP OUT OF REACH
OF CHILDREN

**FLEA + TICK DEFENSE
for Cats**

KEEP OUT OF REACH
OF CHILDREN

CAUTION

Read directions before use

Only for Cats & Kittens
8 weeks or older

Fipronil 9.7%

EPA REG.
No. 88052-9-88967

0.017 fl. oz.



**FLEA + TICK DEFENSE
for Cats**

KEEP OUT OF REACH
OF CHILDREN

CAUTION

Read directions before use

Only for Cats & Kittens
8 weeks or older

Fipronil 9.7%

EPA REG.
No. 88052-9-88967

0.017 fl. oz.



**FLEA + TICK DEFENSE
for Cats**

KEEP OUT OF REACH
OF CHILDREN

CAUTION

Read directions before use

Only for Cats & Kittens
8 weeks or older

Fipronil 9.7%

EPA REG.
No. 88052-9-88967

0.017 fl. oz.

