



STATE OF HAWAII
Department of Agriculture

ACCEPTED

LICENSE NO.

8939.1

PEEL BACK

Keep Out of Reach of Children

CAUTION

See Inside Panel for Additional
Precautionary Statements

ACTIVE INGREDIENT:

Indole-3-Butyric Acid... 0.31%

OTHER INGREDIENTS:..... 99.69%

TOTAL..... 100.00%

EPA Reg. No. 79664-1

EPA Est. No. 79463-MI-001

Manufactured for:

Growth Technology Ltd., Great
Western Way, Taunton TA2 6BX, UK



www.growthtechnology.com

CLONEX[®]

Rooting Gel



Net Contents: 3.4 fl. oz. (100 ml)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. CLONEX Rooting Gel is used to ensure root production on cuttings of plants by supplying essential hormones needed for accelerated root development. CLONEX Rooting Gel may be used on all types of cuttings, including woody, herbaceous, and flowering ornamental species, vegetables, fruit trees and small fruits.

Dip cutting in Clonex Rooting Gel to desired depth. Insert cutting into rooting medium. Mist cuttings and place in propagator or a warm, clean, moist and humid environment. Look for root development in 1 to 2 weeks.



STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool dry place. Keep in original container.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. If empty: Offer for recycling if available or put in trash or in a sanitary landfill. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION: Harmful if swallowed or absorbed through the skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or rinsate.

FIRST AID

If on skin or clothing	<ul style="list-style-type: none">• Take off contaminated clothing• Rinse skin immediately with plenty of water for 15–20 minutes• Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15–20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none">• Call poison control center or doctor immediately for treatment advice• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency medical assistance, call 1-800-222-1222.	