

STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **8949.1**

**Disc.**

**CVS**  
pharmacy™

# DISINFECTANT WIPES

## LEMON SCENTED

### ANTIBACTERIAL FORMULA

- *Use on washable hard, nonporous surfaces of glass; other hard nonporous surfaces made of metal and plastic; non-critical medical device surfaces: bed rails, walkers and wheelchairs*
- *Eliminates dirt and neutralizes odor*
- *Leaves a clean, fresh scent*

### NET CONTENTS:

**1 lb 5.5 oz (609.5 g)**

**75 PRE-MOISTENED WIPES**  
**7 IN x 8 IN (17.8 cm x 20.3 cm)**



Kills Flu Virus\*\* • \*Kills HIV-1

Eliminates CA-MRSA, MRSA, and VRE in 4 minutes

Kills Staphylococcus aureus-Vancomycin Intermediate Resistant-VISA

Kills 99.9% of bacteria in 15 seconds

Kills Pandemic 2009 H1N1 Influenza A virus

Eliminates bacteria in just 4 minutes

\*\*On hard non-porous surfaces

#### ACTIVE INGREDIENTS:

Octyl decyl dimethyl ammonium chloride..... 0.0909%

Dioctyl dimethyl ammonium chloride..... 0.0364%

Didecyl dimethyl ammonium chloride..... 0.0545%

Alkyl (C<sub>12</sub>, 50%; C<sub>12</sub>, 40%; C<sub>12</sub>, 10%)

dimethyl benzyl ammonium chloride ..... 0.1212%

**OTHER INGREDIENTS:**..... 99.6970%

Total..... 100.0000%<sup>1</sup>

<sup>1</sup> Includes weight of absorbent wipe

EPA REG. NO. 6836-336-22946 EPA EST. NO. 8251-WI-002, 003, 005

Refer to the lot code for the actual Est. No.

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

SEE BACK PANEL FOR PRECAUTIONARY STATEMENTS AND FIRST AID

**Use this product in: hospitals, medical offices, schools, nursing homes, transportation terminals, health clubs, athletic facilities, airports, nurseries and daycare centers.**  
**Non Food Contact Sanitizing Use Areas: grocery stores.**

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use as a diaper wipe or for personal cleansing.  
This is not a baby wipe!  
Do not flush in toilet.

For plastic and painted surfaces, spot test on an inconspicuous area before use. This product will not harm most surfaces: including acrylic, sealed fiberglass and vinyl. Do not use on unpainted wood.  
(Note: Not recommended for unpainted wood, natural marble or brass.)

**TO CLEAN AND DEODORIZE:**

Wipe surface with wipe. Let air dry. Discard used wipe in trash. Do not flush in toilet.

**TO CLEAN AND DISINFECT / VIRUCIDAL\* / MOLD AND MILDEW CONTROL DIRECTIONS:**

Wipe hard, nonporous surface with wipe until surface is visibly wet. Use enough wipes to thoroughly wet surfaces. Keep surfaces visibly wet for 4 minutes. If surfaces are extremely dirty, clean first with another wipe before disinfecting. Discard used wipe in trash. Do not flush in toilet.

Rinse food contact surfaces with clean, potable water after disinfecting. Do not use to disinfect dishes, glassware or utensils.

**For mold and mildew, this product** will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Repeat treatment every seven days, or more often if new growth appears.

**\*KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS in health care settings or other settings in which** there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) associated with AIDS.  
**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS.**

**Personal protection:** Clean-up must always be done wearing protective gloves, gowns, masks and eye protection.

**Cleaning procedure:** Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of **this product**. **This product** can be used for this purpose.

**Contact time:** Leave surface wet for 1 minute (60 seconds) for HIV-1. Use a 4-minute contact time for disinfection against all other viruses and bacteria claimed.

**Disposal of infectious material:** Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

**SANITIZING / DEODORIZING:**

To sanitize/deodorize hard, non-porous, non-food contact surfaces: wipe surface, using enough wipes to allow treated surface to remain wet for 15 seconds for *Staphylococcus aureus* (Staph) (ATCC 6538), *Klebsiella pneumoniae* (ATCC 4352), and *Campylobacter jejuni* (ATCC 29428). Let surface dry. For highly soiled surfaces, clean excess dirt first.

**To Open Package:** Flip open the lid. Thread the first wipe through the dispensing lid and pull up to remove wipe from package. The next wipe pops up automatically. Close lid securely between uses to retain moisture.

**This product is effective against:** *Bacteria:* *Staphylococcus aureus* (Staph), *Salmonella enterica* (Salmonella), *Enterococcus faecalis*-Vancomycin Resistant (VRE), *Escherichia coli* (E. coli), *Escherichia coli* 0157:H7, *Klebsiella pneumoniae* (Klebsiella), *Listeria monocytogenes*, *Staphylococcus aureus* - Methicillin Resistant (MRSA), *Staphylococcus aureus* - Multi-Drug Resistant (resistant to tetracycline (Tc), penicillin (Pc), streptomycin (Sm) and erythromycin (Em) and susceptible to chloramphenicol (Cm) *in vitro*), *Staphylococcus aureus*-Vancomycin Intermediate Resistant (VISA), *Streptococcus pyogenes* (Strep)

*Viruses:* \*Herpes Simplex Virus Type 1, \*Herpes Simplex Virus Type 2, \*HIV-1 (AIDS Virus), \*Influenza Type A Virus / Brazil Flu Virus, \*Influenza A Virus H1N1

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**Caution.** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**FIRST AID**

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor or going for treatment.

**STORAGE AND DISPOSAL**

Store in original container in areas inaccessible to children. Keep securely closed. Nonrefillable container. Do not reuse or refill this container. Discard empty container in trash or recycle.

**Distributed by: CVS Pharmacy, Inc.**

One CVS Drive, Woonsocket, RI 02899

© 2013 CVS/pharmacy

www.cvs.com

1-800-shop-CVS

Made in the U.S.A.

V-30908



#937137





# DISINFECTANT WIPES

## LEMON SCENTED

### ANTIBACTERIAL FORMULA

- Use CVS/pharmacy™ Disinfectant Wipes on washable hard, nonporous surfaces of: glass, other hard nonporous surfaces made of: metal and plastic. Non-critical medical device surfaces: bed rails, walkers and wheelchairs.

- Eliminates dirt and neutralize odor

- Leaves a clean, fresh scent

**NET CONTENTS:**  
**1 lb 5.5 oz (609.5 g)**  
**75 PRE-MOISTENED WIPES**  
**7 IN x 8 IN (17.8 cm x 20.3 cm)**



Kills Flu Virus\*\* • \*Kills HIV-1  
 Eliminates CA-MRSA, MRSA, and VRE in 4 minutes  
 Kills Streptococcus aureus-Vancomycin Intermediate Resistant-VISA  
 Kills 99.9% of bacteria in 15 seconds  
 Kills Pandemic 2009 H1N1 Influenza A virus  
 Eliminates bacteria in just 4 minutes  
 \*\*On hard non-porous surfaces

**ACTIVE INGREDIENTS:**

Octyl decyl dimethyl ammonium chloride.....	0.0909%
Dioctyl dimethyl ammonium chloride.....	0.0364%
Didecyl dimethyl ammonium chloride.....	0.0545%
Alkyl (C <sub>12</sub> , 50%; C <sub>14</sub> , 40%; C <sub>16</sub> , 10%) dimethyl benzyl ammonium chloride .....	0.1212%
<b>OTHER INGREDIENTS:</b> .....	99.6970%
Total.....	100.0000% <sup>1</sup>

<sup>1</sup> Includes weight of absorbent wipe  
 EPA REG. NO. 6836-336-22946 EPA EST. NO. 8251-WI-002, 003, 005  
 Refer to the lot code for the actual Est. No.

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**  
 SEE BACK PANEL FOR PRECAUTIONARY STATEMENTS AND FIRST AID

**Use CVS/pharmacy™ Disinfectant Wipes in: hospitals, medical offices, schools, nursing homes, transportation terminals, health clubs, athletic facilities, airports, nurseries and daycare centers. Non Food Contact Sanitizing Use Areas: grocery stores.**

**DIRECTIONS FOR USE:**  
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use as a diaper wipe or for personal cleansing.  
 This is not a baby wipe!  
 Do not flush in toilet.

For plastic and painted surfaces, spot test on an inconspicuous area before use. This product will not harm most surfaces: including acrylic, sealed fiberglass and vinyl. Do not use on unpainted wood.  
 (Note: Not recommended for unpainted wood, natural marble or brass.)

**TO CLEAN AND DEODORIZE:**  
 Wipe surface with wipe. Let air dry. Discard used wipe in trash. Do not flush in toilet.

**TO CLEAN AND DISINFECT / VIRUCIDAL\* / MOLD AND MILDEW CONTROL DIRECTIONS:**  
 Wipe hard, nonporous surface with wipe until surface is visibly wet. Use enough wipes to thoroughly wet surfaces. Keep surfaces visibly wet for 4 minutes. If surfaces are extremely dirty, clean first with another wipe before disinfecting. Discard used wipe in trash. Do not flush in toilet.

Rinse food contact surfaces with clean, potable water after disinfecting. Do not use to disinfect dishes, glassware or utensils.

**For mold and mildew, CVS/pharmacy™ Disinfectant Wipes** will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Repeat treatment every seven days, or more often if new growth appears.

**\*KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) associated with AIDS.**

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS.**

**Personal protection:** Clean-up must always be done wearing protective gloves, gowns, masks and eye protection.

**Cleaning procedure:** Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of CVS/pharmacy™ Disinfectant Wipes. CVS/pharmacy™ Disinfectant Wipes can be used for this purpose.

**Contact time:** Leave surface wet for 1 minute (60 seconds) for HIV-1. Use a 4-minute contact time for disinfection against all other viruses and bacteria claimed.

**Disposal of infectious material:** Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

**SANITIZING/DEODORIZING:**  
 To sanitize/deodorize hard, non-porous, non-food contact surfaces: wipe surface, using enough wipes to allow treated surface to remain wet for 15 seconds for Staphylococcus aureus (Staph) (ATCC 6538), Klebsiella pneumoniae (ATCC 4352), and Campylobacter jejuni (ATCC 29428). Let surface dry. For highly soiled surfaces, clean excess dirt first.

**To Open Package:** Flip open the lid. Thread the first wipe through the dispensing lid and pull up to remove wipe from package. The next wipe pops up automatically. Close lid securely between uses to retain moisture.

**CVS/pharmacy™ Disinfectant Wipes are effective against:**  
**Bacteria:** Staphylococcus aureus (Staph), Salmonella enterica (Salmonella), Enterococcus faecalis - Vancomycin Resistant (VRE), Escherichia coli (E. coli), Escherichia coli O157:H7, Klebsiella pneumoniae (Klebsiella), Listeria monocytogenes, Staphylococcus aureus - Methicillin Resistant (MRSA), Staphylococcus aureus - Multi-Drug Resistant (resistant to tetracycline (Tc), penicillin (Pc), streptomycin (Sm) and erythromycin (Em) and susceptible to chloramphenicol (Cm) *in vitro*), Staphylococcus aureus-Vancomycin Intermediate Resistant (VISA), Streptococcus pyogenes (Strep)  
**Viruses:** \*Herpes Simplex Virus Type 1, \*Herpes Simplex Virus Type 2, \*HIV-1 (AIDS Virus), \*Influenza Type A Virus / Brazil Flu Virus, \*Influenza A Virus H1N1

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**Caution.** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**FIRST AID**  
**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor or going for treatment.

## STORAGE AND DISPOSAL




Store in original container in areas inaccessible to children. Keep securely closed. Nonrefillable container. Do not reuse or refill this container. Discard empty container in trash or recycle.

**Distributed by: CVS Pharmacy, Inc.**  
 One CVS Drive, Woonsocket, RI 02895  
 © 2013 CVS/pharmacy  
 www.cvs.com  
 1-800-shop-CVS  
 Made in the U.S.A.  
 V-30908



13" x 5.75" Dieline Template .125" RCR Bleed Area .125" Print-to-Die Tolerance .125"

### WHITE SUBSTRATE PROCESS PLUS SPOT-COLOR FLEXOGRAPHIC PRINTING

<p><b>CVS/pharmacy</b>        Store Brands Packaging Group        1026 Park East Drive,        Woonsocket, RI 02895</p> <p>Please direct questions &amp; proofs to:        Lise Walsh        Lise.Walsh@CVSCaremark.com        Phone: 401.770.5934</p> <p>FILE RELEASE DATE: 6/25/2013        VENDOR: CUSTOM MANUFACTURED PRODUCTS        BRAND: CVS HEALTHCARE HOME DIAGNOSTICS        FILE NAME: 13_HCB_937137_DISINFECTINGWIPES_75CT        ITEM NUMBER: 937137        VERSION: 1ST PRINTING        RELEASED BY: KRIS BARTLEY</p>	<p><b>VENDOR PRE-PRESS RESPONSIBILITIES</b></p> <ul style="list-style-type: none"> <li>• CONFIRMATION OF COLORS AS NEEDED FOR PROPER SEPARATIONS.</li> <li>• STOCHASTIC SCREENING FOR PREMIUM QUALITY TRANSITIONS TO MINIMUM (ZERO) DOT &amp; SMOOTH TRANSPARENCY AND GRADIENT TRANSITIONS.</li> <li>• TRAPPING ADJUSTMENTS TO TARGET PRESS REQUIREMENTS.</li> </ul> <p><b>LINKED IMAGE ASSETS</b></p> <p>LEMON CVS.PSD</p>	<p><b>PRODUCTION SPECIFICATIONS</b></p> <p>PRINT PROCESS: PROCESS PLUS SPOT COLOR FLEXO 5/0 FLEXOGRAPHIC PRINTING</p> <p><b>COLORS</b></p>  <p><b>TRIM</b></p>  <p><b>SUBSTRATE</b></p> 	<p><b>NOTES AND AREAS OF FOCUS</b></p> <p>DESIGN HAS CRITICAL AREAS OF FOCUS FOR FLEXOGRAPHIC PREPRESS. PLEASE ADDRESS ANY MINIMUM DOT AREAS IN PHOTOGRAPHY THAT MAY CREATE QUALITY LOSS IN FINAL PRINTING.</p> <p><b>Formula for CVS PANTONE RED on Coated:</b>        PANTONE Yellow 012 31.50        PANTONE Rubine 68.00        PANTONE Black .50</p> <p><b>VENDOR PROOFING REQUIREMENTS</b></p> <p>PDF CONTENT PROOF AND SUBSEQUENT CONTRACT PROOF PER PROJECT SCHEDULE.</p>
--	---	---	---

DIELINES, DECORATION AREA INDICATIONS AND STRUCTURE RENDERINGS NEVER PRINT BUT MUST BE SHOWN ON PROOFS