

LICENSED

PERIOD 2014-2016 LIC. NO.

8971.2

This product is a non-acid bathroom cleaner, which cleans, disinfects and deodorizes in one easy step. It cleans, disinfects and deodorizes surfaces by killing many odor-causing microorganisms and mold and mildew. It's non-abrasive formula is designed for use on: glazed ceramic tile, glazed porcelain, chrome, stainless steel and plastic surfaces associated with floors, walls, fixtures, toilets, urinals, sinks, shower rooms and locker rooms. This product meets AOAC Use-Dilution Test Standards for hospital disinfectants.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
Disinfection/Fungicidal/Virucidal* Directions: Apply this product to hard, inanimate, non-porous surfaces with a cloth, mop or mechanical spray device. For heavily soiled areas, a preliminary cleaning is required. When applied with a mechanical spray device, surfaces must be sprayed until thoroughly wetted. For sprayer applications, use a coarse pump or trigger sprayer. Spray 6-8 inches from surface and rub with brush, sponge or cloth. Do not breathe spray. Treated surfaces must remain wet for 10 minutes. **NOTE:** With spray applications cover or remove all food products. ***For Disinfecting Hard, Non-Porous Surfaces Against Avian Influenza A Virus:** For use in homes, hospitals, hotels, motels and schools, follow the disinfection directions. **Disinfection in Institutions and Non-Medical Facilities:** This product is bactericidal according to AOAC Use Dilution Test method on hard inanimate surfaces modified in the presence of 5% organic serum and a 10-minute contact time against the following organisms: Salmonella enterica, Pseudomonas aeruginosa, Staphylococcus aureus, Staphylococcus aureus Methicillin resistant, Escherichia coli. **Fungicidal Performance:** This product is effective on hard, non-porous surfaces with a 10-minute contact time against the following organisms: Candida albicans, Trichophyton mentagrophytes. **Mold and Mildew Control Directions:** This product will effectively inhibit the growth of mold and mildew, Aspergillus niger and their odors on hard, non-porous surfaces. To control the growth of mold and mildew and their odors on hard, non-porous surfaces, apply this product undiluted. Thoroughly wet all treated surfaces completely. Allow surface to remain wet for 10 minutes. Let surface air dry. Repeat application weekly or when growth or odor reappears. **General Deodorization:** To deodorize, apply this product undiluted. Excess material must be wiped up or allowed to air dry. **Non-Acid Toilet Bowl and Urinal Disinfection/Cleaner Directions:** Remove gross filth prior to disinfection. Remove water from the toilet bowl. Apply 1-2 ounces of undiluted solution to the toilet bowl. Brush thoroughly over exposed surfaces and under the rim with a brush, cloth, mop, or sponge or mechanical spray device. For sprayer application, use coarse pump or trigger spray device. Brush or swab thoroughly. Repeat and allow solution to stand for 10 minutes and flush. Refill toilet bowl or urinal with water. **Deep Cleaning/Disinfecting Waterless Urinals:** Preliminary cleaning is required for heavily soiled surfaces. Remove and properly dispose of cartridge according to manufacturer's directions. Deep clean or disinfect the entire urinal by applying 1-2 ounces of the undiluted solution directly onto the surface. Brush surfaces and let solution stand for 10 minutes. Dry surface with a soft cloth. Do not pour excess or soiled water down waterless urinal trap.

This product is not for use on Medical device surfaces.
***KILLS HIV, HCV AND HBV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can

NCL[®] World Class Cleaning Solutions[®]

BATHROOM PLUS™

NON-ACID DISINFECTANT BATHROOM CLEANER

Disinfectant - Virucide* - Mildewstat - Fungicide For Hospitals, Nursing Homes, Homes, Institutional and Industrial Use

ACTIVE INGREDIENTS:

Octyl Decyl Dimethyl Ammonium Chloride.....	0.026%
Didecyl dimethyl ammonium chloride.....	0.013%
Dioctyl dimethyl ammonium chloride.....	0.013%
Alkyl (C14, 50%; C12, 40%; C16, 10%) dimethyl benzyl ammonium chloride.....	0.034%
INERT INGREDIENTS.....	99.914%
TOTAL.....	100.000%

First Aid

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.



EPA Reg. No. 10324-85-2296
EPA Est. No. 2296-PA-1

**KEEP OUT OF REACH
OF CHILDREN
CAUTION**

See Side Panel For Additional
Precautionary Statements
NET CONTENTS: 1 QT / .946 L

National Chemical Laboratories, Inc.

401 N. 10th Street • Philadelphia, PA 19123 • (800) 628-2436

be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1), Hepatitis B virus (HBV) and Hepatitis C virus (HCV).

"SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HCV AND HBV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS." Personal Protection: Clean up must always be done wearing protective latex gloves, gowns, masks and eye protection. **Cleaning Procedure:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product. **Disposal of Infectious Materials:** Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. **Contact time:** Leave surface wet for 2 minutes with undiluted solution. This contact time will not control other common types of viruses and bacteria. To be effective against Hepatitis B and Hepatitis C virus a 10 minute contact time is required.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, using tobacco or using the toilet.

PHYSICAL OR CHEMICAL HAZARDS

Do not store near heat or open flame.
Do not mix with oxidizers, anionic soaps and detergents.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.
Pesticide Storage: Open dumping is prohibited. Store only in original container. Do not reuse empty container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. **Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. **Container Handling Disposal:** Non-refillable container. Do not reuse this container to hold materials other than pesticides or diluted pesticides. Triple rinse. After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Offer for recycling if available or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities. If rinsate cannot be used, follow pesticide disposal instructions. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state and federal regulations. **Residue Removal Instructions:** Triple rinse container promptly after emptying. Triple rinse as follows: Fill the container 1/4 full with water and recap. Shake for 10 seconds. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

1720-45-0212