

Distributed by: Truax, LLC
 500 E Shore Drive, Eagle, ID 83616
 EPA Reg. No. 88052-14-89609
 EPA Est. No. 009609-FL-001
 This EPA Est. No. supersedes any other EPA Est. No. on this package



LICENSED

PERIOD 2015-2017 LIC. NO.

8978.12

PetLock™ Plus FOR CATS

FOR USE ONLY ON CATS WEIGHING OVER 1.5 lbs & 8 WEEKS OR OLDER

3 doses

FOR USE ONLY ON CATS WEIGHING OVER 1.5 lbs & 8 WEEKS OR OLDER

3 doses

PetLock™ Plus FOR CATS

EPA Reg. No. 88052-14-89609 - EPA Est. No. 74720-DEU-01

Plus

CONTAINS THE SAME ACTIVE INGREDIENTS • FIPRONIL AND • (S)-(S)-METHOPRENE FOUND IN FRONTLINE® PLUS

Frontline® Plus is a registered trademark of Merial Limited. PetLock™ Plus FOR CATS is not manufactured by or distributed by Merial Limited

KILLS FLEAS, FLEA EGGS & LARVAE and CHEWING LICE

Kills all stages of ticks including those that may transmit Lyme disease

- FAST ACTING
- LONG-LASTING
- WATERPROOF

Net Contents: 0.051 fl. oz. (3 applicators each containing 0.017 fl. oz.); 3 Doses

ACTIVE INGREDIENTS:

Fipronil	9.8%
(S)-methoprene	11.8%
OTHER INGREDIENTS	78.4%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

DO NOT USE ON DOGS
 SEE LABEL INSERT FOR FIRST AID & PRECAUTIONARY STATEMENTS



PetLock™ Plus FOR CATS
 FOR USE ONLY ON CATS WEIGHING OVER 1.5 lbs & 8 WEEKS OR OLDER
 3 doses

PetLock™ Plus FOR CATS

FOR USE ONLY ON CATS WEIGHING OVER 1.5 lbs OR OLDER

3 doses

FOR USE ONLY ON CATS WEIGHING OVER 1.5 lbs OR OLDER

3 doses

PetLock™ Plus FOR CATS

Plus

CONTAINS THE SAME ACTIVE INGREDIENTS • FIPRONIL AND • (S)-(S)-METHOPRENE FOUND IN FRONTLINE® PLUS

Frontline® Plus is a registered trademark of Merial Limited. PetLock™ Plus FOR CATS is not manufactured by or distributed by Merial Limited

KILLS FLEAS, FLEA EGGS & LARVAE and CHEWING LICE

Kills all stages of ticks including those that may transmit Lyme disease

- FAST ACTING
- LONG-LASTING
- WATERPROOF

Net Contents: 0.051 fl. oz. (3 applicators each containing 0.017 fl. oz.); 3 Doses

ACTIVE INGREDIENTS:

Fipronil	9.8%
(S)-methoprene	11.8%
OTHER INGREDIENTS	78.4%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

DO NOT USE ON DOGS
 SEE LABEL INSERT FOR FIRST AID & PRECAUTIONARY STATEMENTS

HOW TO APPLY

To kill fleas, flea eggs, and all stages of Brown dog ticks, American dog ticks, Lone Star ticks and bear ticks, and chewing lice apply this product **ONLY** to cats and kittens weighing over 1.5 lbs. and 8 weeks or older as follows:

To remove and open applicator: See label insert for opening instructions.

through cat's hair to the skin level between the shoulder blades.

TO APPLY PETLOCK™ PLUS FOR CATS: Place applicator tip on cat's skin. Avoid superficial application to the cat's hair.

Squeeze applicator, applying entire contents in a single spot on the cat's skin. Allow several minutes for treatment to be needed.

Allow area to dry before touching treated area.

Only one applicator per treatment is needed.

HOW TO APPLY

To kill fleas, flea eggs, and all stages of Brown dog ticks, American dog ticks, Lone Star ticks and bear ticks, and chewing lice apply this product **ONLY** to cats and kittens weighing over 1.5 lbs. and 8 weeks or older as follows:

To remove and open applicator: See label insert for opening instructions.

through cat's hair to the skin level between the shoulder blades.

TO APPLY PETLOCK™ PLUS FOR CATS: Place applicator tip on cat's skin. Avoid superficial application to the cat's hair.

Squeeze applicator, applying entire contents in a single spot on the cat's skin. Allow several minutes for treatment to be needed.

Allow area to dry before touching treated area.

Only one applicator per treatment is needed.

PetLock™ Plus FOR CATS

FOR USE ONLY ON CATS WEIGHING OVER 1.5 lbs OR OLDER

3 doses

FOR USE ONLY ON CATS WEIGHING OVER 1.5 lbs OR OLDER

3 doses

PetLock™ Plus FOR CATS

EPA Reg. No. 88052-14-89609 - EPA Est. No. 74720-DEU-01

Plus

CONTAINS THE SAME ACTIVE INGREDIENTS • FIPRONIL AND • (S)-(S)-METHOPRENE FOUND IN FRONTLINE® PLUS

Frontline® Plus is a registered trademark of Merial Limited. PetLock™ Plus FOR CATS is not manufactured by or distributed by Merial Limited

KILLS FLEAS, FLEA EGGS & LARVAE and CHEWING LICE

Kills all stages of ticks including those that may transmit Lyme disease

- FAST ACTING
- LONG-LASTING
- WATERPROOF

Net Contents: 0.051 fl. oz. (3 applicators each containing 0.017 fl. oz.); 3 Doses

ACTIVE INGREDIENTS:

Fipronil	9.8%
(S)-methoprene	11.8%
OTHER INGREDIENTS	78.4%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

DO NOT USE ON DOGS
 SEE LABEL INSERT FOR FIRST AID & PRECAUTIONARY STATEMENTS

EPA Reg. No. 88052-14-89609
 Lot/Batch Number
 MADE IN GERMANY

for **CATS** **PetLock™** *Plus*

Use **ONLY** on cats weighing over 1.5 lbs.
and 8 weeks or older

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

- *PetLock™ Plus For Cats provides convenient and effective flea, tick and chewing lice control for cats and kittens weighing 1.5 lbs and 8 weeks and older.*
- *Prevents flea eggs, larvae and pupae from developing.*
- *Rapidly controls infestations of chewing lice.*
- *Remains effective after bathing and swimming.*
- *Easy, fast, effective control of fleas, ticks, lice.*
- *Best results when used monthly.*
- *Kills newly emerged fleas before they lay eggs.*
- *Prevents re-infestation for one month.*

ACTIVE INGREDIENTS:	
Fipronil	9.8%
(S)-Methoprene	11.8%
OTHER INGREDIENTS: ..	78.4%
TOTAL:	100.0%

Kills Fleas, Flea Eggs and Larvae, Chewing Lice
Kills all stages of Ticks, including those that may
transmit Lyme disease

DO NOT USE ON DOGS

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

HOTLINE NUMBER: Have the product container or label with you when calling a poison control center, doctor or going for treatment. You may contact us at 1-855-844-4375 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS CAUTION.

Harmful if swallowed. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

For external use on cats only. Do not use on kittens weighing less than 1.5 lbs. and less than 8 weeks of age. **DO NOT USE ON DOGS. DO NOT USE ON OTHER ANIMALS.** Individual sensitivities, while rare, may occur after using **ANY** pesticide product. Cats may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian. If your cat has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged cats. Call 1-855-844-4375 for 24-hour assistance.

SIDE EFFECTS

Monitor your cat after application. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. In some cases, vomiting or diarrhea may result due to grooming after treatment. If these or other side effects occur, consult your veterinarian or call us at 1-855-844-4375.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Do not allow children to apply product.** TO PREVENT HARM TO YOU AND YOUR CAT, READ THE ENTIRE LABEL AND DIRECTIONS FOR USE BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.


Precaucion al consumidor: Si usted no puede leer Inglés, no use este product hasta que la etiqueta le haya sido explicada ampliamente. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you).

PetLock™ Plus for Cats contains the active ingredients fipronil and (S)-methoprene that effectively target fleas, ticks and chewing lice. PetLock™ Plus for Cats is fast-acting, long-lasting, waterproof, and easy to use. PetLock™ Plus for Cats remains effective even after bathing, water immersion, or exposure to sunlight. PetLock™ Plus for Cats can also be used for the treatment and control of flea, tick, and chewing lice infestations on breeding, pregnant and lactating queens. Do not allow your cat to ingest this product. Do not apply to cats weighing less than 1.5 lbs. and less than 8 weeks old.

To kill fleas, flea eggs and larvae, all stages of **Brown Dog ticks, American dog ticks, Lone Star ticks, and Deer ticks** (which may carry Lyme disease) and chewing lice, apply this product to cats and kittens weighing over 1.5 lbs. and 8 weeks or older as follows.

TO REMOVE AND OPEN APPLICATOR:


1. Cut along scissor cut line to separate unit



2. Turn unit over and cut corner at bulb end



3. From cut corner, peel backing completely off from bottom to top



4. Remove the applicator



TO APPLY PETLOCK™ PLUS FOR CATS: Place applicator tip through cat's hair to the skin level between the shoulder blades. Squeeze applicator applying entire contents in a single spot to the cat's skin. Avoid superficial application to the cat's hair. Allow area to dry before touching treated area. Only one applicator per treatment is needed.

FREQUENCY OF APPLICATION

Fleas: When used monthly, PetLock™ Plus for Cats kills all stages of the flea life cycle and prevents reinfestation for up to six weeks after application. Although PetLock™ Plus for Cats can control fleas for up to six weeks, if there is a high risk of re-infestation or if the cat has fleas which may cause flea allergy dermatitis, apply PetLock™ Plus for Cats once every 30 days.

Chewing Lice: PetLock™ Plus for Cats kills chewing lice for at least 30 days. For best control of chewing lice, apply once every 30 days.

Do not reapply PetLock™ Plus for Cats for 30 days.

Ticks: PetLock™ Plus for Cats kills all stages of the tick life cycle (larvae, nymph, and adult) for at least 30 days. For best control of ticks, apply once every 30 days.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE. Store unused product in original container only, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING. Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

WARRANTY

To the extent consistent with applicable law, TruRx, LLC and/or seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use resulting from the handling of this product. Seller shall return the purchase price or at the election of the seller replace the product.

HOW SUPPLIED

For easy and convenient treatment, PetLock™ Plus for Cats is available in one convenient size.

0.051 fl. oz. (1.5 ml) (3 applicators each containing 0.017 fl. oz. (0.50 ml); 3 Doses)

QUESTIONS OR COMMENTS ABOUT THIS PRODUCT

Call 1-888-314-8588

Distributed by: TruRx, LLC

500 E. Shore Drive, Ste 130 Eagle, Idaho 83616

Made in Germany

PetLock™ Plus for Cats is a registered trademark of

TruRx, LLC. © 2014 TruRx, LLC. All rights reserved.

EPA Reg. No. 88052-14-89609



for **CATS**
PetLock[™]
Plus

KEEP OUT OF REACH OF CHILDREN


CAUTION

SEE FULL LABEL FOR ADDITIONAL INSTRUCTIONS

0.017 fl.oz. (0.5ml) ONLY FOR CATS
& KITTENS WEIGHING OVER
1.5 lbs and 8 WEEKS or OLDER

FIPRONIL 9.8%
(S)-METHOPRENE 11.8%

EPA Reg. No. 88052-14-89609



for **CATS**
PetLock[™]
Plus

KEEP OUT OF REACH OF CHILDREN


CAUTION

SEE FULL LABEL FOR ADDITIONAL INSTRUCTIONS

0.017 fl.oz. (0.5ml) ONLY FOR CATS
& KITTENS WEIGHING OVER
1.5 lbs and 8 WEEKS or OLDER

FIPRONIL 9.8%
(S)-METHOPRENE 11.8%

EPA Reg. No. 88052-14-89609



for **CATS**
PetLock[™]
Plus

KEEP OUT OF REACH OF CHILDREN


CAUTION

SEE FULL LABEL FOR ADDITIONAL INSTRUCTIONS

0.017 fl.oz. (0.5ml) ONLY FOR CATS
& KITTENS WEIGHING OVER
1.5 lbs and 8 WEEKS or OLDER

FIPRONIL 9.8%
(S)-METHOPRENE 11.8%

EPA Reg. No. 88052-14-89609



for CATS
PetLock™
Plus

0.017 fl.oz. ONLY FOR CATS
& KITTENS WEIGHING OVER 1.5 lbs
and 8 WEEKS or OLDER

FIPRONIL	9.8%
(S)-METHOPRENE	11.8%

EPA Reg. No. 88052-14-89609

KEEP OUT OF
REACH OF CHILDREN
READ DIRECTIONS
BEFORE USE

CAUTION

PetLock[™] for CATS
Plus

REMINDER STICKERS

The first time you treat your cat, place the first application sticker on your calendar. Apply Stickers 2 and 3 to the calendar 30 and 60 days after the first application to remind you it's time to reapply PetLock[™] Plus for Cats.

FIRST APPLICATION
PETLOCK PLUS
FOR CATS



APPLY PETLOCK
PLUS FOR CATS



APPLY PETLOCK
PLUS FOR CATS



For customer service
please call 1-888-314-8588

Distributed by: TruRx, LLC 500 E. Shore Drive, Eagle, ID 83616