

Distributed by: Truick, LLC
 500 E Shore Drive, Eagle, ID 83616
 EPA Reg. No. 88052-14-89609
 EPA Est. No. 089609-FL-001
 This EPA Est. No. on this package
 other EPA Est. No. supersedes any

Questions or comments about this product?
 Call: 1-888-314-8588
 Monday-Friday, 9am-5pm EST

STORAGE AND DISPOSAL
 Do not contaminate water, food, or feed by storage and disposal.
PESTICIDE STORAGE: Store unused product in original container only, out of reach of children and animals.
PESTICIDE DISPOSAL, if partly filled: Call your local solid waste agency for disposal instructions.
CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container.
If empty: Place in trash or offer for recycling if available.

SIDE EFFECTS – See package insert for side effects.
 Precution of consumer: S' used no puda leat h'les, no use este product hosto
 que lo e'quente lo hayo side aplicacoa ompl'ente. (To the user: If you cannot
 speak English, do not use this product until the label has been fully explained
 to you).
 Do not allow your cat to ingest this product. Do not apply to cats
 weighing less than 1.5 lbs and less than 8 weeks old.

FREQUENCY OF APPLICATION
 FLEAS: When used monthly, PetAction™ Plus for Cats kills all stages of the
 flea life cycle and prevents reinfestation for up to six weeks after application.
 Although PetAction™ Plus for Cats can control fleas for up to six weeks, if there is a
 high risk of reinfestation or if the cat has fleas which may cause flea allergy
 dermatitis, apply PetAction™ Plus for Cats once every 30 days.
TICKS: PetAction™ Plus for Cats kills all stages of the tick life cycle (larvae, nymph and
 adult) for at least 30 days. For best control of ticks, apply once every 30 days.
CHEWING LICE: PetAction™ Plus for Cats kills chewing lice for at least 30 days. For best control of
 chewing lice, apply once every 30 days.
 Do not reapply PetAction™ Plus for Cats for 30 days.

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR CAT, READ THE
 ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTION-
 ARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON DOGS, RABBITS OR OTHER
 ANIMALS.
ADDITIONAL INFORMATION: See package insert for side effects.
 Precution of consumer: S' used no puda leat h'les, no use este product hosto
 que lo e'quente lo hayo side aplicacoa ompl'ente. (To the user: If you cannot
 speak English, do not use this product until the label has been fully explained
 to you).
 Do not allow your cat to ingest this product. Do not apply to cats
 weighing less than 1.5 lbs and less than 8 weeks old.

FOR USE ONLY ON CATS WEIGHING
 OVER 1.5 lbs & 8 WEEKS OR OLDER



FOR USE ONLY ON CATS
 WEIGHING OVER 1.5 lbs
 AND 8 WEEKS OR OLDER

EPA Reg. No. 88052-14-89609 - EPA Est. No. 74720-DEU-01

PETACTION™
 FOR CATS

FOR CATS

PETACTION™

Plus

KILLS FLEAS, FLEA EGGS & LARVAE
 and CHEWING LICE

Kills all stages of ticks including those
 that may transmit Lyme disease

- FAST ACTING
- LONG-LASTING
- WATERPROOF

CONTAINS
 THE SAME
 ACTIVE INGREDIENTS
 • FIPRONIL AND
 • (S)-METHOPRENE
 FOUND IN
 FRONTLINE® PLUS

FOR USE ONLY ON CATS
 WEIGHING OVER 1.5 lbs
 and 8 WEEKS
 OR OLDER

Net Contents: 0.051 fl. oz. (3 applicators
 each containing 0.017 fl. oz.); 3 Doses

ACTIVE INGREDIENTS:

Fipronil	9.8%
(S)-methoprene	11.8%
OTHER INGREDIENTS	78.4%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN
CAUTION

SEE LABEL INSERT FOR FIRST AID AND PRECAUTIONARY STATEMENTS • DO NOT USE ON DOGS



3 DOSES

FOR USE ONLY ON CATS
 WEIGHING OVER 1.5 lbs
 AND 8 WEEKS OR OLDER

FOR CATS
PETACTION™ Plus



PET ACTION™ PLUS FOR CATS:
 PetAction™ Plus for Cats contains the active ingredients fipronil and (S)-methoprene that effectively target
 fleas, ticks and chewing lice. PetAction™ Plus for Cats is fast-acting, long-lasting, waterproof, and easy to use.
FLEAS
 • Kills fleas, flea eggs and larvae
 • Prevents flea eggs, larvae and pupae from developing
 • Kills newly emerged fleas before they lay eggs
 • Kills adult fleas which may cause flea
 allergy dermatitis
LICE
 • Rapidly controls infestations of chewing lice
TICKS
 • Kills all stages of Brown dog ticks (Rhipicephalus
 sanguineus), American dog ticks (Dermacentor
 variabilis), Lone Star ticks (Amblyomma americanum),
 Deer ticks (Ixodes scapularis) which may transmit
 Lyme disease.
CHEWING LICE

HOW TO APPLY

To kill fleas, flea eggs, and all stages of Brown dog ticks,
 American dog ticks, Lone Star ticks and Deer ticks, and
 kittens weighing over 1.5 lbs, and 8 weeks or older as
 follows:
 To remove and open applicator: See label insert for
 opening instructions.
 To apply PETACTION™ PLUS FOR CATS: Place applicator tip
 through cat's hair to the skin level between the shoulder blades.
 Squeeze applicator, applying entire contents in a single spot on
 the cat's skin. Avoid superficial application to the cat's hair.
 Allow area to dry before touching treated area.
 Only one applicator per treatment is needed.

EPA Reg. No. 88052-14-89609
 Lot/Batch Number
 MADE IN GERMANY

PETACTION™ FOR CATS Plus

ACTIVE INGREDIENTS:		
Fipronil	9.8%
(S)-Methoprene	11.8%
OTHER INGREDIENTS:	..	78.4%
TOTAL:	100.0%

Use **ONLY** on cats weighing over 1.5 lbs. and 8 weeks or older

KEEP OUT OF REACH OF CHILDREN

CAUTION

Kills Fleas, Flea Eggs and Larvae, Chewing Lice
Kills all stages of Ticks, including those that may transmit Lyme disease

DO NOT USE ON DOGS

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

HOTLINE NUMBER: Have the product container or label with you when calling a poison control center, doctor or going for treatment. You may contact us at 1-855-844-4375 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS

CAUTION.

Harmful if swallowed. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

For external use on cats only. Do not use on kittens weighing less than 1.5 lbs. and less than 8 weeks of age. **DO NOT USE ON DOGS. DO NOT USE ON OTHER ANIMALS.** Individual sensitivities, while rare, may occur after using **ANY** pesticide product. Cats may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian. If your cat has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged cats. Call 1-855-844-4375 for 24-hour assistance.

SIDE EFFECTS

Monitor your cat after application. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. In some cases, vomiting or diarrhea may result due to grooming after treatment. If these or other side effects occur, consult your veterinarian or call us at 1-855-844-4375.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Do not allow children to apply product.** TO PREVENT HARM TO YOU AND YOUR CAT, READ THE ENTIRE LABEL AND DIRECTIONS FOR USE BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.

Precaucion al consumidor: Si usted no puede leer Inglés, no use este product hasta que la etiqueta le haya sido explicada ampliamente. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you).


PetAction™ Plus for Cats contains the active ingredients fipronil and (S)-methoprene that effectively target fleas, ticks and chewing lice. PetAction™ Plus for Cats is fast-acting, long-lasting, waterproof, and easy to use. PetAction™ Plus for Cats remains effective even after bathing, water immersion, or exposure to sunlight. PetAction™ Plus for Cats can also be used for the treatment and control of flea, tick, and chewing lice infestations on breeding, pregnant and lactating queens. Do not allow your cat to ingest this product. Do not apply to cats weighing less than 1.5 lbs. and less than 8 weeks old.

To kill fleas, flea eggs and larvae, all stages of **Brown Dog ticks, American dog ticks, Lone Star ticks,** and **Deer ticks** (which may carry Lyme disease) and chewing lice, apply this product to cats and kittens weighing over 1.5 lbs. and 8 weeks or older as follows.

To kill fleas, flea eggs and larvae, all stages of **Brown Dog ticks, American dog ticks, Lone Star ticks, and Deer ticks** (which may carry Lyme disease) and chewing lice, apply this product to cats and kittens weighing over 1.5 lbs. and 8 weeks or older as follows.

TO REMOVE AND OPEN APPLICATOR:


1. Cut along scissor cut line to separate unit



2. Turn unit over and cut corner at bulb end



3. From cut corner, peel backing completely off from bottom to top



4. Remove the applicator



TO APPLY PETACTION™PLUS FOR CATS: Place applicator tip through cat's hair to the skin level between the shoulder blades. Squeeze applicator applying entire contents in a single spot to the cat's skin. Avoid superficial application to the cat's hair. Allow area to dry before touching treated area. Only one applicator per treatment is needed.

FREQUENCY OF APPLICATION

Fleas: When used monthly, PetAction™ Plus for Cats kills all stages of the flea life cycle and prevents reinfestation for up to six weeks after application. Although PetAction™ Plus for Cats can control fleas for up to six weeks, if there is a high risk of re-infestation or if the cat has fleas which may cause flea allergy dermatitis, apply PetAction™ Plus for Cats once every 30 days.

Chewing Lice: PetAction™ Plus for Cats kills chewing lice for at least 30 days. For best control of chewing lice, apply once every 30 days.

Do not reapply PetAction™ Plus for Cats for 30 days.

Ticks: PetAction™ Plus for Cats kills all stages of the tick life cycle (larvae, nymph, and adult) for at least 30 days. For best control of ticks, apply once every 30 days.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE. Store unused product in original container only, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency for disposal instructions.

Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING. Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

WARRANTY

To the extent consistent with applicable law, TruRx, LLC and/or seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use resulting from the handling of this product. Seller shall return the purchase price or at the election of the seller replace the product.

HOW SUPPLIED

For easy and convenient treatment, PetAction™ Plus for Cats is available in one convenient size.

0.051 fl. oz. (1.5 ml) (3 applicators each containing 0.017 fl. oz. (0.50 ml); 3 Doses)

QUESTIONS OR COMMENTS ABOUT THIS PRODUCT

Call 1-888-314-8588

Distributed by: TruRx, LLC

500 E. Shore Drive, Ste 130 Eagle, Idaho 83616

Made in Germany

PetAction™Plus for Cats is a registered trademark of

TruRx, LLC. © 2014 TruRx, LLC. All rights reserved.

EPA Reg. No. 88052-14-89609

PETACTION^{FOR CATS} Plus

KEEP OUT OF REACH OF CHILDREN


CAUTION

SEE FULL LABEL FOR ADDITIONAL INSTRUCTIONS

0.017 fl.oz. ONLY FOR CATS
& KITTENS WEIGHING OVER
1.5 lbs and 8 WEEKS and OLDER

FIPRONIL 9.8%
(S)-METHOPRENE 11.8%

EPA Reg. No. 88052-14-89609
Batch No.



PETACTION^{FOR CATS} Plus

KEEP OUT OF REACH OF CHILDREN


CAUTION

SEE FULL LABEL FOR ADDITIONAL INSTRUCTIONS

0.017 fl.oz. ONLY FOR CATS
& KITTENS WEIGHING OVER
1.5 lbs and 8 WEEKS and OLDER

FIPRONIL 9.8%
(S)-METHOPRENE 11.8%

EPA Reg. No. 88052-14-89609
Batch No.



PETACTION^{FOR CATS} Plus

KEEP OUT OF REACH OF CHILDREN


CAUTION

SEE FULL LABEL FOR ADDITIONAL INSTRUCTIONS

0.017 fl.oz. ONLY FOR CATS
& KITTENS WEIGHING OVER
1.5 lbs and 8 WEEKS and OLDER

FIPRONIL 9.8%
(S)-METHOPRENE 11.8%

EPA Reg. No. 88052-14-89609
Batch No.



FOR CATS
PETACTION
Plus

0.017 fl.oz. ONLY FOR CATS
& KITTENS WEIGHING OVER 1.5 lbs
and 8 WEEKS and OLDER

FIPRONIL	9.8%
(S)-METHOPRENE	11.8%

EPA Reg. No. 88052-14-89609
Batch No.

KEEP OUT OF
REACH OF CHILDREN
READ DIRECTIONS
BEFORE USE

CAUTION

REMINDER STICKERS

The first time you treat your cat, place the First Application Sticker on your calendar. Apply Stickers 2 and 3 to the calendar 30 and 60 days after the first application to remind you it's time to reapply PetAction™ Plus for Cats.

3 MONTHS

Manufactured for: TruRx, LLC
500 E. Shore Drive, Eagle, ID 83616

For customer service
please call 1-888-314-8588



FOR **CATS**
PETACTION™
Plus