



**DISINFECTANT • CLEANER • DETERGENT • VIRUCIDE\* • FUNGICIDE • MILDEWSTAT • SANITIZER**

- Kills 99.9% of common household and institutional germs
- For use on hard, non-porous surfaces in: Home, Office, Hospital, Nursing Home, Retail Establishments, Institutions and Industrial Sites
- Athletic Surfaces, Gymnasiums, Exercise Equipment, and Playgrounds
- Schools, Daycare Centers, Nurseries, Restaurants, Food Handling and Processing Areas, Bars
- Kitchens, Dormitories, Hotels, Motels, Break Rooms, Restrooms, Shower Stalls, Health Clubs
- Cruise Ships, Airports, Public Transportation, Boats, Cars
- For use on hard, non-porous surfaces such as: Walls, Floors, Countertops, Sinks, Toilets, Exterior Surfaces of Appliances, Drinking Fountains, Tables, Chairs, Bed Railings, and Locker Rooms
- EMS and Fire Facilities, Emergency Vehicles, Ambulances, Police Cars, Fire Trucks
- For use on Exhaust Fans, Refrigerated Storage and Display Equipment, Coils and Drain Pans Of Air Conditioning, Refrigeration Equipment and Heat Pumps.

**ACTIVE INGREDIENTS:**

Alkyl (C14 60%, C16 30%, C12 5%, C18 5%) dimethyl benzyl ammonium chloride... .2.25%  
 Alkyl (C12 68%, C14 32%) dimethyl ethylbenzyl ammonium chloride . . . . .2.25%  
**INERT INGREDIENT:**..... .95.50%  
**TOTAL:** .....100.00%

Manufactured for:  
**BactiBarrier**  
 1244 Ritchie Hwy #14  
 Arnold, MD 21012  
 866-215-4998

EPA REG. NO. 10324-59-89067  
 EPA EST. NO. 89755-UT-1

**KEEP OUT OF REACH  
 OF CHILDREN  
 DANGER  
 PELIGRO**



**LICENSED**

**8993.1**

PERIOD 2014-2016 LIC. NO.

**NET CONTENTS: 1 gal**

Made in the USA

**FIRST AID**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

See back panel for additional precautionary statements.

**DISINFECTION PERFORMANCE IN INSTITUTIONS AND NON-MEDICAL FACILITIES:** This product is effective against: Acinetobacter baumannii, Bordetella bronchiseptica, Campylobacter jejuni, Corynebacterium ammoniagenes, Enterobacter aerogenes, Enterococcus faecalis, Escherichia coli O111:H8, Escherichia coli O157:H7, Vancomycin Resistant Enterococcus faecalis (VRE), Escherichia coli, Klebsiella pneumoniae, Listeria monocytogenes, Pseudomonas aeruginosa, Salmonella enterica, Salmonella schottmuelleri, Salmonella typhi, Shigella dysenteriae, Staphylococcus aureus, Community associated Methicillin resistant Staphylococcus aureus (CA MRSA), Staphylococcus aureus (Methicillin resistant), Vancomycin Intermediate resistant Staphylococcus aureus (VISA), Streptococcus salivarius.  
**VIRUCIDAL\* PERFORMANCE:** This product is effective against: Avian Influenza A H5N1 virus, Avian influenza A H9N2/Turkey/Wisconsin virus, Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Herpes Simplex virus Type1, Human Coronavirus, Influenza A2/ Japan virus, Influenza A H1N1 virus ATCC VR-1469, Norovirus (Norwalk-like virus/Feline Calicivirus), HIV-1.

**NON-FOOD CONTACT SANITIZING PERFORMANCE:** This product is effective against: Staphylococcus aureus, Klebsiella pneumoniae.

**MILDEWICIDAL PERFORMANCE:** This product is effective against: Aspergillus Niger.

**FOOD CONTACT SANITIZING PERFORMANCE:** This product is effective against: Escherichia coli, Staphylococcus aureus.

**FUNGICIDAL PERFORMANCE:** This product is effective against: Trichophyton mentagrophytes, athlete's foot fungus, a cause of Ringworm.

**PRECAUTIONARY STATEMENTS  
 HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER.** Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish.  
**PHYSICAL OR CHEMICAL HAZARD**  
 Do not use or store near heat or open flame. Do not mix with oxidizers, anionic soaps and detergents.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Before using this product, food products and packaging materials must be removed from the room or carefully protected. Do not use this product to clean or disinfect utensils, glassware, dishes or interior surfaces of appliances.

**DISINFECTION/VIRUCIDAL\*/FUNGICIDAL/MOLD AND MILDEW PERFORMANCE IN INSTITUTIONS AND NON-MEDICAL FACILITIES:** Add 2-ounces of this product to 1 gallon of water.

**NON-FOOD CONTACT SANITIZING PERFORMANCE:** Add 2-ounces of this product to 1 gallon of water (703 ppm active) or equivalent use dilution. Treated surfaces must remain wet for 1 minute. For use with water hardness up to 400 ppm. For heavily soiled areas, a preliminary cleaning is required. Apply use solution to hard non-porous

surfaces with a brush, cloth, mop, sponge, auto scrubber, mechanical spray device coarse pump or trigger spray device or by immersion so as to thoroughly wet surfaces. For sprayer applications, spray 6-8 inches from surface. Do not breathe spray. Rub with brush, cloth, mop, or sponge. Treated surfaces must remain wet for 10 minutes. Wipe up excess liquid with a paper towel or allow to air dry. (Rinsing of floors is not necessary unless they are to be waxed or polished.) (Rinse all treated surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse). Change cloth, sponge or towels frequently to avoid redeposition of soil. A fresh solution must be prepared at least daily or more often if use solution becomes visibly dirty.

**FOOD CONTACT SANITIZING DIRECTIONS:** Prior to application, remove gross food particles and soil by a pre-flush or pre-scrape and when necessary, presoak. Then thoroughly wash or flush objects with a good detergent or compatible cleaner, followed by a potable water rinse before applications of the sanitizing solution.

**FOOD CONTACT SANITIZING PERFORMANCE:** Apply a use solution of 2-4 ounces of this product per 3½ gallons of water (or equivalent use dilution) (200-400 ppm active) to hard, non-porous food contact surfaces, thoroughly wetting surfaces with a brush, cloth, mop, sponge, auto scrubber, mechanical spray device trigger spray device or by immersion. For spray applications, spray 6 to 8 inches from surface. Do not breathe spray. Rub with brush, sponge, or cloth. Allow surface to remain wet for at least 1 minute. Allow surfaces to air dry. NO POTABLE WATER RINSE IS ALLOWED. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or more often if use solution becomes visibly dirty. For mechanical application, use solution must not be reused for sanitizing applications. This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or, (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product can be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

**\*KILLS HIV, HCV and HBV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of hard non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) associated with AIDS, Hepatitis B virus (HBV) and Hepatitis C virus (HCV).

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HCV and HBV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.**

**Personal Protection:** Clean up must always be done wearing protective latex gloves, gowns, masks and eye protection.

**Cleaning Procedure:** Blood and other body fluids containing HIV-1, HBV and HCV must be thoroughly cleaned from hard nonporous surfaces and objects before application of this product.

**Disposal of Infectious Materials:** Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

**Contact Time:** For HIV only, leave hard nonporous surfaces wet for 2 minutes. For all

other viruses and bacteria, leave hard nonporous surfaces wet for 10 minutes. The 2-minute contact time will not control other common types of viruses and bacteria listed on this label.

**FOR USE AS A GENERAL CLEANER AND/OR DEODORIZER DIRECTIONS:** Apply use solution of 2-4 ounces of this product per 1 gallon of water to surfaces. Wipe up excess liquid with a paper towel or allow to air dry. For heavy-duty use, add 2 ounces of this product per 1 gallon of water to clean surfaces.

**CARPETS, CARPET CUSHIONS, UPHOLSTERY, DRAPES AND OTHER POROUS MATERIALS, SUB FLOORS, DRYWALL, TRIM AND FRAME LUMBER, TACKLESS STRIP AND PANELING** (not for use as a deodorizer in California): To use as a deodorizer against water damage, extract the excess water. Test hidden area for colorfastness. Dilute 2 of 4 ounces of this product per 1 gallon of water, allowing for the diluting effect of absorbed water within saturated materials. Remove gross filth or heavy soil. Apply directly with a mechanical spray device (coarse pump or trigger spray device) to fully saturate affected materials. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Roll, brush or agitate into materials. Follow with a thorough extraction. Dry rapidly and thoroughly.

**FOR DISINFECTING HARD, NON-POROUS SURFACES AGAINST AVIAN INFLUENZA A H5N1 VIRUS:** For use in hospitals, hotels, motels, and other non-animal use sites, follow the **DISINFECTION/VIRUCIDAL\*/FUNGICIDAL/MOLD AND MILDEW PERFORMANCE IN INSTITUTIONS AND NON-MEDICAL FACILITIES** directions.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal.  
**PESTICIDE STORAGE:** Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**CONTAINER HANDLING:** Non-Refillable Container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

B-14

