




MILK PRODUCTS LLC - 25
Label# 482964 Graphic# 290153

Description: SAV-A-CAF ELIM A FLY8 LBS
Part#: PV386
Group:
Template: 8535
Old Label#: 418989

Size: 5.206000" x 10.000000"
Die #: 8375
Stock: 0.75 PLYPRP SWD
Rewind #: 3
Proof Out: 05/06/14



Colors:

F=Front B=Back L=Flood S=Spot M=Match P=Process PR=Primer UV=UV Ink %=Screen V=Varnish ADH=Adhesive LAM=Laminant FB=Front Base BB=Back Base X=Seamless

V170 - FL PRYL - FP
 CYAN - FP BLK - FP
 MAG - FP

PROOF INDICATES COLOR BREAK ONLY AND MAY NOT ACCURATELY REFLECT ACTUAL PRODUCTION COLORS.

C445 - F



*These colors are being manufactured out of process.

LICENSED

PERIOD 2014-2016 LIC. NO. **8998.1**

L#482964

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a cool, dry place. Do not contaminate with pesticides or fertilizer.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Empty container by tapping side to apply contents as directed in the Directions for Use. Then offer for recycling if available or puncture and dispose of in a sanitary landfill or by incineration.



55-7484 PV386 Rev 0414

elim-A-fly

ADD-PACK WITH **Clarifly** LARVICIDE



Daily add pack for calves containing diflubenzuron, Insect Growth Regulator, for continuous feeding during the fly season.

- Breaks the fly life cycle.
- Stops the development of horn fly, face fly, house fly and stable fly larvae in manure from treated calves.
- Use as part of an integrated fly control program.

FOR USE WITH WHOLE MILK OR MILK REPLACER

ACTIVE INGREDIENT:
 Diflubenzuron* (CAS# 35367-38-5) 0.16%
 OTHER INGREDIENTS 99.84%
 TOTAL 100.00%
 *contains 726.4 milligrams of diflubenzuron per pound.
 EPA Reg No. 89459-1-88218 EPA Est. No. 088218-WI-001

STORE IN ORIGINAL CONTAINER, IN A COOL, DRY PLACE.

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional Precautionary Statements

WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. To the extent consistent with applicable law, Seller makes no other express or implied warranty of Fitness or of Merchantability, and no agent of Seller is authorized to do so except in writing and with specific reference to this warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which claim is made.

For product use information, call 1-800-657-0793

Manufactured By Milk Products LLC
 435 East Main St., P.O. Box 150, Chilton, WI 53014
 920-849-2348 M-F 8am-5pm CST

NET WEIGHT 8 lbs (3.62 kg)

Clarifly® and Clarifly with design are registered trademarks of Wellmark International. elim-A-fly, is a trademark of Milk Products LLC.


← PRESS WEB DIRECTION



MILK PRODUCTS LLC - 25
Label# 482965 Graphic# 290153

Description: SAV-A-CAF ELIM A FLY BACK
Part#: PV387
Group:
Template: 8535
Old Label#: 418990

Size: 5.206000" x 10.000000"
Die #: 8375
Stock: 0.75 PLYPRP SWD
Rewind #: 3
Proof Out: 05/06/14



Colors:

F=Front B=Back L=Flood S=Spot M=Match P=Process PR=Primer UV=UV Ink %=Screen V=Varnish ADH=Adhesive LAM=Laminant FB=Front Base BB=Back Base X=Seamless

V170 - FL PRYL - FP
 CYAN - FP BLK - FP
 MAG - FP

PROOF INDICATES COLOR BREAK ONLY AND MAY NOT ACCURATELY REFLECT ACTUAL PRODUCTION COLORS.

C445 - F

*These colors are being manufactured out of process.

L#482965

elim-A-fly
 ADD-PACK WITH

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing.

PERSONAL PROTECTIVE EQUIPMENT

Wear long-sleeved shirt and long pants, shoes plus socks and chemical resistant gloves (such as or made out of any waterproof material, Selection Category A). Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

FIRST AID

If on skin or clothing

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-222-1222 for emergency medical treatment information.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside, then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic invertebrates. Do not contaminate water when disposing of equipment washwater or rinsate.

USE INFORMATION

elim-A-fly ADD-PACK WITH ClariFly® LARVICIDE (elim-A-fly) is intended to be added daily to whole milk or reconstituted milk replacer to control house flies, stable flies, horn flies and face flies which develop in manure of calves, including veal calves.

Use elim-A-fly as part of an integrated fly control program aimed at reducing fly populations in the calf's environment. Consult your veterinarian or retailer for program recommendations. In order to achieve optimum fly control, use elim-A-fly in conjunction with other premise and on-animal products, as well as good management and sanitation practices.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

elim-A-fly contains diflubenzuron, an insect growth regulator which prevents the development of house flies, stable flies, horn flies and face flies in the manure of treated calves, but is not effective against existing adult flies. Start feeding elim-A-fly early in the spring, 30 days before flies begin to appear, and continue feeding throughout the summer and into the fall until cold weather restricts fly activity. In some cases, supplemental fly control measures may be needed in and around pastures, barns and calf hutches to control adult house and stable flies.

The dosage of elim-A-fly is proportional to the animal's body weight. Each animal must receive 0.1 oz of elim-A-fly per 100 lbs of body weight, which equates to 0.10 mg diflubenzuron/kg of body weight per day. The product can be mixed by either of the following two methods.

Restriction: Feed calves between the weight of 60-200 pounds not to exceed 0.1 mg/kg per day.

MIXING FOR INDIVIDUAL CALVES

Prepare the whole milk or reconstituted milk replacer for each individual calf. Add the appropriate amount shown below based on the calf's weight, to achieve 0.1 mg/kg.

½ teaspoon per 60 lb body weight 1 teaspoon per 120 lb body weight 1½ teaspoon per 180 lb body weight

Mix thoroughly and feed the entire portion immediately. Repeat daily.

BULK MIXING FOR MULTIPLE CALVES

Thoroughly mix the required amount of elim-A-fly, as shown below, into the total amount of whole milk or reconstituted milk replacer needed for the number of calves to be fed, using level measuring cups, teaspoons (tsp) or tablespoons (TBS). Prepare fresh daily to provide the labeled daily intake of 0.10 mg diflubenzuron/kg of body weight per day. Feed each calf an equal portion of the total amount of treated milk.

Average Calf Weight (pounds)	Amount of elim-A-fly™ for:					
	5 calves	10 calves	20 calves	40 calves	80 calves	100 calves
75	1 TBS	2 TBS	¼ cup	¼ cup	1 cup	1 ¼ cup
100	4 tsp	8 tsp	¼ cup	¼ cup	1 ¼ cup	1 ¾ cup
150	2 TBS	¼ cup	¼ cup	1 cup	2 cup	2 ¾ cup
200	8 tsp	¼ cup	¼ cup	1 ¼ cup	2 ¾ cup	3 ¾ cup

Important

Stir or agitate continuously. Feed immediately in containers for individual animals only. DO NOT use bulk feeding containers (i.e. Calf Bars). Failure to properly mix and feed this product may result in underdosing or overdosing of some animals due to settling out of the active ingredient. ClariFly® and ClariFly with design are registered trademarks of Wellmark International. elim-A-fly, is a trademark of Milk Products LLC.

55-7484 PV387 Rev 0414

← PRESS WEB DIRECTION

elim-A-fly[®]

ADD-PACK WITH

ClariFly[®]
LARVICIDE



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing.

PERSONAL PROTECTIVE EQUIPMENT

Wear long-sleeved shirt and long pants, shoes plus socks and chemical resistant gloves (such as or made out of any waterproof material, Selection Category A). Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

FIRST AID

- | | |
|------------------------|---|
| If on skin or clothing | <ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call poison control center or doctor for treatment advice. |
|------------------------|---|

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-222-1222 for emergency medical treatment information.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside, then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic invertebrates. Do not contaminate water when disposing of equipment washwater or rinsate.

USE INFORMATION

elim-A-fly ADD-PACK WITH ClariFly[®] LARVICIDE (elim-A-fly) is intended to be added daily to whole milk or reconstituted milk replacer to control house flies, stable flies, horn flies and face flies which develop in manure of calves, including veal calves.

Use elim-A-fly as part of an integrated fly control program aimed at reducing fly populations in the calf's environment. Consult your veterinarian or retailer for program recommendations. In order to achieve optimum fly control, use elim-A-fly in conjunction with other premise and on-animal products, as well as good management and sanitation practices.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

elim-A-fly contains diflubenzuron, an insect growth regulator which prevents the development of house flies, stable flies, horn flies and face flies in the manure of treated calves, but is not effective against existing adult flies. Start feeding elim-A-fly early in the spring, 30 days before flies begin to appear, and continue feeding throughout the summer and into the fall until cold weather restricts fly activity. In some cases, supplemental fly control measures may be needed in and around pastures, barns and calf hutches to control adult house and stable flies.

The dosage of elim-A-fly is proportional to the animal's body weight. Each animal must receive 0.1 oz of elim-A-fly per 100 lbs of body weight, which equates to 0.10 mg diflubenzuron/kg of body weight per day. The product can be mixed by either of the following two methods.

Restriction: Feed calves between the weight of 60-200 pounds not to exceed 0.1 mg/kg per day.

MIXING FOR INDIVIDUAL CALVES

Prepare the whole milk or reconstituted milk replacer for each individual calf. Add the appropriate amount shown below based on the calf's weight, to achieve 0.1 mg/kg.

½ teaspoon per 60 lb body weight

1 teaspoon per 120 lb body weight

1½ teaspoon per 180 lb body weight

Mix thoroughly and feed the entire portion immediately. Repeat daily.

BULK MIXING FOR MULTIPLE CALVES

Thoroughly mix the required amount of elim-A-fly, as shown below, into the total amount of whole milk or reconstituted milk replacer needed for the number of calves to be fed, using level measuring cups, teaspoons (tsp) or tablespoons (TBS). Prepare fresh daily to provide the labeled daily intake of 0.10 mg diflubenzuron/kg of body weight per day. Feed each calf an equal portion of the total amount of treated milk.

Average Calf Weight (pounds)	Amount of elim-A-fly [™] for:					
	5 calves	10 calves	20 calves	40 calves	80 calves	100 calves
75	1 TBS	2 TBS	¼ cup	½ cup	1 cup	1 ¼ cup
100	4 tsp	8 tsp	⅓ cup	⅔ cup	1 ⅓ cup	1 ⅔ cup
150	2 TBS	¼ cup	½ cup	1 cup	2 cup	2 ½ cup
200	8 tsp	⅓ cup	⅔ cup	1 ⅓ cup	2 ⅔ cup	3 ⅓ cup

Important

Stir or agitate continuously. Feed immediately in containers for individual animals only. DO NOT use bulk feeding containers (i.e. Calf Bars). Failure to properly mix and feed this product may result in underdosing or overdosing of some animals due to settling out of the active ingredient.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a cool, dry place. Do not contaminate with pesticides or fertilizer.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into mixing equipment. Then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label, when used in accordance with directions under normal conditions of use, and Buyer assumes the risk of any use contrary to such directions. To the extent consistent with applicable law, Seller makes no other express or implied warranty of Fitness or of Merchantability, and no agent of Seller is authorized to do so except in writing and with specific reference to this warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which claim is made.

For product use information, call 1-800-657-0793

Manufactured By Milk Products LLC
435 East Main St., P.O. Box 150
Chilton, WI 53014