



STATE OF HAWAII
Department of Agriculture

ACCEPTED

LICENSE NO. **9021.2**
Disc.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE BEFORE USING

GENERAL USE DIRECTIONS:

For use in restrooms, hospitals, nursing homes, institutions, offices, schools, colleges, airports, hotels, motels, greenhouses, and kennels. Disinfects, cleans, and deodorizes non-porous, inanimate surfaces such as floors, walls, metal surfaces, stainless steel surfaces, plastic surfaces (such as polypropylene, polystyrene, etc.), plastic/vinyl chairs, glazed porcelain, garbage cans, laundry chutes (opening and the surfaces within 12-24 inches of the opening), bathroom fixtures, sink tops, shower stalls, exterior bowl surfaces, empty basins, knobs, handles, railings, tables, chairs, telephones, cabinets, vehicles (ships, trains, and airplanes), and many other similar public surfaces which could harbor and transmit dangerous microorganisms. **TO CLEAN:** Shake can. Spray evenly over surface, allowing sufficient time for the foam to penetrate heavy soil deposits. Wipe off. Chrome fixtures may be rinsed for high shine.

TO DISINFECT: Clean surface thoroughly as instructed above. Then apply a thin coat of foam, making sure to cover entire surface to be disinfected. Allow foam to remain for at least 10 minutes, then wipe off or allow to air dry.

This product is not for use on medical device surfaces.

MILDEWSTATIC INSTRUCTIONS: Follow the disinfection instructions above. Repeat application weekly or when growth reappears.

FUNGICIDAL DIRECTIONS: Kills Trichophyton mentagrophytes (the cause of athlete's foot fungus) on environmental surfaces. For use in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities on surfaces such as floors and shower stalls. Follow disinfection directions.

***KILLS HIV-1 (AIDS VIRUS) ON PRECLEANED, ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids, and in which the

surfaces/objects likely to be soiled with blood/body fluids can be associated with the potential for transmission of human immunodeficiency virus type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Disposable protective gloves, gowns, face masks, or eye coverings as appropriate, must be worn during all cleaning of body fluids, blood, and during decontamination procedures.

Cleaning Procedures: Blood/body fluids must be thoroughly cleaned from surfaces/objects before application of disinfectant.

Contact Time: HIV-1 (AIDS virus) is inactivated after a contact time of 5 minutes at 25°C (77°F) (room temperature). Use a 10-minute contact time for disinfection against all other viruses, fungi, and bacteria listed.

Disposal of Infectious Materials: Blood/body fluids should be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal.

TOILET BOWL AND URINAL DISINFECTANT/CLEANER DIRECTIONS:

Empty toilet bowl or urinal. Remove gross filth before disinfection. Thoroughly clean exposed surfaces with soap or detergent. Shake can. Apply a thin coat of foam, making sure to cover entire surface to be disinfected. Brush or swab thoroughly including under the rim, allow foam to remain for at least 10 minutes, then flush.

DISINFECTION DIRECTIONS FOR KENNELS AND OTHER AREAS THAT HOUSE ANIMALS:

For cleaning and disinfecting the following hard nonporous surfaces: equipment not used for animal food or water, utensils, instruments, cages, kennels, stables, catteries, etc. Remove all animals and feeds from premises, animal transportation vehicles, crates etc. Remove all litter, droppings and manure from floors, walls, and surfaces of facilities occupied or traversed by animals. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a thin coat of foam for a period of 10 minutes. Saturate all halters, ropes, and other types of equipment used

in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter sand manure with a thin coat of foam for a period of 10 minutes. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION Harmful if absorbed through the skin or inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray. Wash thoroughly with soap and water after handling.

For medical emergencies only, call 800-303-0441. Outside North America call 651-632-8956.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable by mouth-to-mouth if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

PHYSICAL AND CHEMICAL HAZARDS


Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage disposal.

Pesticide Storage
Store in areas inaccessible to children. Do not reuse empty container.

Container Disposal
Do Not Puncture or Incinerate!
Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions.



GLAD-LATH'R™

One-step Disinfectant, Cleaner, and Deodorant

BACTERICIDAL • FUNGICIDAL
MILDEWSTATIC • *VIRUCIDAL

A ready-to-use, multi-purpose formula effective in the presence of a moderate amount of soil (5% organic serum) against Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella enterica, Trichophyton mentagrophytes, *Herpes simplex virus type 2, and *HIV-1 (AIDS virus).



Active Ingredients:	
n-Alkyl (C ₁₄ 60%, C ₁₆ 30%, C ₁₂ 5%, C ₁₈ 5%)	
dimethyl benzyl ammonium chloride.....	0.09%
n-Alkyl (C ₁₂ 50%, C ₁₄ 30%, C ₁₆ 17%, C ₁₈ 3%)	
dimethyl ethylbenzyl ammonium chloride.....	0.09%
Other Ingredients:.....	99.82%
Total.....	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for Precautionary Statements

EPA Reg. No. 47371-89-559 EPA Est. No. 33595-MO-02



7 66176 52380 3

Net Wt. 1 Lb. 3 Oz./539 g

Buckeye International, Inc.

2700 Wagner Place • Maryland Heights • MO 63043 • USA • 314.291.1900 • www.